


**SECTION A-A** (1:25)



SECTION B-B

(1:25)

### Notes

#### **GENERAL**

- This drawing is to be read in conjunction with all relevant Engineers and Architects drawings and with the Specification.
- · For setting out refer to Architects drawings.
- All dimensions are in millimetres and levels are in metres unless noted otherwise.
- Contractor to take all relevant dimensions on site. Any discrepancies to be advised to the Engineer.
- any damage during works.

#### CONCRETE

- Concrete to be to the requirements of BS EN 1992-1-1:2004 and BS 8500.
- Concrete mix for foundations to be Grade GEN 3 to BS 8500 : 2015.
- Minimum cement content of 320kg/m3 and maximum free water cement ratio of 0.6.
- Concrete mix for foundations is to be designed for design sulphate class DS-1, ACEC Class AC-1 and design chemical class DC-1 to BS8500: 2015.

HAZARDS LEADING TO UNUSUAL OR SIGNIFICANT RISKS DURING THE CONSTRUCTION PROCESS ARE IDENTIFIED ON THIS DRAWING AS:

RISKS/HAZARDS SPECIFIC TO THIS DRAWING:

### FOR TENDER - NOT FOR CONSTRUCTION

T01	Tender	AG	PP	KM	29.03.
P01	Preliminary	AG	KM	KM	27.03.
Rev.	Amendment	Dm.	Chkd.	Appd.	Date

### RAF MUSEUM. HENDON EXISTING BUND MODIFICATIONS

# PROPOSED FOOTPATH SECTIONS

Client
RAF MUSEUM HENDON

## Scott White and Hookins

2 Leathermarket Street, London SE1 3NH T: +44 (0)20 8773 3131 W: www.swh.co.uk E: info@swh.co.uk

Scale at A1 - 1:25

C00034-SWH-ZZ-00-M2-S-0102 T01

Project | Originator | Zone | Level | Type | Role | Number | Rev.

DO NOT SCALE FROM THIS DRAWING