



Biotec+ Ø2.6 Tank Range		
Inlet Invert (Dim A)	Outlet Invert (Dim B)	Overall Height (Dim D)
0500	0650	2960
1000	1150	3460
1500	1650	3960
2000	2150	4460

	Biotec & Envirosafe Ø2.6 Tank Range						
	Nominal Unit Volume (Litres)						
	34000	38000	42000	47000	55000	67000	80000
No. Of Turrets	5	5	5	5	6	6	6
Inlet & Outlet Diameter	160	160	160	160	160	160	160
Unit Length (Dim C)	7376	8150	8917	9684	11222	13528	15833
Unit Weight (approx)	3000Kg	3200Kg	3400Kg	3800Kg	4200Kg	4700Kg	5400Kg

- Notes
- Units are available with the inlet inverts shown in the table. Selection of the correct inlet invert is key, it must be suitable for the drainage and ground levels on site, the invert CANNOT be altered once the plant is installed. In any circumstance, the maximum allowable inlet invert is 2000mm.
 - It is important to read and understand the installation and operation guidelines before attempting to install this unit.
 - Each unit is supplied with pedestrian duty manhole covers and frames to suit.
 - Vent pipe connections are supplied, but vent runs and stack are by others.

Please Check with Environmental Treatment Systems Limited For The Latest Issue Of This Drawing			
Issue	Date	Drawn by	Approved by
04	10/02/10	M.H.	
05	10.06.10	P.T.C	
06	22.12.10	JC	
07	07.07.11	P.T.C	

Material : Various	Tolerance (unless stated) :
Finish :	Thickness : n/a
Weight : 3281.38 Kg	Surface Area : m²
Modelled By : Name	

Drawing : DS0952P Page 1 of 1
 Biotec & Envirosafe Treatment Plant - Ø2.6 Dims

All Dimensions In mm	Scale: Do Not Scale	Third Angle Projection
T:\Drawing Data\02 - Sales Drawings\DS\DS - 09\DS0952P		

Environmental Treatment Systems Limited reserve the right to alter the details of this drawing without prior notice. This drawing is copyright and may not be reproduced or used without the written permission of Environmental Treatment Systems Limited

