

DMC	NSN	Short item name	Specification	DESCRIPTION	PROC REF NO	D-OF-Q	PPQ	MOQ	ANNUAL USAGE	Year 1 Price (€)	Year 2 Price (€)	LEAD TIME (WORKING DAYS)	HAZ-CAT	SHELF-LIFE	PROPRIETARY	DIRECT SUPPLY	Comments
Z9BAT	6140995584673	BATTERY,STORAGE	N/A	BATTERY,STORAGE ALKALINE;1.2V;10A HOUR CAPACITY;5 HOURS TIME CAPACITY;2A DISCHARGE RATE;300 MINUTES DISCHARGE TIME;2 TERMINALS:CONTACT & SOLDER	VR10HBG	EA	1		137				9A	48	No	No	
Z9BAT	6140997485557	BATTERY,STORAGE	N/A	DESIG BATTERY,STORAGE 2.4V;7AMP HOUR CAPACITY;2 TERMINALS,CONNECTOR W/LEADS;2 CELLS;74MM O/A WD;94 MM O/A LG;35.80MM O/A H;DRY CHARGED	Various TB1693 49748557 CM30349 A 87754	EA	1		393				9A	48	No	No	

DMC	NSN	Short item name	Specification	DESCRIPTION	PROC REF NO	D-OF-Q	PPQ	MOQ	ANNUAL USAGE	Year 1 Price (£)	Year 2 Price (£)	LEAD TIME (WORKING DAYS)	HAZ-CAT	SHELF-LIFE	PROPRIETARY	DIRECT SUPPLY	Comments
Y3BAT	6135144695737	BATTERY, NONRECHARGEABLE	Def Stan 61-21 Supp 021	BATTERY, NONRECHARGEABLE LITHIUM THIONYL CHLORIDE CELL; 3.5 VOLT; 900 MILLIAMPS CAPACITY; 1/2R6(1/2AA) SIZE.	N/A	EA	5		11398				9A	60	NO	NO	
Y3BAT	6135144401213	BATTERY, NONRECHARGEABLE	Def Stan 61-21 Supp 078	BATTERY, NONRECHARGEABLE: 3.5V; CYLINDRICAL SHAPE; 2 TERMINALS; 33.50MM MAX OD; 61.50MM MAX H.	N/A	EA	5		2940				9	60	NO	NO	
Y3BAT	6135144449055	BATTERY, NONRECHARGEABLE	Def Stan 61-21 Supp 064	BATTERY, NONRECHARGEABLE: LITHIUM; 3.6V; 5.8A HR CAPACITY; A/A HRS TIME CAPACITY; CYLINDRICAL; 10YRS APPROX SHELF LIFE; 2 FLAT SURFACE TERMINALS.....	N/A	EA	5		1728				9	60	NO	NO	
Y3BAT	6135997725819	BATTERY, NONRECHARGEABLE	Def Stan 61-21 Supp 073	BATTERY, NONRECHARGEABLE 3.60V; 2.45 AH; CYLINDRICAL; 2 TERMINALS; 13.40 MM O/A DIA; 50.50 MM O/A LG	N/A	XX	1		1053				9A	60	NO	NO	
5J	6135999575803	BATTERY	Def Stan 61-21 Supp 021	BATTERY	N/A	EA	50		99				9A	60	NO	NO	
Y3BAT	6135997497054	BATTERY, PRIMARY	Def Stan 61-21 Supp 041	BATTERY PRIMARY 12V BATTERY 127MM LG 111.80-MM W 62.20-MM H W/6 WAY CONNECTOR	N/A	XX	1		2923				9	60	NO	NO	
Y3BAT	6135997474430	BATTERY, PRIMARY	Def Stan 61-21-Supp 026	BATTERY, PRIMARY LITHIUM-SULPHUR DIOXIDE; 30 VOLTS; 7.5 AMPERE HOUR CAPACITY; 2 SPRING CLIP TERMINALS; 79 MM O/A WD; 193.65 MM O/A LG; 72.20 MM O/A H	N/A	EA	1		19				9	60	NO	NO	
Z9BAT	6140996614865	BATTERY	Def Stan 61-21 Supp114	Nickel Cadmium Battery (12V 0.55 Sh Nominal)	N/A	EA	1		44				9A	60	NO	NO	
5J	6135993354754	BATTERY	Def Stan 61-21 Supp 067	BATTERY	DL1/3N	EA	10		44475				9A	60	NO	NO	
Y3BAT	6135998133127	BATTERY, NONRECHARGEABLE	Def Stan 61-21 Supp 032	BATTERY, NONRECHARGEABLE: ALKALINE MANGANESE DIOXIDE BATT; 4.5 V; CYL: 3.0 YRS APPROX SHELF LIFE; 2 TERMINALS; 16.50MM MAX O/A DIA; 50MM MAX O/A LG.	N/A	EA	1		981				9A	36	NO	NO	
Y3BAT	6135993959403	BATTERY	Def Stan 61-21 Supp 103	BATTERY, NONRECHARGEABLE: 37MM O/A WD; 43MM O/A LG; 22MM O/A H; RECTANGULAR W/ROUNDED CORNERS; CONNECTOR TERMINAL W/LEADS; 2 CONTACTS.	3248/01464	EA	1		347				9A	36	NO	NO	
Y3BAT	6135999847838	BATTERY, NONRECHARGEABLE	Def Stan 61-21 Supp 033	BATTERY, NONRECHARGEABLE 1.55 VOLTS; 0.190 A/H; CYLINDRICAL; 12.26 MM MAX DIA; 14.00 MM MAX LONG; SILVER OXIDE; TYPE SR44 CELL	N/A	EA	10		103				9A	24	NO	NO	
5J	6135992222993	BATTERY 6V	Def Stan 61-21 Supp 045	Alkaline Manganese Battery (6 V)	403504	EA	10		72				9A	15	NO	NO	
5J	6135121912397	BATTERY	Def Stan 61-21 Supp 066	BATTERY	N/A	EA	6		24				9A	60	NO	NO	
Y3BAT	6135991061769	BATTERY	Def Stan 61-21 Supp 102	Alkaline Manganese Battery (16.5 V)	401107	EA	1		10				9A	36	NO	NO	
Y3BAT	6135993640264	BATTERY, NONRECHARGEABLE	Def Stan 61-21 Supp 073	BATTERY, NONRECHARGEABLE LITHIUM ELECTROLYTE; 3.6V; CYLINDRICAL SHAPE; 2 TERMINALS; LUG TERMINAL TYPE; END TERMINAL LOCATION; 14.4MM MAX OD; 2.25AH.	LS14500P2	EA	1		219				9A	60	NO	NO	
5J	6135014355558	BATTERY	Def Stan 61-21 Supp 065	BATTERY	LS26500	EA	5		97				9	60	NO	NO	
5J	6135014475082	BATTERY	Mil-PRF-49471/4A	BATTERY	BA-5567A/U	EA	12		145				9A	60	NO	NO	
Y3BAT	6135010905365	BATTERY, NONRECHARGEABLE	Mil-PRF-49471/4A	DESIG BATTERY, NONRECHARGEABLE, 1 TERMINAL; FLAT SURFACE; 0.746 IN. O/A H; 1.030 IN. O/A DIA; CYLINDRICAL; LOW TEMP CAPABILITY; WITHSTANDS HIGH TEMP STORAGE.	BA-5567/U	EA	5		84				9A	60	NO	NO	
Y3BAT	6135998015064	BATTERY, NONRECHARGEABLE	N/A	DESIG BATT, NONRECHARGEABLE, LITHIUM; 36.00; RECT W/CURVED SIDES; 217.50 MM MAX LG, 114.50MM MAX WD, 81.06MM H, O/A DIMS; 36V; W/15 A FUSE; PNTD IRR MATT NATO GREEN.	0093700-019	EA	1		156				9	60	NO	NO	
Y3BAT	6135123508176	BATTERY, NONRECHARGEABLE	N/A	DESIG BATTERY, NONRECHARGEABLE, 3.1V; CYLINDRICAL SHAPE; 2 FLAT CONTACT TERMINALS; 16.9MM MAX DIA; 34.5MM MAX LG.	CR2/3AH	EA	1		64				0	0	NO	NO	
Y3BAT	6135996816034	BATTERY, NONRECHARGEABLE	N/A	DESIG BATTERY, NONRECHARGEABLE: LITHIUM BATTERY ELECTROLYTE; 3V; RD FLAT SHAPE; 10YRS APPROX SHELF LIFE; 2 TERMINALS; FLAT SURFACE TERMINAL TYPE;	CR1632	EA	1		316				9A	36	NO	NO	

Z9BAT	6140997059574	BATTERY, STORAGE	N/A	DESIG BATTERY STORAGE LEAD ACID;12V;95AH @ 20H;2 TAPER POSTS ON TOP;PLASTIC CASE;6 CELLS;173 MM MAX WD;299 MM MAX LG;222 MM MAX H;W/HANDLE ON TOP	D31068C07-A	EA	1	12			8	0	NO	NO	
Z9BAT	6140997315611	BATTERY	N/A	DESIG BATTERY STORAGE O/A L-179MM O/A W-100 MM O/A H- 165MM 19 AMPS HOUR CAPTY AT 20 HOUR RATE 2 AMPS BENCH CHARGE RATE	YB16L-8	EA	1	9			9A	0	NO	NO	
Z9BAT	6140999503747	BATTERY, STORAGE	N/A	DESIG BATTERY STORAGE 118 V;0.005 A;1 CONNECTOR W/LEADS TERMINAL;1 CONTACT;80M M MIN NONSPECIFIED LEAD WIRING PROVISION LG;NICKEL CADMIUM;160 MM WD.	GE53714	EA	1	4			9A	48	NO	NO	
Z9BAT	6140999930202	BATTERY SET	N/A	DESIG BATTERY SET;PACK CONTAINS 8 RECHARGEABLE BATTERIES	VT CS 1600	PK	1	7			9A	60	NO	NO	
Z9	5950995512827	DESIG CHARGER	N/A	DESIG CHARGER	GM-C-120303, 111121/002	EA	1	5			0	0	NO	NO	
Y3BAT	6135994795348	BATTERY, NONRECHARGEABLE	Def Stan 61-21 Suppl, 015	DESIG BATTERY,NONRECHARGEABLE 3.3 KG UNPACKED WT;LITHIUM MANGANESE DIOXIDE;30 VOLTS;RECT;2 TERMINAL QTY;2 CONTACT QTY;72.39 MM MAX O/A WD;184.66 MM	Def Stan 61-21-015	EA	1	20			9	60	NO	NO	
5J	6140996282237	BATNICAD1.5V	N/A	DESIG BATNICAD1.5V	RSH1.8K	EA	1	20			9A	36	NO	NO	
Y3BAT	6135012146441	BATTERY, NONRECHARGEABLE	MIL PRF 49471	BATTERY, NONRECHARGEABLE	2202	EA	10	7236			9A	60	NO	NO	
Z9	6160995371660	BATTERY BOX	N/A	BATTERY BOX	007-515-808(13)	EA	1	16			0	0	NO	NO	
Z9BAT	6140015639927	BATTERY, RECHARGEABLE, AA	N/A	BATTERY, RECHARGEABLE, AA	NH15-2500	PR	1	124			9A	60	NO	NO	
Y3BAT	6135016293346	BATTERY, NONRECHARGEABLE	Def Stan 61-21 Suppl 014	BATTERY, NONRECHARGEABLE	PR48	EA		28			0	0	NO	NO	
Z9	6140994282972	NOZZLE, BATTERY TOPPING	N/A	PLASTICS,BODY,HOSE END,LEVER BRACKET,NOZZLE END,SPRING CAP,OPERATING LEVER;1ST END W/ANGLED BODY,W/NOZZLE & OPERATING LEVER;2ND END TAPERED TO 3/4IN.	L148	EA	1	8			0	0	NO	NO	

DMC	NSN	Short item name	Specification	DESCRIPTION	PROC REF NO	D-OF-Q	PPQ	MOQ	ANNUAL USAGE	Year 1 Price (£)	Year 2 Price (£)	LEAD TIME (WORKING DAYS)	HAZ-CAT	SHELF-LIFE	PROPRIETARY	DIRECT SUPPLY	Comments
Z9BAT	6140013657743	BATTERY,STORAGE	Yuasa NP7-12	BATTERY,STORAGE LEAD ACID;RECHARGEABLE;MAINTNCE FREE;OPERTNG TEMP RANGE:-20 TO +50 DEG C CHARGE & -40 TO +50 DEG C DISCHRGE:LIFE EXPCTNCY.....	12 VT7743	EA	8		165				8	18	No	NO	
Z9BAT	6140995355253	BATTERY	Energys SBS 60	BATTERY	1428-5099	EA	1		100				8	24	No	NO	
Z9BAT	6140999791512	BATTERY	Energys SBS 40	BATTERY SBS 40/2;SEALED LEAD ACID BATTERY;W/2 M6 MALE TERMINALS;COMPRISES MONOBLOCK,MONOBLOCK PACKING CARTON AND VARIOUS LABELS	9750M0725 & SBS40	EA	1		88				8	00	No	NO	
Z9BAT	6140014698866	BATTERY,STORAGE	Energys Powersafe 6V 105 Ah (Screw Terminal)	BATTERY,STORAGE,LEAD ACID;6 VOLT;6.0 MONTHS SHELF-LIFE;2 M8 MALE TRMNL TOP AT EA END;3 CELL;202MM WD;191MM LG;235MM H;PLAS:BTY WEIGHT 22KG.	6V105	EA	1		51				8	00	No	NO	
5J	6140992608354	BATTERY	Energys SBS 15	BATTERY,STORAGE;ACID ELECTROLYTE;12V;2 TERMINALS;POST TERMINAL TYPE;LEAD PLATE;77MM WD;200MM LG;140MM H;PLASTICS CASE;NONSPILLING FEATURE INCL.	9750N7810	EA	1		37				8	24	No	NO	
Z9BAT	6140993050113	BATTERY,STORAGE	Energys Powersafe 12 V 45 Ah	BATTERY,STORAGE LEAD ACID BATTERY;12.0 V;56.00 AMPERE HOUR;164.00 MM O/A WD;271.00 MM O/A LG;220.0 MM O/A H	12V45	EA	1		25				8	60	No	NO	
Z9BAT	6140998581013	BATTERY,STORAGE	Energys Powersafe 2 V 320 Ah (2C300HR)	BATTERY,STORAGE 2V;ACID ELECTROLYTE;WET CHARGED;SCREWED POST TERMINALS;4;208MM LG,195 MM WD,240 MM H;SEALED FOR LIFE	2C300HR	EA	1		24				8	00	No	NO	
Z9BAT	6140992484543	BATTERY,STORAGE	Energys PC1700	BATTERY,STORAGE 2 TERMINALS;TERMINAL TOP AT EACH END;JACKETED;PROJECT SNATCH 2	PC1700	EA	1		19				8	24	No	NO	
Z9BAT	6140998597918	BATTERY,STORAGE	Energys SBS 30 Mk2	BATTERY,STORAGE;12.00 V;26.000 A HOUR CAPACITY;THREADED STUD;TOP;97MM O/A WD;250MM O/A LG;157.20MM O/A H;M6 MALE STUDS;19 PLATES;WITH RESED VENT	SBS 30 MK2	EA	1		6				00	60	No	NO	
Z9BAT	6140121871815	BATTERY,STORAGE	Sonnenschein A512/40 A	BATTERY,STORAGE 210MM LG,175MM WD,175MM H O/A DIM;LEAD ACID TYPE;12V;36 AMP/HOUR CAPACITY;20 HOURS TIME CAPACITY;2 TAPER POST TERMINALS;6 CELLS	491871815	EA	1		178				8	00	No	NO	
Z9BAT	6140121721889	BATTERY,STORAGE	Sonnenschein A512/25 G5	BATTERY,STORAGE LEAD ACID TYPE;12V 20AH (20 HOUR RATE);VALVE REGULATED;SEALED TYPE;SHELF LIFE 06 MONTHS BETWEEN REFRESHER CHARGES;O/A DIMS...	491721889	EA	1		87				8	24	No	NO	
Z9BAT	6140121853799	BATTERY,STORAGE	Sonnenschein A506/10 S	BATTERY,STORAGE LEAD ACID TYPE;6V;20 HOURS TIME CAPACITY;9.5 AMP/HOUR CAPACITY;151.70MM LG;50.50 MM WD,98.40 MM H O/A DIM	491853799	EA	1		45				8	24	No	NO	
Z9BAT	6140997771867	BATTERY,STORAGE	Yuasa NP4-6S	BATTERY,STORAGE 6V;2.4,3.4,3.7 & 4 AH CAPACITY;1.5,10 & 20 HR TIME CAPACITY;2 TERMINALS;3 CELLS;1.810IN. MIN,1.890IN. MAX WD;2.720IN. MIN.....	497491732	EA	1		12				8	60	No	NO	
Z9BAT	6140999153777	BATTERY,STORAGE	Yuasa NP38-12	BATTERY,STORAGE ACID ELECTROLYTE;12V;W/2 BOLT TYPE TERMINALS;6 CELLS;7 LEAD PLATES PER CELL;GLASS FIBRE SEPARATOR;167MM MAX WD;199MM MAX LG;.....	NP38-12	EA	1		6				9A	00	No	NO	
Z9BAT	6140995701332	BATTERY, STORAGE	Energys Powersafe 6V 105 Ah (Taper post)	DESIG BATTERY,STORAGE,LEAD ACID;6 VOLT;6.0 MONTHS SHELF-LIFE;2 M8 MALE TRMNL TOP AT EA END;3 CELL;202MM WD;191MM LG;235MM H;PLAS:BTY WEIGHT 22KG.	3VB11, 6V105	EA	1		13				8	0	NO	NO	

Z9BAT	6140014699184	BATTERY, STORAGE	N/A	BATT ELECT:LEAD ACID;BATT SZE DES:12 VOLT;VOLT:12.0;AMP HR CAP:120.00;TER QTY:2;CASE DES TYP:SEALED;NON SPILL FEAT:NOT INCLUDED;CHARGE IND:NOT INCLUDED:ELECT LEV:NOT INCLUDED;FORD FEAT:NOT INCLUDED;STOR/SHIP CON:DRY UNCHARGED;INTEGRAL CHGE F	1HA244	EA	1	248	9A	0	NO	NO
Z9BAT	6140014469506	BATTERY, STORAGE	N/A	BATT ELECT:LEAD ACID;COMM BATT SZE DES:12 VOLT;VOLT:12.0;AMP HR CAP:120.00;TER QTY:2;CASE DES TYP:SEALED;NON SPLILL FEAT:NOT INCLUDED;CHARGE IND:NOT INCLUDED:ELECT LEV IND:NOT INCLUDED;FORD IND:NOT INCLUDED;STORAGE/SHIP CON:WET CHARGED:INT C	3374368	EA	1	27	8	12	NO	NO
Z9BAT	6140121990973	BATTERY, STORAGE	Def Stan 61-21 Supp 020	DESIG BATTERY,STORAGE:12V VOLTAGE;45A HR CAPACITY;2 TAPER POST TERMINALS,TOP A T EACH END LOCATION;6 CELLS:LEAD OR LEAD ALLOY;NEGATIVE & POSITIVE.	081 90660 23 DEF STAN 61-21 SUPPLEMENT 020 VG96924T10	EA	1	18	8	0	NO	NO

DMC	NSN	Short item name	Specification	DESCRIPTION	PROC REF NO	D-OF-Q	PPQ	MOQ	ANNUAL USAGE	Year 1 Price (£)	Year 2 Price (£)	LEAD TIME (WORKING DAYS)	HAZ-CAT	SHELF-LIFE	PROPRIETARY	DIRECT SUPPLY	Comments
Z9BAT	6140014500141	BATTERY,STORAGE	Optima D34	BATTERY,STORAGE 2 POST TERMINALS;10IN.LG;7.8IN.H;6.8IN.WD;LEAD ACID;6 CELLS;LEAD ALLOY;12V;BCI GROUP D34/R950;SPIRAL CELL TECHNOLOGY	D750S	EA	1		352				8	18	No	YES	
Z9BAT	6140991521135	BATTERY,STORAGE	#N/A	BATTERY,STORAGE,12V;85 A/H;20 HR CAPACITY;4.25 DISCHARGE RATE;2 TERMINALS;TOP AT EACH END;169MM O/A WD;260MM O/A LG;213MM O/A H.	AGM-85	EA	1		126				8	00	No	YES	
Z9BAT	6140997786358	BATTERY,STORAGE	Type 655	BATTERY,STORAGE ACID;12.00;NOT RATED;25.000;220.0;NOT RATED;2;TAPER POST;6;LEAD;173.00MM NOM;345.00 MM NOM;284.00MM NOM;POLYPROPYLENE INCLUDED	BW200491	EA	1		74				9A	96	No	YES	
Z9BAT	6140996200231	BATTERY	Type 069	BATTERY SECONDARY LEAD ACID 12 V 70 AH AT 20 HR RATE DRY CHARGED 375 MM X 171 MM X 219 MM EPS TYPE 6-XNM11R	548	EA	1		40				9A	96	No	YES	
Z9BAT	6140995731564	BATTERY	Type 663	BATTERY STORAGE EXIDE 665 12 VOLTS 125AH	P267721/36/DRY	EA	1		29				9A	96	No	YES	
Z9BAT	6140996200260	BATTERY,SECONDARY	Type 656	BATTERY,SECONDARY,ACID;12V;125 AMP HR CAPY;20 HRS TIME CAPY;375 DISCHARGE RATE IN AMPS;3.0 DISCHARGE TIME IN MINUTES;1 TMNL TAPER POST;6 CELL...	927 402 10	EA	1		20				9A	96	No	YES	
Z9BAT	6140996200262	BATTERY,STORAGE	Type 644	BATTERY,STORAGE ACID;12V;95 AH CAPACITY;20HR TIME CAPACITY;285A DISCHARGE RATE;3 MINUTE DISCHARGE;2 TAPER POST TERMINALS;6 CELLS;6.75IN MAX..	644(244)	EA	1		18				9A	96	No	YES	
Z9BAT	6140990755625	BATTERY,STORAGE	Type 027	BATTERY,STORAGE 175MM O/A WD;242 MM O/A LG;190MM O/A H;LEAD ACID TYPE;W/2 TERMINALS	BE05520	EA	1		14				9A	60	No	YES	
Z9BAT	6140997728961	BATTERY,STORAGE	Type 063P	BATTERY,STORAGE ACID;12V;44AH;2 TERMINALS;6 CELLS;9 PLATES PER CELL;207MM LG;189MM H;175MM WD;POLYPROPYLENE CASE;DRY CHARGED.	440-210	EA	1		13				9A	96	No	YES	
Z9BAT	6140996200272	BATTERY,SECONDARY	Type 643	BATTERY,SECNDRY,ACID;12V;95AH;2 TAPER POST TMNLS;6 CELLS;6.75IN. MAX W;13.5IN. MAX L;9.187IN. MAX H;W/HNDLS;DRY CHRGD;TMNL ARRNGMNT PER BS3911..	DV94491	EA	1		10				9A	96	No	YES	
Z9BAT	6140996406333	BATTERY	Type 038	BATTERY,SECONDARY,ACID;12V;45AH;2 TAPER POST TERMINALS;6 CELLS;140MM MAX WD;235.5MM MAX LG;205MM MAX H;PLASTICS CASE;GRIPS;DRY CHARGED;*****	015 165	EA	1		8				9A	96	No	YES	
Z9BAT	6140997933172	BATTERY	Type 664	BATTERY,STORAGE;ACID;12V;25A RATE;2 TAPER POST TERMINALS;173MM MAX WD;345MM MAX LG;233MM MAX H;PLASTICS,POLYPROPYLENE CASE;HANDLE EACH END;*****	8787934	EA	1		8				9A	96	No	YES	
Z9BAT	6140996363164	BATTERY	Type 622	BATTERY,STORAGE;ACID;12V;128AH;20HR RATE;2 RECEPTACLE TERMINALS;6 CELLS;8.188IN WD;20IN LG;8IN H;RUBBER CASE WITH HANDLES;DRY CHARGED.	6NES12-3MR	EA	1		8				9A	96	No	YES	
Z9BAT	6140997227131	BATTERY,STORAGE	Type 624	BATTERY,STORAGE LEAD ACID;12V;200A;6.5 HOURS;2 TERMINALS;6CELLS;518MM MAX LG;273MM MAX WD;HANDLES ON END;FOR VEHICLES;216MM APPROX H	3301811R1	EA	1		8				9A	96	No	YES	
Z9BAT	6140997288833	BATTERY, STORAGE	Type YB14L-A2	BATTERY, STORAGE 12 VOLT	YB14/LA2	EA	1		7				8	96	No	YES	
Z9BAT	6140997958678	BATTERY,SECONDARY	Type 31S-1000	BATTERY,SECONDARY 12V;102A HOUR CAPACITY;5.1A DISCHARGE RATE;-18 DEG C TEMP RATING;W/2 TERMINALS& CELLS;172MM O/A WD;330MM O/A LG;240MM O/A H	BE10264	EA	1		7				8	00	No	YES	
Z9BAT	6140990753110	BATTERY,STORAGE	Type 096 Taper	BATTERY,STORAGE 12V;680A (SAE) COLD START 2 TAPERED POSTS;302MM LG,175MM W,190MM H ,DRY CHARGED	096	EA	1		6				9A	96	No	YES	
Z9BAT	6140996200261	BATTERY,STORAGE	Type 623	BATTERY,STORAGE ACID;12V;135AH CAPACITY;20HR TIME CAPACITY;405A DISCHARGE RATE;3 MINUTES DISCHARGE TIME;2 TAPER POST TERMINALS;6 CELLS;LEAD...	9G4247	EA	1		6				8	96	No	YES	
Z9BAT	6140996200232	BATTERY	Type 451	BATTERY SECONDARY LEAD ACID 6 V 180 AH AT 20 HR RATE DRY CHARGED 411 MM X 174 MM X 226 MM EPS TYPE 3-XNFA27R	548	EA	1		6				9A	96	No	YES	
Z9BAT	6140998380470	BATTERY,STORAGE	Type 085	BATTERY,STORAGE ,12V;55AH;242MM. LG;175MM.WD;190MM . O/A H;FLAT LUG TERMINALS;DRY CHARGED	364	EA	1		5				9A	60	No	YES	
Z9BAT	6140997118705	BATTERY,SECONDARY	Type 065	BATTERY,SECONDARY;VEHICLE BATTERY 12 VOLT 60 AMP HOUR	TYPE 065 12V60AH	EA	1		4				9A	96	No	YES	

Z9BAT	6140997670969	BATTERY	Type 017	BATTERY,SECONDARY;12V;88AH;DRY CHARGED.	27832-201	EA	1		4				9A	96	No	YES	
Z9BAT	6140999737537	BATTERY,STORAGE	Type 627	BATTERY,STORAGE 12.00 V;120.000 AMPS/HOUR CAPACITY;1 TERMINAL;194MM WD;513MM LG;215MM H;RUNWAY CONTROL VEHICLE	W627E	EA	1		2				9A	00	No	YES	
Z9BAT	6140123077071	BATTERY,STORAGE	Type 629T	BATTERY,STORAGE ACID;12V;165 AMPERE HOUR CAPACITY;LEAD PLATE;223MM BY 513MM BY 223MM,O/A DIMS;PLASTIC CASE	629S	EA	1		2				8	60	No	YES	
Z9BAT	6140992822161	BATTERY,STORAGE	Type 31-A 1000	BATTERY,STORAGE ACID ELECTROLYTE;12V;102 AMPERE HOURS;400A DISCHARGE RATE;W/2 TAPER POST TERMINALS;6 CELLS;6.9IN. O/A WD;13 IN. O/A LG;9.5IN. ...	BE10254	EA	1		1				8	12	No	YES	
Z9BAT	6140994958483	BATTERY,STORAGE	Type 097	BATTERY,STORAGE ACID;12V;58AH CAPACITY;20 HRS TIME CAPACITY;25A DISCHARGE RATE;90 MIN DISCHARGE TIME;-18.0 DEG C TEMP RATING;2 LUG TERMINALS..	87BX 10657 CA	EA	1		1				8	60	No	YES	
Z9BAT	6140996200252	BATTERY,STORAGE	Type 031	BATTERY,BATTERY ACID;12V;60 AH CAPACITY;20HR;TIME CAPACITY;180A DISCHARGE RATE;3 MINUTES DISCHARGE TIME;2 TAPER POST TERMINALS;6 CELLS;LEAD..	548	EA	1		1				9A	96	No	YES	
Z9	6140995499700	12V SLAVE BTY SYSTEM	DMS Technologies 7204-0010 RF 850	12V SLAVE BTY SYSTEM 12V SLAVE BATTERY SYSTEM C/W 12V POLYETHYLENE POWER PACK,CABLES AND 8 AMP CHARGER	0482	EA	1		3				00	00	No	YES	
Z9	6140997366448	24V SLAVE BATTERY SYSTEM	DMS Technologies 7204-0011 RF24HD	24V SLAVE BATTERY SYSTEM C/W 24V POLYETHYLENE POWER PACK,CABLES AND 8 AMP CHARGER	0499	EA	1		4				00	00	No	YES	

DMC	NSN	Short item name	Specification	DESCRIPTION	PROC REF NO	D-OF-Q	PPQ	MOQ	ANNUAL USAGE	Year 1 Price (£)	Year 2 Price (£)	LEAD TIME (WORKING DAYS)	HAZ-CAT	SHELF-LIFE	PROPRIETARY	DIRECT SUPPLY
Y3BAT	6135992257255	BATTERY, NONRECHARGEABLE	Def Stan 61-21 Supp 048	BATTERY, NONRECHARGEABLE; PRIMARY CELL M1/3	600001	EA	1		840				9	60	No	No
Y3BAT	6135994251573	BATTERY	Def Stan 61-21 Supp 050	BATTERY NONRECHARGEABLE 14.70V RECTANGULAR SHAPE SINGLE 2 CONTACT BAYONET TYPE CONNECTOR TERMINAL O/A DIMS 300.00M X 300.00MM X 75.00MM	600000	EA	1		227				9	60	No	No
Y3BAT	6135996172805	BATTERY, NONRECHARGEABLE	Def Stan 61-21 Supp 049	BATTERY, NONRECHARGEABLE, RECTANGULAR; 2 TERMINALS; CONNECTOR W/LEADS TERMINAL; COMPRISES 24 CELLS.	600002	EA	1		47				9	36	No	No

comments