



Crown
Commercial
Service

**Technology Products 2 Agreement RM3733
Attachment 5a**

Order Form

In this Order Form, capitalised expressions shall have the meanings set out in Call Off Schedule 1 (Definitions), Framework Schedule 1 or the relevant Call Off Schedule in which that capitalised expression appears.

The Supplier shall supply the Goods and/or Services specified in this Order Form to the Customer on and subject to the terms of the Call Off Contract for the duration of the Call Off Period.

This Order Form should be used by Customers post running a Further Competition Procedure under the Technology Products 2 Framework Agreement ref. RM3733.

The Call Off Terms, referred to throughout this document, are available from the Crown Commercial Service website at <http://ccs-agreements.cabinetoffice.gov.uk/contracts/rm3733>



Section A General information

This Order Form is issued in accordance with the provisions of the Technology Products 2 Framework Agreement RM3733.

Customer details
Customer organisation name Ministry of Defence
Billing address Redacted text
Customer representative name Redacted text
Customer representative contact details Redacted text
Supplier details
Supplier name Softcat PLC
Supplier address Redacted text
Supplier representative name Redacted text
Supplier representative contact details Redacted text
Order reference number CCIH19A28



Section B Overview of the requirement

Framework Lot under which this Order is being placed

- | | |
|---|-------------------------------------|
| 1. HARDWARE | <input type="checkbox"/> |
| 2. SOFTWARE | <input type="checkbox"/> |
| 3. COMBINED SOFTWARE AND HARDWARE REQUIREMENTS | <input type="checkbox"/> |
| 4. INFORMATION ASSURED PRODUCTS (List X) | <input checked="" type="checkbox"/> |
| 5. VOLUME HARDWARE REQUIREMENTS (DIRECT FROM OEM) | <input type="checkbox"/> |

Customer project reference

CCIH19A28

Call Off Commencement Date

30/10/2019

Call Off Contract Period (Term)

Call Off Initial Period

The contract will expire on successful delivery of the goods, however there is a warranty period on the goods that will be supplied Softcat PLC.

Call Off Extension Period (Optional)

There will be no options to extend the Contract

Specific Standards or compliance requirements

The specification for this requirement is outlined within the Statement of Requirements in Section C. The Customer's populated Schedule 5 in line with GDPR can be found under Annex A - Call-Off Schedule 5 Schedule of Processing, Personal Data and Data Subjects. By signing this Contract the Supplier has accepted the Customer's completed Annex A. Softcat PLC confirms they are List-x accredited and comply with List-x standards.



Section C Customer Core Goods and/or Services Requirements

Please provide details of all Goods and/or Services required (including any items which are considered business critical) including the locations where the supplier will be required to deliver the service/s Ordered.

Goods and/or Services

Statement of Requirements

1. The scope of this requirement includes:

- 1.1 The requirement is for the procurement of a range of CISCO Routers, and peripheral devices, including test equipment. Which together form the complete operational and support/test package. CISCO Routers are required to ensure interoperability with our international partners. A phased delivery over two/three weeks within the 6 week delivery window is acceptable
- 1.2 All items listed within Section D must be delivered.
- 1.3 No alternative products will be accepted.
- 1.4 Contract expires upon successful delivery of goods.

2. Service Levels and Performance

2.1 The Ministry of Defence will measure the quality of Softcat PLC's delivery by:

KPI/SLA	Service Area	KPI/SLA description	Target
1	Packaging	All goods are to be securely packaged and free from damage.	100%
2	Delivery timescales	Delivery of units to be fulfilled in accordance with milestones annotated in paragraph 7.	100%
3	Delivery notification	Authority to be provided with two (2) working days' notice of impending delivery.	100%
4	Damaged good received	Any units damaged at point of delivery to be replaced within five (5) working days' notice.	100%

Warranty Period, if applicable
Standard Manufacturer Warranty



Location/Site(s) for Delivery
Redacted text

Dates for Delivery of the Goods and/or the Services
Key milestones

Milestone/Deliverable	Description	Timeframe or Delivery Date
1	Successful delivery of all Items listed in Section D	Within week 6 of Contract Award

Software

Supplier Software

N/A

Third Party Software

Standard Manufacturer
Warranty and Licenses

Maintenance Agreement

N/A

Additional Clauses (see Annex 3 of Framework Schedule 4) Tick as required

Alternative Clauses

Scots Law Or

Northern Ireland Law

Non-Crown Bodies

Non-FOIA Public Bodies

Additional Clauses

Tick one box below as applicable

A: Termed Delivery – Goods

B: Complex Delivery – Solutions (includes Termed Delivery – Goods)

NB Both of the above options require an Implementation Plan which should be appended to this Order Form

Optional Clauses

Tick any applicable boxes below

C: Due Diligence

D: Call Off Guarantee

E: NHS Coding Requirements

F: Continuous Improvement & Benchmarking

G: Customer Premises

H: Customer Property

I: MOD Additional Clauses

Items licensed by the Customer to the Supplier (including any Customer Software, Customer Background IPR and Customer Data)

Not Applicable

Call Off Contract Charges payable by the Customer to the Supplier (including any applicable Milestone Payments and/or discount(s), but excluding VAT) and payment



terms/profile including method of payment (e.g. Government Procurement Card (GPC) or BACS)

£1,232,967.85 (Excluding VAT)

Is a Financed Purchase Agreement being used?

Estimated Year 1 Call Off Contract Charges (£) £1,232,967.85 (Excluding VAT)

Section D Supplier response

Suppliers - use this section to provide any details that may be relevant in the fulfilment of the Customer Order

Commercially Sensitive information

Redacted text

Total contract value

£1,232,967.85 (Excluding VAT and including all expenses) – a full breakdown of costs associated with this Contract are below.

Part Number/SKU	Description	Quantity	Redacted text	Redacted text
ASR1006-X=	Cisco ASR1006-X Chassis	5		
CON-SSSNT-ASR1006X	SOLN SUPP 8X5XNBD Cisco ASR1006-X Chassis	5		
ASR1K-INTERNET	ASR1K-Int Edge/Peering incl. BGP/NAT/ZBFW - tracking only	5		
ASR1000X-FAN	Cisco ASR1000-X Fan Module	10		
ASR1000-ESP40	Cisco ASR1000- ESP40 Service Module	10		



CON-SSSNT-ASR1000E	SOLN SUPP 8X5XNBD Cisco ASR1000 Embedded Services Processor	10		
ASR1000-SIP-BLANK	Blank Cover ASR1000 SIP	10		
ASR1KX-PWR-BLANK	Blank Cover for ASR1000 X Chassis Power Supply	20		
ASR1000-RP3	Cisco ASR1000 Route Processor 3	5		
CON-SSSNT-ASR100RA	SOLN SUPP 8X5XNBD Cisco ASR1000 Route	5		
SASR1KRPUK9-169	Cisco ASR 1000 RP2/RP3 UNIVERSAL	5		
M-ASR1K-RP3-8GB	Cisco ASR1000 RP3 8GB	5		
SLASR1-AES	Cisco (SLASR1- AES) Software	5		
CON-SSSNT-SLASR1AM	CON-SSSNT- SLASR1AM	5		
M-ASR1K-SSD-100GB	Cisco ASR1000 RP3 100GB SSD	5		
ASR1000-RP3	Cisco ASR1000 Route Processor 3	5		
CON-SSSNT-ASR100RA	Cisco ASR1000 RP3 8GB	5		
M-ASR1K-RP3-8GB	Cisco ASR1000 RP3 100GB SSD	5		
M-ASR1K-SSD-100GB	Cisco ASR1000 RP3 100GB SSD	5		
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	10		



ASR1KX-AC-1100W-D	Cisco ASR1000-X 1100W AC Default Power Supply	10		
ASR1001-X	Cisco ASR1001-X Chassis, 6 built-in GE, Dual P/S, 8GB DRAM	6		
CON-SSSNT-ASR1001X	SOLN SUPP 8X5XNBD Cisco ASR1001-X Chassis 6 built-in GE Du	6		
SLASR1-AES	Cisco (SLASR1- AES) Software	6		
CON-SSSNT-SLASR1AM	CON-SSSNT- SLASR1AM	6		
FLSA1-BIN-1X10GE	ASR1001-X Built-In 10GE 1-port License	12		
CON-SSSNT-FLSABGEX	SOLN SUPP 8X5XNBD ASR1001-X Built-In 10GE 1-port License	12		
ASR1K-INTERNET	ASR1K-Int Edge/Peering incl. BGP/NAT/ZBFW - tracking only	6		
M-ASR1001X-8GB	Cisco ASR1001-X 8GB DRAM	6		
NIM-BLANK	Blank faceplate for NIM slot on Cisco ISR 4400	6		
SPA-BLANK	Blank Cover for regular SPA	6		
SASR1K1XUK9-169	Cisco ASR1001-X IOS XE UNIVERSAL	6		
ASR1001-X-PWR-AC	Cisco ASR1001-X AC Power Supply	12		
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	12		



ISR4451-X-AX/K9	Cisco ISR 4451 AppX Bundle with AX and SEC license	12		
CON-SSSNT-ISR4X51X	SOLN SUPP 8X5XNBD Cisco ISR 4451 AX Bundle with APP and SEC	12		
SL-44-IPB-K9	Cisco IOS IP Base for Cisco Content Router 4400 Series - Licence	12		
PWR-4450-AC	AC Power Supply for Cisco ISR 4450 and ISR4350	12		
CAB-ACU	Cisco CAB-ACU Standard Power Cord	12		
MEM-FLSH-8G	8G eUSB Flash Memory for Cisco ISR 4430	12		
MEM-4400-DP-2G	Cisco RAM Module - 2 GB - DRAM - DIMM	12		
WAAS-RTU-2500	WAAS and VWAAS Right to Use for 2500 connections	12		
CON-ECMUS-WS2500	SOLN SUPP SWSS WAAS and VWAAS Right to Use for 250	12		
PWR-COVER-4450	Cisco Covering Panel	12		
POE-COVER-4450	Cover for empty POE slot on Cisco ISR 4450	24		
ISRWAAS-RTU-2500	ISRWAAS RTU for 2500 connections	12		
SL-44-APP-K9	Cisco Hardware Licensing for Cisco ISR 4400 Series Routers - Licence - Licence	12		
NIM-BLANK	Blank faceplate for NIM slot on Cisco ISR 4400	36		



SL-44-SEC-K9	Security License for Cisco ISR 4400 Series	12		
MEM-44-4G	4G DRAM (1 x 4G) for Cisco ISR 4400	12		
SM-S-BLANK	Removable faceplate for SM slot on Cisco 2900,3900,4400 ISR	24		
SISR4400UK9-166	Cisco ISR 4400 Series IOS XE Universal	12		
PWR-4450-AC/2	Cisco Proprietary Power Supply - Internal	12		
ISR4431-AX/K9	Cisco 4431 Router - 1U - 4 Ports - Management Port - 8 Slots - Gigabit Ethernet - Rack-mountable, Wall Mountable	2		
CON-SSSNT-ISR4431A	Cisco SMARTnet Solution Support Extended Service - Service - 8 x 5 Next Business Day - Exchange - Physical Service	2		
SL-44-IPB-K9	Cisco IOS IP Base for Cisco Content Router 4400 Series - Licence	2		
NIM-VAB-M	Multi Mode VDSL2/ADSL2/2+ NIM Annex M	2		
PWR-4430-AC	AC Power Supply for Cisco ISR 4430	2		
CAB-ACU	Cisco CAB-ACU Standard Power Cord	2		
MEM-FLSH-8G	8G eUSB Flash Memory for Cisco ISR 4430	2		



PWR-COVER-4430	Cover for empty 2nd Power Supply slot on Cisco ISR 4430	2		
ISRWAAS-RTU-1300	ISRWAAS RTU for 1300 connections	2		
CON-SSSNT-IW1300	SOLN SUPP 8X5XNBD ISRWAAS RTU for 1300 connections	2		
MEM-4400-DP-2G	Cisco RAM Module - 2 GB - DRAM - DIMM	2		
SL-44-APP-K9	Cisco Hardware Licensing for Cisco ISR 4400 Series Routers - Licence - Licence	2		
NIM-BLANK	Blank faceplate for NIM slot on Cisco ISR 4400	4		
SL-44-SEC-K9	Security License for Cisco ISR 4400 Series	2		
MEM-44-4G	4G DRAM (1 x 4G) for Cisco ISR 4400	2		
SISR4400UK9-166	Cisco ISR 4400 Series IOS XE Universal	2		
PWR-4430-AC/2	Cisco Proprietary Power Supply	2		
SFP-10G-SR=	Cisco SFP-10G-SR SFP+	14		
SFP-10G-LR=	Cisco SFP-10G-LR= XFP	6		
GLC-SX-MMD=	Cisco GLC-SX-MMD SFP (mini-GBIC)	23		
GLC-LH-SMD=	Cisco GLC-LH-SMD SFP (mini-GBIC)	14		
SPA-1X10GE-L-V2=	Cisco SPA-1X10GE-L-V2	2		



	Shared Port Adapter			
CON-SNT-1X10GEV2	Cisco SMARTnet - 1 Year - Service - 8 x 5 Next Business Day - Maintenance - Physical Service	2		
XFP-10G-MM-SR	Cisco XFP	2		
CON-SNT-XFP10GMM	CON-SNT-XFP10GMM	2		
ASR1000-SPA	SPA for ASR1000; No Physical Part; For Tracking Only	2		
SPA-1X10GE-L-V2=	Cisco SPA-1X10GE-L-V2 Shared Port Adapter	3		
XFP-10G-MM-SR	Cisco XFP	3		
SCE8000-SPA	SPA For The SCE8000; No Physical Part; For Tracking Only	3		
XFP-10G-MM-SR=	Cisco XFP	2		
WS-C3850-24T-S	Cisco Catalyst WS-C3850-24T-S 24 Ports Manageable Layer 3 Switch - Modular - 3 Layer Supported - 1U High - Rack-mountable - 90 Day Limited Warranty	6		
PWR-C1-350WAC	350W AC Config 1 Power Supply	6		
CAB-TA-UK	Cisco Standard Power Cord	6		
C3850-24-L-S	Cisco Catalyst 3850 24 port Switch IP Base Paper License	6		



CAB-SPWR-30CM	Cisco Standard Power Cord - 30 cm Length	6		
STACK-T1-50CM	50CM Type 1 Stacking Cable	6		
C3850-PS-NONE	No Secondary Power Supply Selected	6		
S3850UK9-166	UNIVERSAL Software - Catalyst 3850 series	6		
C3850-DNA-OPTOUT	DNA OptOut Subscription	6		
C3850-NM-2-10G=	Cisco Network Module - For Data Networking, Optical Network	12		
WS-C3850-12S-S	Cisco Catalyst WS-C3850-12S-S Manageable Layer 3 Switch - Modular - 3 Layer Supported - 1U High - Rack-mountable, Desktop - Lifetime Limited Warranty	6		
CAB-TA-UK	Cisco Standard Power Cord	6		
STACK-T1-50CM	50CM Type 1 Stacking Cable	6		
C3850-DNA-OPTOUT	DNA OptOut Subscription	6		
CAB-SPWR-30CM	Cisco Standard Power Cord - 30 cm Length	6		
S3850UK9-166	UNIVERSAL Software - Catalyst 3850 Series	6		
PWR-C1-350WAC	350W AC Config 1 Power Supply	6		
C9300-24UX-A	Catalyst 9300 24-port mGig and	4		



	UPOE, Network Advantage			
C9300-NM-8X	Catalyst 9300 8 x 10GE Network Module	4		
C9300-SPS-NONE	No Secondary Power Supply Selected	4		
C3850-12-L-S	C3850-12 LAN Base to IP Base E-Delivery License	6		
S9300UK9-166	CAT9300 Universal image	4		
C9300-NW-A-24	C9300 Network Advantage, 48-port license	4		
C9300-DNA-A-24	C9300 DNA Advantage, 24-port Term Licenses	4		
C9300-DNA-A-24-3Y	C9300 DNA Advantage, 24-Port, 3 Year Term License	4		
CAB-TA-UK	Cisco Standard Power Cord	4		
NETWORK-PNP-LIC	Network Plug-n-Play License for zero-touch device deployment	4		
CAB-SPWR-30CM	Cisco Standard Power Cord - 30 cm Length	4		
STACK-T1-50CM	50CM Type 1 Stacking Cable	4		
PWR-C1-1100WAC-P	1100W AC 80+ platinum Config 1 Power Supply	4		
C9300-NM-4M=	Catalyst 9300 4 x mGig Network Module	4		
ASR1006-X-	Cisco ASR1006-X Chassis	1		



CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	2		
ASR1000X-FAN	Cisco ASR1000-X Fan Module	2		
ASR1000-RP3	Cisco ASR1000 Route Processor 3	1		
SLASR1-AES	Cisco (SLASR1-AES) Software	1		
ASR1000-ESP40	Cisco ASR1000-ESP40 Service Module	1		
ASR1KX-PWR-BLANK	Blank Cover for ASR1000 X Chassis Power Supply	4		
ASR1KX-AC-1100W-D	Cisco ASR1000-X 1100W AC Default Power Supply	2		
M-ASR1K-SSD-100GB	Cisco ASR1000 RP3 100GB SSD	1		
ASR1K-INTERNET	ASR1K-Int Edge/Peering incl. BGP/NAT/ZBFW - tracking only	1		
M-ASR1K-RP3-8GB	Cisco ASR1000 RP3 8GB	1		
ASR1001-X	Cisco ASR1001-X Chassis, 6 built-in GE, Dual P/S, 8GB DRAM	4		
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	8		
ASR1K-INTERNET	ASR1K-Int Edge/Peering incl. BGP/NAT/ZBFW - tracking only	4		
SASR1K1XUK9-169	Cisco ASR1001-X IOS XE UNIVERSAL	4		



NIM-BLANK	Blank faceplate for NIM slot on Cisco ISR 4400	4		
SLASR1-AES	Cisco (SLASR1-AES) Software	4		
SSD-120G	Cisco pluggable USB3.0 SSD storage	4		
SASR1KRPUK9-169	Cisco ASR 1000 RP2/RP3 UNIVERSAL	1		
ASR1001-X-PWR-AC	Cisco ASR1001-X-AC Power Supply	8		
M-ASR1001X-8GB	Cisco ASR1001-X-8GB DRAM	4		
ASR1013/06-PWR-AC=	Cisco ASR1000 1600w AC Power Supply	2		
ASR1000-2T+20X1GE=	ASR1000 2-port 10GE, 20-port GE Line Card	2		
ASR1000-RP3=	Cisco ASR1000 Route Processor 3	3		
M-ASR1K-SSD-100GB	Cisco ASR1000 RP3 100GB SSD	3		
M-ASR1K-RP3-8GB	Cisco ASR1000 RP3 8GB	3		
ASR1000-ESP100=	Cisco ASR1000-ESP100 Processing Module	2		
SFP-10G-LR-S=	Cisco SFP+ - For Data Networking, Optical Network	6		
SFP-10G-SR=	Cisco SFP-10G-SR SFP+	6		
GLC-LH-SMD=	Cisco GLC-LH-SMD SFP (mini-GBIC)	12		
GLC-SX-MMD=	Cisco GLC-SX-MMD SFP (mini-GBIC)	24		



ISR4331-AX/K9	Cisco 4331 Router - 1U - 3 Ports - Management Port - 6 Slots - Gigabit Ethernet - Rack- mountable, Wall Mountable	6		
VWAAS-RTU-1300	VWAAS 1300 conns RTU for UCS-E on single ISR only	6		
SL-4330-SEC-K9	Security License for Cisco ISR 4330 Series	6		
CAB-ACU	Cisco CAB-ACU Standard Power Cord	6		
SISR4300UK9-166	Cisco ISR 4300 Series IOS XE Universal	6		
MEM-FLSH-4G	4G Flash Memory for Cisco ISR 4300 (Soldered on motherboard)	6		
SL-4330-IPB-K9	IP Base License for Cisco ISR 4330 Series	6		
PWR-4330-AC	AC Power Supply for Cisco ISR 4330	6		
NIM-BLANK	Blank faceplate for NIM slot on Cisco ISR 4400	6		
MEM-43-4G	4G DRAM (1 x 4G) for Cisco ISR 4300	12		
ISRWAAS-RTU-750	ISRWAAS 750 conns RTU for ISR4300 series	6		
SL-4330-APP-K9	Cisco Hardware Licensing for Cisco ISR 4330 Series(includes licenses for: AppX, ISRWAAS/vWAAS 750 connections RTU, Spare Paper RTU) - Licence - 1	6		



	Licence - Licence - 1 Licence			
SM-S-BLANK	Removable faceplate for SM slot on Cisco 2900,3900,4400 ISR	6		
PAN-M-200	Palo Alto Networks M-200, 16TB RAID storage	1		
P-T04-12-M-PA-UK	Telephone + Email Support 24x7 + Advanced Replacement NBD - 1 Year	1		
PAN-PWR-CORD-UK	Palo Alto Standard Power Cord	1		
PAN-M-200-P-25	Panorama central management software license, 25 devices or log collector for the M- 200	1		
PAN-PA-3220	Palo Alto Networks PA-3220 with redundant AC power supplies	1		
PAN-PWR-CORD-UK	Palo Alto Standard Power Cord	1		
PAN-PA-3220-TP	Threat prevention subscription year 1, PA-3220	1		
PAN-PA-3220-WF	WildFire subscription year 1, PA-3220	1		
P-T04-12-M-PA-UK	Telephone + Email Support 24x7 + Advanced Replacement NBD - 1 Year	1		
PAN-PA-220	Palo Alto Networks PA-220	8		
PAN-PWR-CORD-UK	Palo Alto Standard Power Cord	8		



PAN-PA-220-TP	Threat prevention subscription year 1, PA-220	8		
PAN-PA-220-WF	WildFire subscription year 1, PA-220	8		
P-T04-12-M-PA-UK	Telephone + Email Support 24x7 + Advanced Replacement NBD - 1 Year	8		
PAN-PA-220-RACK-SINGLE	Palo Alto Networks PA-220 rack mount	8		
SSD2210026	SolarWinds Network Configuration Manager Commercial perpetual license DL100-up to 100 Nodes - Electronic	1		
SSD2210028	SolarWinds Network Configuration Manager Commercial Perpetual License - DL200- up to 200 Nodes	1		
EXF0547	10gbit/s MAXTester Multi-service unit	2		
210-ALZH	PowerEdge R540 Server	4		
338-BNKS	Intel Xeon Bronze 3104 1.7G, 6C/6T, 9.6GT/s , 8M Cache, No Turbo, No HT (85W) DDR4-2133	4		
379-BCSG	iDRAC, Legacy Password	4		
379-BCQY	iDRAC Group Manager, Disabled	4		
321-BCWW	3.5" Chassis with up to 8 Hot Plug Hard Drives	4		



325-BCHU	PowerEdge 2U Standard Bezel	4		
330-BBHQ	1xFH, 4xLP, 2CPU	4		
350-BBLI	Dell EMC Luggage Tag	4		
350-BBKU	No Quick Sync	4		
370-AAIP	Performance Optimized	4		
370-ADNU	2666MT/s RDIMMs	4		
370-ADND	16GB RDIMM, 2666MT/s, Dual Rank	32		
374-BBUC	Intel Xeon Bronze 3104 1.7G, 6C/6T, 9.6GT/s , 8M Cache, No Turbo, No HT (85W) DDR4-2133	4		
385-BBLQ	IDSDM and Combo Card Reader with 16GB VFlash SD	4		
385-BBKT	iDRAC9,Enterprise	4		
385-BBKG	16GB microSDHC/SDXC Card	4		
400-AXSE	960GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive,3.5in HYB CARR, 1 DWPD, 1752 TBW	32		
405-AAOM	Internal PERC	4		
405-AAOE	PERC H730P RAID Controller, 2GB NV	4		



	Cache, Adapter, Low Profile			
429-AAQN	No Optical Drive Internal for 8 HD Chassis	4		
450-AADY	C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord	8		
450-AGRC	Dual, Hot-plug, Redundant Power Supply (1+1), 750W	4		
461-AADZ	No Trusted Platform Module	4		
540-BBZE	Broadcom 57416 Dual Port 10 GbE SFP+ Network LOM Mezz Card	4		
540-BBDD	Intel Ethernet I350 Quad Port 1GbE BASE-T Adapter, PCIe Full Height	4		
542-BBCR	Dual-Port 1GbE On- Board LOM	4		
770-BBBR	ReadyRails Sliding Rails With Cable Management Arm	4		
780-BCDP	RAID 5	4		
528-BBWT	OME Server Configuration Management	4		
384-BBBL	Performance BIOS Settings	4		
384-BBTH	PowerEdge R540 Motherboard	4		
619-ABVR	No Operating System	4		
631-AACK	No Systems Documentation, No OpenManage DVD Kit	4		



Crown
Commercial
Service

647-10218	Partner Operations Support	4		
709-15540	3Yr Basic Warranty - Next Business Day - Minimum Warranty	4		
711-10067	3Yr Data Protection - Keep Your Hard Drive	4		
CPM800-2-EM	Console server +PDU, 8 port, 8 Power Outlet, Dual GigE, Modem	8		
RJRJ-ROLL	RJ45 to RJ45 Cisco Rollover Adapter	30		
Any additional costs?				
Any additional costs?				
Total Cost	Redacted text			



Section E Call Off Contract award

This Call Off Contract is awarded in accordance with the provisions of the Technology Products 2 Framework Agreement RM3733.

The Supplier shall supply the Goods and/or Services specified in this Order Form to the Customer on and subject to the terms of this Order Form and the Call Off Terms (together referred to as “the Call Off Contract”) for the duration of the Call Off Contract Period.

SIGNATURES

For and on behalf of the Supplier

Name

Job role/title

Signature

Date

For and on behalf of the Customer

Name

Job role/title

Signature

Date



ANNEX A - CALL OFF SCHEDULE 5: SCHEDULE OF PROCESSING, PERSONAL DATA AND DATA SUBJECTS

Description	Details
Subject matter of the processing	Redacted text
Duration of the processing	
Nature and purposes of the processing	
Type of Personal Data	
Categories of Data Subject	
Plan for return or destruction of the data once the processing is complete UNLESS requirement under union or member state law to preserve that type of data	