

SECTION 1-1 NEW FOOTING ON EXISTING REAR WALL LINE (1:20)

SECTION 2-2 NEW FOOTING ABUTTING EXISTING FOOTING

NOTE: BASE PLATES BEDDED ON 20mm HIGH STRENGTH GROUT & CONCRETE ENCASED UP TO FFL 210mm 0 00 155mm 12mm THK BASE PLATE WELDED TO POST WITH 6mm FW & BOLTED TO FOUNDATIONS WITH M16 RESIN ANCHORS WITH 200mm DETAIL 1 **EMBEDMENT BASE PLATE** (1:10)

300mm

225mm

12mm THK BASE PLATE WELDED TO POST WITH 6mm FPFW & BOLTED TO FOUNDATIONS WITH M16 RESIN ANCHORS WITH 200mm EMBEDMENT

BASE PLATE

(1:10)

FOR CONSTRUCTION

THIS ISSUE A CONSTRUCTION 31.07.19 SEE CLOUDS OJF/CCW

- COMMENT 28.06.19 FIRST ISSUE OJF/CCW

Revision Reason for Issue Issue Date Revision Notes DRW/CHK

Title: PI DECTIONS & DETAILS 1

Project N.o: 18234
Drawing N.o: 004
Drawn: OJF
Scale @ A3: AS SHOWN

Project: LEIGH-ON-SEA COMMUNITY CENTRE 71-73 ELM ROAD SS9 1SP Client: LEIGH-ON-SEA TOWN COUNCIL

CRUCIS DESIGNS LIMITED

consulting civil & structural engineers
Suite 1, Business Centre, 8 Madeira Avenue,
Leigh-on-Sea, Essex, SS9 3EB
email:info@crucisdesigns.com tel:01702 416 114

