



SCALE 1:10 FINISHES (BY OTHERS) OMITTED FOR CLARITY

GENERA	GENERAL NOTES	
1. DO NOT SCALE FROM THIS DRAWING, ONLY FIGURED DIMENSIONS ARE TO BE USED.		
<ol> <li>ALL DIMENSIONS ARE IN MILLIMETRES, UNLESS NOTED OTHERWISE</li> </ol>		
3. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH DRAWINGS BY THE PROJECT ARCHITECT, BUILDING		
SERVICES ENGINEER, AND ANY OTHER CONSULTANTS WHOSE INFORMATION RELATES TO THE INFORMATION SHOWN HERE, ANY DISCREPANCY OR CONFLICT WITH		
INFORMATION BY OTHERS IS TO BE NOTIFIED TO THE ENGINEER PRIOR TO ANY WORKS PROCEEDING.		
4. ANY INFORMATION INDICATED AS 'ASSUMED' REQUIRES CONFIRMATION AT A LATER STAGE		
PROJECT SPECIFIC NOTES		
<ol> <li>ALL STEELWORK TO BE GRADE S355JR U.N.O.</li> <li>ALL STEEL PLATES TO BE GRADE S275JR U.N.O.</li> </ol>		
<ol> <li>ALL STEEL PLATES TO BE GRADE S275JR U.N.U.</li> <li>ALL INTERNAL STEELWORK TO BE PROVIDED WITH MIN. 80 MICRON DFT ZINC RICH EPOXY PRIMER</li> </ol>		
<ol> <li>ALL NEW BLOCKWORK TO BE MINIMUM GRADE 3.6N</li> <li>ALL NEW BRICKWORK TO BE MINIMUM GRADE 10N</li> </ol>		
<ol> <li>ALL TIMBER TO BE GRADE C24</li> <li>CONCRETE FOR MASS CONCRETE FOUNDATION TO BE GRADE C20/25</li> </ol>		
<ul> <li>GRADE C20/25</li> <li>8. ALL BOLTS TO BE GRADE 8.8, WELDS TO BE MIN 6mm FILLET WELD IN S275</li> </ul>		
T1 ISSUED FOR TENDER 24/03/2025 MW		
REVDESCRIPTIONDATEISSUED BY		
_		
	articulate	
	engineering	
PROJECT NUMBER		
24.111 PROJECT NAME		
STACEY BUSHES MEETING PLACE		
DRAWING NUMBER 24.111-AEL-XX-XX-DR-S-2000		
DRAWING TITLE		
PROPOSED DETAILS, SHEET 1		
DRAWING STATUS TENDER		
CLIENT		
WOLVERTON AND GREENLEYS TOWN		
	NCIL	
REVISION		
τ.	SCALE	
	1:20, 1;10 AT A1	
T1 DRAWN BY MW		