

NOTES FOR CONTRACTORS:

Please read in conjunction with spec sheets and elevations referenced. Please highlight any discrepancies in the spec with graphic designer. Prepared by: Mal Clarke. Please note requirement to sample all process and substrate combination prior to production for approval.

NAM: The art of persuasion / Wartime posters by Abram Games Exhibition Date: 220219 Version: 1 DRAFT TENDER

Item / Final name	Location	Graphic reference code	Wall reference / Case no.	Item description	Dims (WxHxD) mm	Substrate	Production process	Finishing	Fixing	Quantity	FILE NAME	AW PRINT SCALE %	AW PRIORITY INSTALL	Additional information
00 SECTION / OUTSIDE EXHIBITION THRESHOLD														
00 ENTRANCE		VYN	W_	Exhibition door vinyl sets (double-sided prints)	485 x 1220	SAV vinyl	HI-RES DTM REVERSE-PRINTED TO OPTICALLY CLEAR VINYL BACKED-UP WITH BLOCKOUT MATTE WHITE VINYL. TO BE FACE MOUNTED TO INSIDE OF DOOR GLASS (double-sided print)	Trim to size	Apply to inside face of glass	4		100 (1:1 AW)		AW to be applied to 2no sets of double doors. 1no set around the entrance to be aligned perectly to the entrance wall graphic to continue the line.
00 ENTRANCE		WP	W_	Entrance Wallpaper Graphics (around door area)	4595 x 2830 (minus door area of 4.15sqm)	SAV phototek wallpaper	HI-RES UV ink print to SAV phototek or similar canvas temporary wallpaper in drops approx 1.35m wide	Install, register print between breaks in roll width, splice together or butt-join to be seamless when viewing	SAV Phototek applied directly to wall	1		1000 (1:10 AW)		To align to the door window graphic, see setout. NOTE WALL PAPER BREAKS AS SPECIFIED IN AW LAYER.
00 ENTRANCE COLUMN		WP	W_	WP Wallpaper Abrium column	1345 x 2110	SAV phototek wallpaper	HI-RES UV ink print to SAV phototek or similar canvas temporary wallpaper in one drop of 1.35m	Trim to size, one drop	SAV Phototek applied directly to wall	1		100 (1:1 AW)		Wallpaper applied around column NOTE WALL PAPER BREAKS AROUND RETURN. TO BE PRINTED IN ONE DROP AND INSTALLED AROUND COLUMN.
01 SECTION / BIOG														
01 SECTION / BIOG		WP1	W_	Desk wrap graphic	998 x 780	SAV phototek wallpaper	HI-RES UV ink print to SAV phototek or similar canvas temporary wallpaper	Trim	SAV Phototek applied directly to desk	1		100 (1:1 AW)		Applied once objects are in place
01 SECTION / BIOG		WP2	W_	Desk wrap graphic	498 x 578	SAV phototek wallpaper	HI-RES UV ink print to SAV phototek or similar canvas temporary wallpaper	Trim	SAV Phototek applied directly to desk	1		100 (1:1 AW)		Applied once objects are in place
01 SECTION / BIOG		ET	W_	Exhibition Title	2400 x 2400 x 8	spray painted mdf, matt dulux tbc / 2no sheets	HI-RES UV INK print to CMYK+SPOT WHITE + UV VARNISH	Spot varnish in places	Ali-split batten to setworks	1		100 (1:1 AW)		Applied once objects are in place
01 SECTION / BIOG		LG	W_	Large Graphic	353 x 500	700gsm Colorplan (colour tbc grey smoke)	HI-RES UV INK print / cmyk+	Bonded to 3mm black forex	5mm black forex spacer, forex split batten to wall	2		100 (1:1 AW)		Applied once objects are in place
01 SECTION / BIOG		TP	W_	Theme panel	707 x 1000 on 757 x 1050	1no sheet of ebony 700gsm colourplan (colours tbc), mounted onto 1no offset larger sheet of x colorplan	HI-RES UV INK print to CMYK+SPOT WHITE + UV VARNISH	Offset sheets of printed colorplan by mounting to larger sheet	bond duplexed colorplan to the top section of black painted mdf (supplied by others), fixed to wall (by others)	1		100 (1:1 AW)		See spec sheet / two sheets of printed colorplan overlaid
01 SECTION / BIOG		HP	W_	Highlight panel	250 x 353 on 300 x 403	1no sheet of ebony 700gsm colourplan (colours tbc), mounted onto 1no offset larger sheet of x colorplan	HI-RES UV INK print to CMYK+SPOT WHITE + UV VARNISH	Offset sheets of printed colorplan by mounting to larger sheet, then bonded to 3mm black forex	bond directly to the wall using VHB tape	1		100 (1:1 AW)		See spec sheet / two sheets of printed colorplan overlaid
01 SECTION / BIOG		OL	W_	Object label	176 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	VHB tape to wall	5		100 (1:1 AW)		Applied once objects are in place
01 SECTION / BIOG		GOL	W_	Group object label	176 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	APPLIED TO SETWORK with ODDY approved tape, supply only	4		100 (1:1 AW)		
01 SECTION / BIOG		ON	W_	Object number	25 x 25	MACTAC vinyl numbers	CNC vinyl numbers ODDY APPROVED to be supplied on transfer paper ready to apply	CNC SAV vinyl	APPLIED TO SETWORK	10		100 (1:1 AW)		Applied once objects are in place
01 SECTION / BIOG		SCL	W_	Showcase Label	400 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	APPLIED TO SETWORK INCASE	1				
02 SECTION / RECRUITMENT														
02 SECTION / RECRUITMENT		VG	W_ 3D drawing: 028_700/-	Voile Graphic	1500 x 2200	Voile	HI-RES dye-sublimation onto voile	Voile to be sewn and hemmed with pockets for tension wie as per 3D contractor's spec (TRC)	TBC (by setwork contractor)	3		100 (1:1 AW)		Frame provided by 3D contractor / To be delivered to 3D contractor to install.
02 SECTION / RECRUITMENT		LG	W_	Large Graphic	353 x 500	700gsm Colorplan (colour tbc grey smoke)	HI-RES UV INK print / cmyk+	Bonded to 3mm black forex	5mm black forex spacer, forex split batten to wall	3		100 (1:1 AW)		Applied once objects are in place
02 SECTION / RECRUITMENT		TP	W_	Theme panel	707 x 1000 on 757 x 1050	1no sheet of ebony 700gsm colourplan (colours tbc), mounted onto 1no offset larger sheet of x colorplan	HI-RES UV INK print to CMYK+SPOT WHITE + UV VARNISH	Offset sheets of printed colorplan by mounting to larger sheet	bond duplexed colorplan to the top section of black painted mdf (supplied by others), fixed to wall (by others)	1		100 (1:1 AW)		See spec sheet / two sheets of printed colorplan overlaid
02 SECTION / RECRUITMENT		HP	W_	Highlight panel	250 x 353 on 300 x 403	1no sheet of ebony 700gsm colourplan (colours tbc), mounted onto 1no offset larger sheet of x colorplan	HI-RES UV INK print to CMYK+SPOT WHITE + UV VARNISH	Offset sheets of printed colorplan by mounting to larger sheet, then bonded to 3mm black forex	bonded to the top section of black painted mdf by others.	2		100 (1:1 AW)		See spec sheet / two sheets of printed colorplan overlaid
02 SECTION / RECRUITMENT		OL	W_	Object label	176 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	VHB tape to wall	18		100 (1:1 AW)		Applied once objects are in place
02 SECTION / RECRUITMENT		GOL	W_	Group object label	176 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	APPLIED TO SETWORK with ODDY approved tape, supply only	5		100 (1:1 AW)		
02 SECTION / RECRUITMENT		ON	W_	Object number	25 x 25	MACTAC vinyl numbers	CNC vinyl numbers ODDY APPROVED to be supplied on transfer paper ready to apply	CNC SAV vinyl	APPLIED TO SETWORK	10		100 (1:1 AW)		Applied once objects are in place
02 SECTION / RECRUITMENT		SCL	W_	Showcase Label	400 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	APPLIED TO SETWORK INCASE	1				
03 SECTION / SAFETY														
03 SECTION / SAFETY		LG	W_	Large Graphic	353 x 500	700gsm Colorplan (colour tbc grey smoke)	HI-RES UV INK print / cmyk+	Bonded to 3mm black forex	5mm black forex spacer, forex split batten to wall	5		100 (1:1 AW)		Applied once objects are in place
03 SECTION / SAFETY		TP	W_	Theme panel	707 x 1000 on 757 x 1050	1no sheet of ebony 700gsm colourplan (colours tbc), mounted onto 1no offset larger sheet of x colorplan	HI-RES UV INK print to CMYK+SPOT WHITE + UV VARNISH	Offset sheets of printed colorplan by mounting to larger sheet	bond duplexed colorplan to the top section of black painted mdf (supplied by others), fixed to wall (by others)	1		100 (1:1 AW)		See spec sheet / two sheets of printed colorplan overlaid
03 SECTION / SAFETY		HP	W_	Highlight panel	250 x 353 on 300 x 403	1no sheet of ebony 700gsm colourplan (colours tbc), mounted onto 1no offset larger sheet of x colorplan	HI-RES UV INK print to CMYK+SPOT WHITE + UV VARNISH	Offset sheets of printed colorplan by mounting to larger sheet, then bonded to 3mm black forex	bonded to the top section of black painted mdf by others.	2		100 (1:1 AW)		See spec sheet / two sheets of printed colorplan overlaid
03 SECTION / SAFETY		OL	W_	Object label	176 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	VHB tape to wall	13		100 (1:1 AW)		Applied once objects are in place
03 SECTION / SAFETY		GOL	W_	Group object label	176 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	APPLIED TO SETWORK with ODDY approved tape, supply only	6		100 (1:1 AW)		
03 SECTION / SAFETY		ON	W_	Object number	25 x 25	MACTAC vinyl numbers	CNC vinyl numbers ODDY APPROVED to be supplied on transfer paper ready to apply	CNC SAV vinyl	APPLIED TO SETWORK	10		100 (1:1 AW)		Applied once objects are in place

INSTALL DATES	CONTRACTOR	AW ISSUED
---------------	------------	-----------

03 SECTION / SAFETY	SCL	W_	Showcase Label	400 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	APPLIED TO SETWORK INCASE	1		
04 SECTION / CENSORSHIP											
04 SECTION / CENSORSHIP	LG	W_	Large Graphic	353 x 500	700gsm Colorplan (colour tbc grey smoke)	HI-RES UV INK print / cmyk+	Bonded to 3mm black forex	5mm black forex spacer, forex split baton to wall	3	100 (1:1 AW)	Applied once objects are in place
04 SECTION / CENSORSHIP	TP	W_	Theme panel	707 x 1000 on 757 x 1050	1no sheet of ebony 700gsm colourplan (colours tbc), mounted onto 1no offset larger sheet of x colorplan	HI-RES UV INK print to CMYK+SPOT WHITE + UV VARNISH	Offset sheets of printed colorplan by mounting to larger sheet	bond duplexed colorplan to the top section of black painted mdf (supplied by others), fixed to wall (by others)	1	100 (1:1 AW)	See spec sheet / two sheets of printed colorplan overlaid
04 SECTION / CENSORSHIP	HP	W_	Highlight panel	250 x 353 on 300 x 403	1no sheet of ebony 700gsm colourplan (colours tbc), mounted onto 1no offset larger sheet of x colorplan	HI-RES UV INK print to CMYK+SPOT WHITE + UV VARNISH	Offset sheets of printed colorplan by mounting to larger sheet, then bonded to 3mm black forex	bonded to the top section of black painted mdf by others.	1	100 (1:1 AW)	See spec sheet / two sheets of printed colorplan overlaid
04 SECTION / CENSORSHIP	OL	W_	Object label	176 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	VHB tape to wall	8	100 (1:1 AW)	Applied once objects are in place
04 SECTION / CENSORSHIP	GOL	W_	Group object label	176 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	APPLIED TO SETWORK with ODDY approved tape, supply only	2	100 (1:1 AW)	
04 SECTION / CENSORSHIP	ON	W_	Object number	25 x 25	MACTAC vinyl numbers	CNC vinyl numbers ODDY APPROVED to be supplied on transfer paper ready to apply	CNC SAV vinyl	APPLIED TO SETWORK	10	100 (1:1 AW)	Applied once objects are in place
04 SECTION / CENSORSHIP	LBX	W_	Lightbox	2000 x 2000	BACKLIT FABGRAB	HI-RES dye-sublimation ONTO FABGRAB	Black frame trim	SUPPLY LIGHTBOX AND black frame	1	100 (1:1 AW)	3D contractor to install the power.
05 SECTION / SAVE MORE LEND MORE											
05 SECTION / SAVE MORE LEND MORE	LG	W_	Large Graphic	353 x 500	700gsm Colorplan (colour tbc grey smoke)	HI-RES UV INK print / cmyk+	Bonded to 3mm black forex	5mm black forex spacer, forex split baton to wall	3	100 (1:1 AW)	Applied once objects are in place
05 SECTION / SAVE MORE LEND MORE	TP	W_	Theme panel	707 x 1000 on 757 x 1050	1no sheet of ebony 700gsm colourplan (colours tbc), mounted onto 1no offset larger sheet of x colorplan	HI-RES UV INK print to CMYK+SPOT WHITE + UV VARNISH	Offset sheets of printed colorplan by mounting to larger sheet	bond duplexed colorplan to the top section of black painted mdf (supplied by others), fixed to wall (by others)	1	100 (1:1 AW)	See spec sheet / two sheets of printed colorplan overlaid
05 SECTION / SAVE MORE LEND MORE	HP	W_	Highlight panel	250 x 353 on 300 x 403	1no sheet of ebony 700gsm colourplan (colours tbc), mounted onto 1no offset larger sheet of x colorplan	HI-RES UV INK print to CMYK+SPOT WHITE + UV VARNISH	Offset sheets of printed colorplan by mounting to larger sheet, then bonded to 3mm black forex	bonded to the top section of black painted mdf by others.	3	100 (1:1 AW)	See spec sheet / two sheets of printed colorplan overlaid
05 SECTION / SAVE MORE LEND MORE	OL	W_	Object label	176 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	VHB tape to wall	13	100 (1:1 AW)	Applied once objects are in place
05 SECTION / SAVE MORE LEND MORE	GOL	W_	Group object label	176 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	APPLIED TO SETWORK with ODDY approved tape, supply only	3	100 (1:1 AW)	
05 SECTION / SAVE MORE LEND MORE	ON	W_	Object number	25 x 25	MACTAC vinyl numbers	CNC vinyl numbers ODDY APPROVED to be supplied on transfer paper ready to apply	CNC SAV vinyl	APPLIED TO SETWORK	10	100 (1:1 AW)	Applied once objects are in place
05 SECTION / SAVE MORE LEND MORE	SCL	W_	Showcase Label	400 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	APPLIED TO SETWORK INCASE	1		
06 SECTION / YOUR BRITAIN											
06 SECTION / YOUR BRITAIN	LG	W_	Large Graphic	353 x 500	700gsm Colorplan (colour tbc grey smoke)	HI-RES UV INK print / cmyk+	Bonded to 3mm black forex	5mm black forex spacer, forex split baton to wall	3	100 (1:1 AW)	Applied once objects are in place
06 SECTION / YOUR BRITAIN	TP	W_	Theme panel	707 x 1000 on 757 x 1050	1no sheet of ebony 700gsm colourplan (colours tbc), mounted onto 1no offset larger sheet of x colorplan	HI-RES UV INK print to CMYK+SPOT WHITE + UV VARNISH	Offset sheets of printed colorplan by mounting to larger sheet	bond duplexed colorplan to the top section of black painted mdf (supplied by others), fixed to wall (by others)	1	100 (1:1 AW)	See spec sheet / two sheets of printed colorplan overlaid
06 SECTION / YOUR BRITAIN	HP	W_	Highlight panel	250 x 353 on 300 x 403	1no sheet of ebony 700gsm colourplan (colours tbc), mounted onto 1no offset larger sheet of x colorplan	HI-RES UV INK print to CMYK+SPOT WHITE + UV VARNISH	Offset sheets of printed colorplan by mounting to larger sheet, then bonded to 3mm black forex	bonded to the top section of black painted mdf by others.	2	100 (1:1 AW)	See spec sheet / two sheets of printed colorplan overlaid
06 SECTION / YOUR BRITAIN	OL	W_	Object label	176 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	VHB tape to wall	8	100 (1:1 AW)	Applied once objects are in place
06 SECTION / YOUR BRITAIN	GOL	W_	Group object label	176 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	APPLIED TO SETWORK with ODDY approved tape, supply only	2	100 (1:1 AW)	
06 SECTION / YOUR BRITAIN	ON	W_	Object number	25 x 25	MACTAC vinyl numbers	CNC vinyl numbers ODDY APPROVED to be supplied on transfer paper ready to apply	CNC SAV vinyl	APPLIED TO SETWORK	10	100 (1:1 AW)	Applied once objects are in place
06 SECTION / YOUR BRITAIN	SCL	W_	Showcase Label	400 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	APPLIED TO SETWORK INCASE	2		
07 SECTION / DESIGN HUB											
07 SECTION / DESIGN HUB	LG	W_	Large Graphic	353 x 500	700gsm Colorplan (colour tbc grey smoke)	HI-RES UV INK print / cmyk+	Bonded to 3mm black forex	5mm black forex spacer, forex split baton to wall	20	100 (1:1 AW)	Applied once objects are in place
07 SECTION / DESIGN HUB	TP	W_	Theme panel	707 x 1000 on 757 x 1050	1no sheet of ebony 700gsm colourplan (colours tbc), mounted onto 1no offset larger sheet of x colorplan	HI-RES UV INK print to CMYK+SPOT WHITE + UV VARNISH	Offset sheets of printed colorplan by mounting to larger sheet	bond duplexed colorplan to the top section of black painted mdf (supplied by others), fixed to wall (by others)	1	100 (1:1 AW)	See spec sheet / two sheets of printed colorplan overlaid
07 SECTION / DESIGN HUB	HP	W_	Highlight panel	250 x 353 on 300 x 403	1no sheet of ebony 700gsm colourplan (colours tbc), mounted onto 1no offset larger sheet of x colorplan	HI-RES UV INK print to CMYK+SPOT WHITE + UV VARNISH	Offset sheets of printed colorplan by mounting to larger sheet, then bonded to 3mm black forex	bonded to the top section of black painted mdf by others.	2	100 (1:1 AW)	See spec sheet / two sheets of printed colorplan overlaid
07 SECTION / DESIGN HUB	OL	W_	Object label	176 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	VHB tape to wall	3	100 (1:1 AW)	Applied once objects are in place
07 SECTION / DESIGN HUB	GOL	W_	Group object label	176 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	APPLIED TO SETWORK with ODDY approved tape, supply only	1	100 (1:1 AW)	
07 SECTION / DESIGN HUB	ON	W_	Object number	25 x 25	MACTAC vinyl numbers	CNC vinyl numbers ODDY APPROVED to be supplied on transfer paper ready to apply	CNC SAV vinyl	APPLIED TO SETWORK	10	100 (1:1 AW)	Applied once objects are in place
07 SECTION / DESIGN HUB	SCL	W_	Showcase Label	400 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	APPLIED TO SETWORK INCASE	4		
07 SECTION / DESIGN HUB	QU	W_	RGB network quote	2000 x 400	MACTAC vinyl graphics	CNC matt cast vinyl	Supply of transfer paper	APPLIED TO SETWORK	2	100 (1:1 AW)	
07 SECTION / DESIGN HUB	WP1	W_	RGB wallpaper for set work	3000 x 600	SAV phototek wallpaper	HI-RES UV ink print to SAV phototek or similar canvas temporary wallpaper in drops approx 1.35m wide	Trim to size, one drop	APPLIED TO SETWORK	2	100 (1:1 AW)	Sample colours

07 SECTION / DESIGN HUB	WP2	W_	RGB wallpaper for set work	1200 x 600	SAV phototek wallpaper	HI-RES UV ink print to SAV phototek or similar canvas temporary wallpaper in drops approx 1.35m wide	Trim to size, one drop	APPLIED TO SETWORK	1	100 (1:1 AW)	Sample colours
07 SECTION / DESIGN HUB	GF	W_	Graphic Floor	5000 x 5000	G-Floor	HI-RES UV ink print to G-Floor	2mm orange peel texture	bond to floor	1	100 (1:1 AW)	1no break
07 SECTION / DESIGN HUB	INT	W_ 3D drawing: 028_701/-	Interactive Table	2no areas: 400 x 1000mm 1no area: 200 x 200mm	2-colour Screenprint areas direct to wood	2-colour Screenprint areas direct to wood (areas to be specified)	Matt liquid seal to surface	APPLIED TO SETWORK	1	100 (1:1 AW)	
08 SECTION / LAND OF PROMISE											
08 SECTION / LAND OF PROMISE	LG	W_	Large Graphic	353 x 500	700gsm Colorplan (colour tbc grey smoke)	HI-RES UV INK print / cmyk+	Bonded to 3mm black forex	5mm black forex spacer, forex split baton to wall	3	100 (1:1 AW)	Applied once objects are in place
08 SECTION / LAND OF PROMISE	TP	W_	Theme panel	707 x 1000 on 757 x 1050	1no sheet of ebony 700gsm colourplan (colours tbc), mounted onto 1no offset larger sheet of x colorplan	HI-RES UV INK print to CMYK+SPOT WHITE + UV VARNISH	Offset sheets of printed colorplan by mounting to larger sheet	bond duplexed colorplan to the top section of black painted mdf (supplied by others), fixed to wall (by others)	1	100 (1:1 AW)	See spec sheet / two sheets of printed colorplan overlaid
08 SECTION / LAND OF PROMISE	HP	W_	Highlight panel	250 x 353 on 300 x 403	1no sheet of ebony 700gsm colourplan (colours tbc), mounted onto 1no offset larger sheet of x colorplan	HI-RES UV INK print to CMYK+SPOT WHITE + UV VARNISH	Offset sheets of printed colorplan by mounting to larger sheet, then bonded to 3mm black forex	bonded to the top section of black painted mdf by others.	1	100 (1:1 AW)	See spec sheet / two sheets of printed colorplan overlaid
08 SECTION / LAND OF PROMISE	OL	W_	Object label	176 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	VHB tape to wall	9	100 (1:1 AW)	Applied once objects are in place
08 SECTION / LAND OF PROMISE	GOL	W_	Group object label	176 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	APPLIED TO SETWORK with ODDY approved tape, supply only	2	100 (1:1 AW)	
08 SECTION / LAND OF PROMISE	ON	W_	Object number	25 x 25	MACTAC vinyl numbers	CNC vinyl numbers ODDY APPROVED to be supplied on transfer paper ready to apply	CNC SAV vinyl	APPLIED TO SETWORK	10	100 (1:1 AW)	Applied once objects are in place
08 SECTION / LAND OF PROMISE	SCL	W_	Showcase Label	400 x 176	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	APPLIED TO SETWORK INCASE	2		
09 SECTION / END											
09 SECTION	ACK	W_	Acknowledgments panel	420 x 600 x 3	700gsm Colorplan (ebony)	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	5mm black forex spacer, forex split baton to wall	1	100 (1:1 AW)	
10 SAMPLING											
1no Sample of each type of panel and process is requested for approval prior to production.									12	TBC with contractor.	