

PCM310203 - Triple Tower with Turbo Challenge, Physical, Banister Bars















Product Description

School aged children report in surveys, that they really enjoy spinning and rotating movements, closely followed by climbing and sliding. This huge, triple tower unit offers a variety of spinning, rotating, balancing, climbing and sliding together with friends. It welcomes players from age 6 – 12 years and up and is roomy and sturdy enough to take other ages, too. This means that parents and care givers are welcome to play along with their children. Apart from being a lot of fun, this unit stimulate the child's muscle strength in arms, legs and core, when they use the Turbo Challenge. The jumping up and down from the activity, the children build on their bone density. The climbing, gliding and rotating stimulate the child's motor skill development.


Product Information

Category: Play structures
Product line: MOMENTS
Age group: 6+

Installation: 1 person(s)

Weight / Heaviest part: 0 / 0 kg.
Concrete required: 0.07 m³
Foundation amount: 17
Available for surface mount: Yes
Standard installation depth: 0 cm.








All prices exclude VAT / KOMPAN FSC License No. FSC-C008087 / www.fsc.org - The mark of responsible forestry




PCM310203 - Triple Tower with Turbo Challenge, Physical, Banister Bars





ELE400060 - Multispinner Carousel







ELE400060 - Multispinner Carousel















Product Description

The KOMPAN Multispinner carousel is a thoroughly tested piece of fun social play and balance training, unique in function: the five seats are comfortable to get in and out. Here children lie, sit and the older and more agile children stand as the carousel spins. Younger children invent simple games according to which colour seat you get. Children can work the carousel up to a quite speedy spin - thrilling and fun.

Product Information

Product Informatio	n
Category: Product line:	Roundabouts and Dynamics ELEMENTS
Age group:	3+
Installation:	2 person(s) 3 hour(s)
Weight / Heaviest part:	0 / 0 kg.
Concrete required:	- m ³
Foundation amount:	1
Available for surface mount:	Yes
Standard installation depth:	0 cm.



Further Information

KOMPAN LTD, 21 Roebuck Way, Knowlhill, Milton Keynes, MK5 8HL | Phone: +44 (0) 1908 201002 | E-mail: KOMPAN.uk@KOMPAN.com Website: www.KOMPAN.co.uk



All prices exclude VAT / KOMPAN FSC License No. FSC-C008087 / www.fsc.org - The mark of responsible forestry



KPL114 - Carousel with bench













Product Description

r roudet bescription



Further Information

KOMPAN LTD, 21 Roebuck Way, Knowlhill, Milton Keynes, MK5 8HL | Phone: +44 (0) 1908 201002 | E-mail: KOMPAN.uk@KOMPAN.com Website: www.KOMPAN.co.uk

Product Information

Category: Roundabouts and Dynamics
Product line: MOMENTS
Age group: 2-8

Installation: 2 person(s)
4 hour(s)

Weight: 175 kg.
Total height: 69 cm.
Colors:

Technical information


Fall height: 100 cm.
Safety zone area: 24.20 m²
Concrete required: 0,4 m³
Foundation amount: 1
Available for surface mount: No
Standard installation depth: 90 cm.


Footing

All prices exclude VAT / KOMPAN FSC License No. FSC-C008087 / www.fsc.org - The mark of responsible forestry



KPL114 - Carousel with bench







KSW90040-0909 - Birds Nest Swing, Metal, 2.5m, 90cm in ground, ø100cm nest















Product Description

KOMPAN swings can be configured to adapt individual needs & demands. All A-Frame swings are available in 2,0m and 2,5m height with posts of impregnated pine wood, hardwood or hot dip galvanized steel. As seats we offer standard swing seat, cradle seat, toddler seat or bird nests with a diameter of ø100cm or 120cm. Further the seats are available with either hot dip galvanized chains or stainless steel chains and if preferred with antiwrap suspensions. The modular swing system also enable multibay configurations with 2,3,4 or more sections.

Product Information

Category:	Swings
Product line:	MOMENTS
Age group:	4+
Installation:	1 person(s) 3 hour(s)

Weight / Heaviest part: 0 / 0 kg.
Concrete required: 0 m³
Foundation amount: 4
Available for surface mount: Yes
Standard installation depth: 0 cm.









All prices exclude VAT / KOMPAN FSC License No. FSC-C008087 / www.fsc.org - The mark of responsible forestry



KSW90040-0909 - Birds Nest Swing, Metal, 2.5m, 90cm in ground, ø100cm nest







M186P - Home Seesaw





















Product Description

Flowers, bees and butterflies hand out an invitation for a beautiful trip around the garden. Safely seated at both ends with hands and feet positioned on secure bars, the youngest will enjoy a good rocking. The more experienced player can sit or stand on the center plate, from where they can influence the ride considerable. All involved players will have to cooperate, to find out how to make the ride a success for all. The soothing movement makes one want to sing and enjoy the rhythm.



Product Information

Category: Seesaws
Product line: MOMENTS
Age group: 3+

Installation: 1 person(s)
6-8 hour(s)

Weight: 271 kg.
Total height: 109 cm.
Colors:

Technical information

Fall height: 100 cm.
Safety zone area: 14.50 m²
Concrete required: - m³
Foundation amount: 4
Available for surface mount: Yes
Standard installation depth: 42 cm.

Footing


Further Information


KOMPAN LTD, 21 Roebuck Way, Knowlhill, Milton Keynes, MK5 8HL | Phone: +44 (0) 1908 201002 | E-mail: KOMPAN.uk@KOMPAN.com Website: www.KOMPAN.co.uk

All prices exclude VAT / KOMPAN FSC License No. FSC-C008087 / www.fsc.org - The mark of responsible forestry



M186P - Home Seesaw





For further information



PCM101600 - Play tower with climbing pole, steel posts, st. steel slide









Product Description

This play tower offers activities in different levels for both physical play and cognitive challenges for the growing mind. The climbing pole and the inclined climbing wall are both fun physical activities while the abacus panel prompts children to use numbers and to manipulate the counters thus training their fine-motor skills. To exit the play tower children can use the slide. At ground level, children can also play under the structure, and a bench offers a setting for social interactions.

Product Information

Category: Product line:	Play structures MOMENTS
Age group:	2+
Installation:	1 person(s)
	9 hour(s)
Weight / Heaviest part:	0 / 0 kg.
Concrete required:	0 m ³
Foundation amount:	10
Available for surface mount:	Yes
Standard installation depth:	0 cm.









All prices exclude VAT / KOMPAN FSC License No. FSC-C008087 / www.fsc.org - The mark of responsible forestry



PCM101600 - Play tower with climbing pole, steel posts, st. steel slide





FAWLEY PARISH COUNCIL - 3 SITES



25

PRODUCT SHEETS & TUV CERTIFICATES

PCM300800 - Three towers with net & bridge, steel posts, st. steel slide









Product Description

This triple tower connected by a net bridge and a climbing net provides a fun way to move around. Once on the platforms there are other activities than just the slide or the fireman's pole. These include the faces and time panel and a port window panel, which are great for encouraging social interactions. At ground level, children can play with the talk tubes, which are two tubes that you can speak into. This is great for children's understanding of sound, and encourages their language use.

Product Information

Catagon	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
Category:	Play structures	
Product line:	MOMENTS	
Age group:	2+	
Installation:	1 person(s) 21 hour(s)	
Weight / Heaviest part:	0 / 0 kg.	
Concrete required:	0 m ³	
Foundation amount:	22	
Available for surface mount:	Yes	
Standard installation depth:	0 cm	




KOMPAN LTD, 21 Roebuck Way, Knowlhill, Milton Keynes, MK5 8HL | Phone: 01908 201002 | E-mail: KOMPAN.uk@KOMPAN.com Website: www.KOMPAN.co.uk



All prices exclude VAT / KOMPAN FSC License No. FSC-C008087 / www.fsc.org - The mark of responsible forestry

PCM300800 - Three towers with net & bridge, steel posts, st. steel slide



*Max. fall height **Total height ***Safety zone area