

Utilities Search Report

Tuesday, 09 Apr 2024 Amey - Areas 1 & 2 M4 J22-23 COSBIM0123

91 Market Street Hoylake Wirral CH47 5AA Tel. 0151 632 5142 enquiries@cornerstoneprojects.co.uk www.cornerstoneprojects.co.uk VAT Reg. No. 851 4941 19 Company No. 5132353

Registered in England, Registered Address : Cornerstone Projects Ltd. 91 Market Street, Hovlake, Wirral CH47 5AA

CORNERSTONE PROJECTS LTD

Table of contents:

Utility / Service	Included			
Basic Search				
Gas	Yes			
Water	Yes			
Sewers	Yes			
BT	Yes			
Electricity	Yes			
3rd Party Searches*	Yes			
Cable Sea	arch			
Vodafone	Yes			
Virgin Media	Yes			
BSkyB	Yes			
EXA Infrastructure	Not Affected			
Colt	To Follow			
Sota	Not Affected			
CGI Logica	Yes			
Neos Networks	Not Affected			
City Fibre	Yes			
Arelion frmly Telia	Not Affected			
Lumen Technologies	To Follow			
KCom	Not Affected			
Verizon	Yes			
Zayo Group	Not Affected			
Tata Communications	Not Affected			
Gamma	Not Affected			
Gigaclear Plc	Not Affected			
Network Rail	Yes			
Telent NRTS	Yes			
*Includes Utilibilly and Line	esearch			

Utility / Service	Included			
Independent Utilities				
GTC	Yes			
Last Mile	Not Affected			
SSE	Not Affected			
Harlaxton	Not Affected			
Utility Assets	To Follow			
UK Power Distribution	To Follow			
Albion Water	Not Affected			
ESP	Not Affected			
Fulcrum Pipelines	Not Affected			
Energy Assets	Not Affected			
Equans	Not Affected			
Leep Utilities	Not Affected			
Eclipse Power Networks	Yes			
Others				
CAD Pack	To Follow			
Smart pdf	Not Requested			
CA & EA Search	Not Requested			

"Not affected" responses are deemed as such from the 3rd Party Searches

NB: All plans / responses are valid for a maximum of three months unless noted otherwise

91 Market Street Hoylake Wirral CH47 5AA Tel. 0151 632 5142 enquiries@cornerstoneprojects.co.uk www.cornerstoneprojects.co.uk VAT Reg. No. 851 4941 19 Company No. 5132353

Registered in England. Registered Address : Cornerstone Projects Ltd, 91 Market Street, Hoylake, Wirral CH47 5AA



AREA PLAN

91 Market Street Hoylake Wirral CH47 5AA Tel. 0151 632 5142 enquiries@cornerstoneprojects.co.uk www.cornerstoneprojects.co.uk VAT Reg. No. 851 4941 19 Company No. 5132353

Registered in England. Registered Address : Cornerstone Projects Ltd, 91 Market Street, Hoylake, Wirral CH47 5AA

Summary of your utility search details:

Site Name	COSBIM0123			
Site Ref	M4 J22-23			
Address	Prince of Wales Bridge, M4 J22-23	Prince of Wales Bridge, M4 J22-23, BS35 4NG		
Postcode	BS35 4NG			
Grid Ref	E 351661	N 186367		

Area Covered



Options Selected		Options Selected	
Gas	✓	Independent utilities search - inc non-chargeable searches	\checkmark
Water	✓	Harlaxton	\checkmark
Sewer	✓	UK Power Distribution	\checkmark
Electric	✓		
BT	✓	Coal Authority search	Х
3rd Party searches	✓		
		Other Options	
Cable / Fibre searches inc non-chargeable searches	✓	CAD Pack	\checkmark
Virgin Media	✓	CAD OS mapping	Х
Vodafone	✓	Smart pdf	Х
		Instant Access Plans	Х



GAS

91 Market Street Hoylake Wirral CH47 5AA Tel. 0151 632 5142 enquiries@cornerstoneprojects.co.uk www.cornerstoneprojects.co.uk VAT Reg. No. 851 4941 19 Company No. 5132353

Registered in England. Registered Address : Cornerstone Projects Ltd, 91 Market Street, Hoylake, Wirral CH47 5AA



Company Address Wales and West Utilities Ltd, Wales and West House, Spooner Close, Celtic, Springs, Coedkernew, Newport, NP10 8FZ

Our Ref: 33004028 M4 J22-23

Friday, 05 April 2024

Darren Shingler Brunel House 930 Hempton Court Bristol BST BS324SR

Dear Darren Shingler

Thank you for contacting us regarding Wales & West Utilities equipment at the above site.

According to our mains records Wales & West Utilities has no apparatus in the area of your enquiry. However Gas pipes owned by other GT's and also privately owned may be present in this area. Information with regard to such pipes should be obtained from the owners.

Safe digging practices, in accordance with HS(G)47, Avoiding Danger from underground services must be used to verify and establish the actual position of mains, pipes, services and other apparatus on site before any mechanical plant is used. It is your responsibility to ensure that this information is provided to all persons (either direct labour or contractors) working for you on or near gas apparatus. Safe working procedures should be defined and practiced.

If you require advice in connection with your proposals please contact the relevant number below.

Yours sincerely, WWU Dig Team

Gas Emergency Number:

In an emergency call 0800 111 999, 24 hours a day.

Mapping Enquiries:

If you have an enquiry relating to this letter or the attached map plan, please contact us using the following information:

Telephone 02920 278912 Email dig@wwutilities.co.uk

General Enquiries:

If you have a general enquiry, please call us on the following number All areas 0800 912 29 99

LinesearchbeforeUdig:

If you have an enquiry relating to the use of the LinesearchbeforeUdig website please contactLinesearchbeforeUdig using the following information:Telephone0845 437 7365Emailenquiries@linesearchbeforeudig.co.ukWebsitewww.linesearchbeforeudig.co.uk



			.			
Date Requested: 05/04/2024 Job Reference: 33004028 Site Location: 351644 186371 Requested by: Mr Darren Shingler Your Scheme/Reference: M4 J22-23	 IMPORTANT NOTICES This information is given as a guide only and its accuracy cannot be guaranteed The plan only shows those pipes owned by Wales & West Utilities (WWU) as its role as a licensed Gas Transporter Service pipes, valves, syphons, stub connections etc. may not be shown but their presence should be anticipated You must use safe digging practices in accordance with HS(G)47 to establish the actual position of mains, services and other apparatus before any mechanical excavation is used 	Dig Sites	Area: <u>Line</u> Line: Low Pressure (LP) 21mbar – 75mbar Medium Pressure (MP) 350mbar – 2bar Intermediate Pressure (IP) 2bar – 7bar High Pressure (HP) >7bar	2 会 4 にく	Line/Fire Valve Governor Station Change of Diameter End Cap Depth of cover	_
Scale: 1:6406 (When plotted at A3)	 It is your responsibility to ensure this information is provided to all persons working near our plant If in doubt call the WWU dig team on 02920 278912 			·		



Contact Us Mapping Enquiries: 02920 278 912 General Enquiries: 0800 912 2999		In case of an emergency call 0800 111 999			
Date Requested: 05/04/2024 Job Reference: 33004028	IMPORTANT NOTICES		100m	\bowtie	Line/Fire Valve
Site Location: 351644 186371 Requested by: Mr Darren Shingler	• This information is given as a guide only and its accuracy cannot be guaranteed	Dig Sites	Area: Line:	农	Governor Station
Your Scheme/Reference: M4 J22-23	 The plan only shows those pipes owned by Wales & West Utilities (WWU) as its role as a licensed Gas Transporter Service pipes, valves, syphons, stub connections etc. may not be shown but their presence should be 		Low Pressure (LP) 21mbar – 75mbar	+₽	Change of Diameter
	 Service pipes, valves, syphols, stud connections etc. may not be shown but their presence should be anticipated You must use safe digging practices in accordance with HS(G)47 to establish the actual position of mains, 		Medium Pressure (MP) 350mbar – 2bar Intermediate Pressure (IP) 2bar – 7bar	C	End Cap
Scale: 1:1250 (When plotted at A3)	 It is your responsibility to ensure this information is provided to all persons working near our plant If in doubt call the WWU dig team on 02920 278912 		High Pressure (HP) >7bar	<	Depth of cover

)
4	



Warning: PDF designed for A3 colour print only with no page scaling

In case of an emergency call 0800 111 999

	100m	\bowtie	Line/Fire Valve
Dig Sites	Area: C Z Z C Line: 		Governor Station
	Low Pressure (LP) 21mbar – 75mbar	$+ \mathbf{b}$	Change of Diameter
	Medium Pressure (MP) 350mbar – 2bar	Г	5 10
	Intermediate Pressure (IP) 2bar – 7bar	Ļ	End Cap
	High Pressure (HP) >7bar	<	Depth of cover



Contact Us Mapping Enquiries: General Enquiries: In case of an emergency call 0800 111 999 02920 278 912 0800 912 2999 Date Requested: 05/04/2024 100m \bowtie Line/Fire Valve Job Reference: 33004028 IMPORTANT NOTICES Site Location: 351644 186371 宓 Dig Sites Area: Line: - - - -Requested by: Mr Darren Shingler Your Scheme/Reference: M4 J22-23 Governor Station • This information is given as a guide only and its accuracy cannot be guaranteed • The plan only shows those pipes owned by Wales & West Utilities (WWU) as its role as a licensed Gas Low Pressure (LP) 21mbar - 75mbar +₽ Change of Diameter Transporter • Service pipes, valves, syphons, stub connections etc. may not be shown but their presence should be Medium Pressure (MP) 350mbar - 2bar C anticipated End Cap • You must use safe digging practices in accordance with HS(G)47 to establish the actual position of mains, Intermediate Pressure (IP) 2bar - 7bar services and other apparatus before any mechanical excavation is used < Depth of cover High Pressure (HP) >7bar • It is your responsibility to ensure this information is provided to all persons working near our plant Scale: 1:1250 (When plotted at A3) • If in doubt call the WWU dig team on 02920 278912

Crown Copyright © - Reproduced by permission of Ordnance Survey on behalf of HMSO. And database right 2023. All rights reserved. Ordnance Survey Licence number 0100044308.



🚹 🖸 ahead

Warı	nina:	PDF	designe

Contact Us Mapping Enquiries: 02920 278 912 General Enquiries: 0800 912 2999		In case of an emergency call 0800 111 999				
Date Requested: 05/04/2024 Job Reference: 33004028	IMPORTANT NOTICES		100m	X	Line/Fire Valve	
Site Location: 351644 186371 Requested by: Mr Darren Shingler	• This information is given as a guide only and its accuracy cannot be guaranteed	Dig Sites	Area: 2 2 2 2 Line:	农	Governor Station	
Your Scheme/Reference: M4 J22-23	 The plan only shows those pipes owned by Wales & West Utilities (WWU) as its role as a licensed Gas Transporter Service pipes, valves, syphons, stub connections etc. may not be shown but their presence should be 		Low Pressure (LP) 21mbar – 75mbar Medium Pressure (MP) 350mbar – 2bar	+₽	Change of Diameter	
	anticipated • You must use safe digging practices in accordance with HS(G)47 to establish the actual position of mains,		Intermediate Pressure (IP) 2bar – 7bar	Ę	End Cap	
Scale: 1:1250 (When plotted at A3)	 services and other apparatus before any mechanical excavation is used It is your responsibility to ensure this information is provided to all persons working near our plant If in doubt call the WWU dig team on 02920 278912 		High Pressure (HP) >7bar	<	Depth of cover	

Crown Copyright © - Reproduced by permission of Ordnance Survey on behalf of HMSO. And database right 2023. All rights reserved. Ordnance Survey Licence number 0100044308.

4



Contact Us Mapping Enquiries: General Enquiries: 02920 278 912 0800 912 2999 Date Requested: 05/04/2024 Job Reference: 33004028 IMPORTANT NOTICES Site Location: 351644 186371 Requested by: Mr Darren Shingler Your Scheme/Reference: M4 J22-23 • This information is given as a guide only and its accuracy cannot be guaranteed • The plan only shows those pipes owned by Wales & West Utilities (WWU) as its role as a licensed Gas Transporter • Service pipes, valves, syphons, stub connections etc. may not be shown but their presence should be anticipated • You must use safe digging practices in accordance with HS(G)47 to establish the actual position of mains, services and other apparatus before any mechanical excavation is used • It is your responsibility to ensure this information is provided to all persons working near our plant • If in doubt call the WWU dig team on 02920 278912 Scale: 1:1250 (When plotted at A3)

	100m	\bowtie	Line/Fire Valve
Dig Sites	Area: C C C C Line: - - - -	宓	Governor Station
	Low Pressure (LP) 21mbar – 75mbar	++>	Change of Diameter
	Medium Pressure (MP) 350mbar – 2bar	۲ ۲	-
	Intermediate Pressure (IP) 2bar – 7bar	L	End Cap
	High Pressure (HP) >7bar	<	Depth of cover

In case of an emergency call 0800 111 999



Contact Us Mapping Enquiries: General Enquiries: In case of an emergency call 0800 111 999 02920 278 912 0800 912 2999 Date Requested: 05/04/2024 100m \bowtie Line/Fire Valve Job Reference: 33004028 IMPORTANT NOTICES Site Location: 351644 186371 宓 Dig Sites Area: Line: - - - -Requested by: Mr Darren Shingler Your Scheme/Reference: M4 J22-23 Governor Station • This information is given as a guide only and its accuracy cannot be guaranteed • The plan only shows those pipes owned by Wales & West Utilities (WWU) as its role as a licensed Gas Low Pressure (LP) 21mbar - 75mbar +₽ Change of Diameter Transporter • Service pipes, valves, syphons, stub connections etc. may not be shown but their presence should be Medium Pressure (MP) 350mbar - 2bar C anticipated End Cap • You must use safe digging practices in accordance with HS(G)47 to establish the actual position of mains, Intermediate Pressure (IP) 2bar - 7bar services and other apparatus before any mechanical excavation is used < Depth of cover High Pressure (HP) >7bar • It is your responsibility to ensure this information is provided to all persons working near our plant • If in doubt call the WWU dig team on 02920 278912 Scale: 1:1250 (When plotted at A3)





Contact Us Mapping Enquiries: General Enquiries: In case of an emergency call 0800 111 999 02920 278 912 0800 912 2999 Date Requested: 05/04/2024 100m \bowtie Line/Fire Valve Job Reference: 33004028 IMPORTANT NOTICES Site Location: 351644 186371 Dig Sites 宓 Area: Line: - - - -Requested by: Mr Darren Shingler Your Scheme/Reference: M4 J22-23 Governor Station • This information is given as a guide only and its accuracy cannot be guaranteed • The plan only shows those pipes owned by Wales & West Utilities (WWU) as its role as a licensed Gas Low Pressure (LP) 21mbar - 75mbar +₽ Change of Diameter Transporter • Service pipes, valves, syphons, stub connections etc. may not be shown but their presence should be Medium Pressure (MP) 350mbar - 2bar C anticipated End Cap • You must use safe digging practices in accordance with HS(G)47 to establish the actual position of mains, Intermediate Pressure (IP) 2bar - 7bar services and other apparatus before any mechanical excavation is used < Depth of cover High Pressure (HP) >7bar • It is your responsibility to ensure this information is provided to all persons working near our plant Scale: 1:1250 (When plotted at A3) • If in doubt call the WWU dig team on 02920 278912

Crown Copyright © - Reproduced by permission of Ordnance Survey on behalf of HMSO. And database right 2023. All rights reserved. Ordnance Survey Licence number 0100044308.

Warning: PDF designed for A3 colour print only with no page scaling







Crown Copyright © - Reproduced by permission of Ordnance Survey on behalf of HMSO. And database right 2023. All rights reserved. Ordnance Survey Licence number 0100044308.

8

Contact Us Mapping Enquiries: 02920 278 912 General Enquiries: 0800 912 2999		In case of an emergency call 0800 111 999				
Date Requested: 05/04/2024 Job Reference: 33004028 Site Location: 351644 186371	IMPORTANT NOTICES		100m	\boxtimes	Line/Fire Valve	
Requested by: Mr Darren Shingler Your Scheme/Reference: M4 J22-23	 Transporter Service pipes, valves, syphons, stub connections etc. may not be shown but their presence should be anticipated You must use safe digging practices in accordance with HS(G)47 to establish the actual position of mains, 	Dig Sites	Area: Line: Low Pressure (LP) 21mbar - 75mbar Medium Pressure (MP) 350mbar - 2bar Intermediate Pressure (IP) 2bar - 7bar	农 + L	Governor Station Change of Diameter End Cap	
Scale: 1:1250 (When plotted at A3)	 services and other apparatus before any mechanical excavation is used It is your responsibility to ensure this information is provided to all persons working near our plant If in doubt call the WWU dig team on 02920 278912 		High Pressure (HP) >7bar	<	Depth of cover	

Crown Copyright © - Reproduced by permission of Ordnance Survey on behalf of HMSO. And database right 2023. All rights reserved. Ordnance Survey Licence number 0100044308.

9



Contact Us Mapping Enquiries: 02920 278 912 General Enquiries: 0800 912 2999		In (case of an emergency cal	I 0800 11	1 999
Date Requested: 05/04/2024 Job Reference: 33004028 Site Location: 351644 186371	IMPORTANT NOTICES	 Dig Sites	100m		Line/Fire Valve Governor Station
Requested by: Mr Darren Shingler Your Scheme/Reference: M4 J22-2	 This information is given as a guide only and its accuracy cannot be guaranteed The plan only shows those pipes owned by Wales & West Utilities (WWU) as its role as a licensed Gas Transporter Service pipes, valves, syphons, stub connections etc. may not be shown but their presence should be anticipated 		Low Pressure (LP) 21mbar – 75mbar Medium Pressure (MP) 350mbar – 2bar	农 +₽ 「	Governor Station Change of Diameter End Cap
Scale: 1:1250 (When plotted at A3)	 You must use safe digging practices in accordance with HS(G)47 to establish the actual position of mains, services and other apparatus before any mechanical excavation is used It is your responsibility to ensure this information is provided to all persons working near our plant If in doubt call the WWU dig team on 02920 278912 		Intermediate Pressure (IP) 2bar – 7bar High Pressure (HP) >7bar	ζ	Depth of cover





Contact Us Mapping Enquiries: General Enquiries: In case of an emergency call 0800 111 999 02920 278 912 0800 912 2999 Date Requested: 05/04/2024 100m \bowtie Line/Fire Valve Job Reference: 33004028 IMPORTANT NOTICES Site Location: 351644 186371 宓 Dig Sites Area: Line: - - - -Requested by: Mr Darren Shingler Your Scheme/Reference: M4 J22-23 Governor Station • This information is given as a guide only and its accuracy cannot be guaranteed • The plan only shows those pipes owned by Wales & West Utilities (WWU) as its role as a licensed Gas Low Pressure (LP) 21mbar - 75mbar +₽ Change of Diameter Transporter • Service pipes, valves, syphons, stub connections etc. may not be shown but their presence should be Medium Pressure (MP) 350mbar - 2bar C anticipated End Cap • You must use safe digging practices in accordance with HS(G)47 to establish the actual position of mains, Intermediate Pressure (IP) 2bar - 7bar services and other apparatus before any mechanical excavation is used < Depth of cover High Pressure (HP) >7bar • It is your responsibility to ensure this information is provided to all persons working near our plant • If in doubt call the WWU dig team on 02920 278912 Scale: 1:1250 (When plotted at A3)







Warning: PDF designed for A3 colour print only with no page scaling

Contact Us Mapping Enquiries: 02920 278 912 General Enquiries: 0800 912 2999		In (case of an emergency cal	l 0800 11 ⁻	1 999
Date Requested: 05/04/2024 Job Reference: 33004028			100m	\boxtimes	Line/Fire Valve
Site Location: 351644 186371	IMPORTANT NOTICES	Dig Sites	Area: 🗧 🚍 📄 Line: – – – –		
Requested by: Mr Darren Shingler	 This information is given as a guide only and its accuracy cannot be guaranteed The plan only shows those pipes owned by Wales & West Utilities (WWU) as its role as a licensed Gas 			宓	Governor Station
Your Scheme/Reference: M4 J22-23	Transporter • Service pipes, valves, syphons, stub connections etc. may not be shown but their presence should be		Low Pressure (LP) 21mbar – 75mbar	$+ \rightarrow$	Change of Diameter
	anticipated		Medium Pressure (MP) 350mbar – 2bar	Γ	End Cap
	 You must use safe digging practices in accordance with HS(G)47 to establish the actual position of mains, services and other apparatus before any mechanical excavation is used 		Intermediate Pressure (IP) 2bar – 7bar	Ż	Depth of cover
Scale: 1:1250 (When plotted at A3)	 It is your responsibility to ensure this information is provided to all persons working near our plant If in doubt call the WWU dig team on 02920 278912 		High Pressure (HP) >7bar		



Wales & West Utilities Limited General Conditions to be observed for the Protection of Apparatus and

the Prevention of Disruption to Gas Supplies.

General conditions affecting the design, construction or maintenance of services and/or structures or other works in the vicinity of Wales & West Utilities (WWU) plant, pipelines and associated installations:

These general conditions apply only to the gas apparatus and pipes operated by WWU. It is possible that there may be other gas transporters with apparatus in the vicinity, therefore you should ensure that you have made enquiries of them and have complied with their requirements.

1. GRAPHIC REPRESENTATION OF GAS MAINS

Any plans supplied or marked up by WWU will indicate the **APPROXIMATE** location of its apparatus. This information is provided as a general guide only; its accuracy cannot be guaranteed and is given without obligation or warranty. Service pipes are not shown but their presence should be anticipated. No liability whatsoever is accepted by WWU, its agents or servants for any error, omission, discrepancy or deviation. Plans on site should be current, i.e. no older than 28 days from the date of issue. Gas pipes owned by other Gas Transporters, or otherwise privately owned, may be present in this area (pink areas indicated on our plans). Information with regard to such pipes should be obtained from the relevant owners.

Should you require assistance on site locating WWU apparatus, please contact our Plant Protection Team on 02920 278912.

2. METHODS OF WORKING

The following methods of work shall not normally be permitted within the limits of distance indicated (relative to the established pipe position). Any variances must have consent from WWU before works commence on site:

Mechanical Excavation	3m (1m for low pressure mains)	Hydraulic Testing	8 m
Piling / Pile removing / Boring	15m	Welding or other hot works*	15m
Directional Drill Operations	15m	Explosives	250m

* NOTE: Welding or other hot works involving naked flames shall be carried out at a safe distance to the satisfaction of a WWU Engineer. A check should be made prior to the commencement of works, to ensure a gas free atmosphere exists. It is also necessary to monitor the atmosphere at regular intervals for the duration of the works. In no case shall such activities take place in any Wales & West Utilities Easement without the written consent and in the presence of a WWU representative.

WWU must be consulted prior to carrying out any excavation work within **10m** of any above or below ground gas installations or pipeline. No excavation works may commence within **50m** of a High Pressure or Very High Pressure Pipeline unless the pipeline has been located by tracing and its precise route identified.

In addition to the above methods of working, WWU must be contacted prior to any External Wall Installation (EWI) schemes, proposed solar farms and wind turbine installations.

No work shall be undertaken near, nor heavy plant or equipment moved over, any gas pipeline or apparatus until all of the conditions specified by WWU have been complied with.

Where WWU have apparatus in the vicinity of your work, any damage to it could have serious consequences. In view of this and in the interests of safety, a meeting should be arranged before the commencement of work on site between WWU representatives, representatives of the promoting authority, the contractors and any other interested parties. At this meeting the suggested program of site works and plant safety should be discussed. It is essential that this meeting is convened well in advance of commencement on site. Access to WWU plant and facilities for inspection by WWU staff must not be affected. Where formal consent has been given, **A MINIMUM OF SEVEN DAYS NOTICE IS REQUIRED** before carrying out work in WWU easements, or the appropriate notice under the New Roads & Street Works Act (NRSWA) where existing plant is situated within the public highway.

Further guidance can also be sought from the document **HS(G)47 – Avoiding Danger from Underground Services** from the HSE website.

3. PROXIMITY OF OTHER PLANT

A minimum clearance of **600 millimetres (mm)** should be allowed between all plant being installed and an existing gas main operating above 2 bar medium pressure (MP), whether the adjacent plant is parallel to or crossing the gas pipe. For mains operating at MP or below, this distance can be reduced to 300mm. NO APPARATUS SHOULD BE LAID OVER AND ALONG THE LINE OF A GAS PIPE, IRRESPECTIVE OF CLEARANCE.

No manhole or chamber shall be built over or around a gas pipe and no work should be carried out which results in a reduction of cover or protection over a pipe without consultation with and the agreement of WWU staff.

4. PROTECTION

Where any works cross or run in close proximity to WWU apparatus, periodic visits must be made by a WWU engineer. His requests for protection or support to the apparatus shall be immediately observed.

Suitably designed crossing points are to be constructed to the satisfaction of a WWU Engineer. These crossing points shall be clearly indicated by the erection of bunting and crossings at other places should be prevented.

Backfill material adjacent to WWU apparatus shall be soft fill or sand, containing no stones, bricks, or lumps of concrete etc., placed to a minimum 150mm around the mains and is to be well compacted by hand. No power consolidation shall take place above the main until 300mm of soft fill has been compacted by hand.

les & West Utilities Limited

5. DAMAGE TO COATINGS

Where a gas pipe is coated with special wrapping and this is damaged, even to a minor extent, WWU must be notified so that repairs can be made to prevent future corrosion and subsequent leakage. WHERE MINOR DAMAGE TO COATING IS REPORTED TO WWU PRIOR TO BACKFILL, THE NECESSARY REPAIR WILL BE MADE FREE OF CHARGE.

6. CATHODIC PROTECTION

Where WWU apparatus is cathodically protected either by sacrificial anode or impressed current systems and where new apparatus is to be laid and is to be similarly protected, WWU will require to carry out interaction tests to determine whether its own system is adversely affected. The cost of any mutually agreed remedial action will be recharged to the authority installing the new apparatus. If any bond wires, test leads etc., used in connection with cathodic protection systems are damaged or found to be in poor condition, broken or disconnected, WWU must be notified prior to backfilling so that a repair can be made.

7. HOT WORKS

Even when a gas free atmosphere exists care must be taken when carrying out hot works in close proximity to gas plant in order to ensure that no damage occurs. Particular care must be taken to avoid damage by heat or naked flames to plastic gas pipes or to the protective coatings on other pipes.

8. DEMOLITION

Live gas services must be disconnected **PRIOR** to demolishing any property, arrangements must be made for WWU to check for the presence of any live gas services.

9. TREE PLANTING

WWU must be contacted prior to all tree-planting works above or near our apparatus. Further information can then be made available.

10. DEEP EXCAVATIONS

Any work involving deep excavations (1.5m or more) will be subject to the "Model Consultative Procedure for Pipeline Construction involving Deep Excavations". This may require the diversion of WWU apparatus prior to the commencement of your works. Detailed plans and cross sections will be required in order to determine the effect of these works on WWU apparatus.

11. RENEWABLE ENERGY INSTALLATIONS

Wind Turbines - WWU must be advised of any planned development of wind turbines in the vicinity of an above 2 bar gas pipelines to ensure the development does not impact on the future safe operation of the pipeline. Industry guidance states that any wind turbine must be sited no closer than 1.5 times the proposed height of the turbine mast away from the nearest edge of the pipeline.

Solar Farms - WWU must be contacted regarding planned solar farms being considered in the vicinity of WWU gas pipelines.

EWI – WWU must be contacted regarding any EWI scheme to ensure the scheme does not impact upon WWU's apparatus.

12. LEAKAGE FROM GAS MAINS OR SERVICES

If damage or leakage is caused or an escape of gas is smelt or suspected the following action should be taken at once:

- Remove all personnel from the immediate vicinity of the escape.
- Inform the 24hr Gas Emergency Service on 0800 111 999
- Prevent any approach by the public, prohibit smoking, and extinguish all naked flames or other sources of ignition for at • least 15 metres from the leakage. Do not operate any electrical switches in the vicinity of the escape.
- Assist gas personnel, Police and/or Fire Services as requested.

IN THE EVENT OF A LEAK, OBSERVE THE ABOVE BUT DO NOT ATTEMPT TO SEAL THE LEAK **REMEMBER - IF IN DOUBT; SEEK ADVICE FROM WWU**

13. BUILDING PROXIMITIES

There are minimum proximity distances for buildings from WWU mains depending on both the operating pressure and the material of the main. Advice should be sought from WWU prior to building works taking place to confirm these distances. For High Pressure pipelines you must seek further guidance from the HSE and Local Authority Planning team regarding their PADHI distances regarding building proximities as these may be in addition to WWU proximity distances for a pipeline.

Temporary buildings should not be placed above any gas pipe or within 3.0 metres of mains operating above 75mbar (medium, intermediate and high pressure mains) during construction activities and in no circumstances should permanent structures be built over any pipe transporting gas.

14. SITE RESPONSIBILITIES

All costs incurred by WWU for the repair of direct or consequential damage to gas plant will be rechargeable (with the exception of paragraph 5). WWU reserves the right to divert any affected apparatus or alternatively specify suitable protection of its apparatus. If proved necessary during the course of site works, the cost of which will be chargeable.

The above requirements do not relieve you of the responsibility of taking all precautions necessary to safeguard the Company's plant and to avoid risk to persons and property. The persons for whom the works are being undertaken, their servants, agents and contractors shall indemnify WWU servants, agents and contractors against any loss, damage, expenses, claims and actions incurred or brought against Wales & West Utilities, its servants, agents and contractors in consequence of the provision of these works and activities associated therewith or ancillary thereto.

KEY TO MAPS	LP	Low Pressure	CI	Cast Iron
	MP	Medium Pressure	SI	Spun Iron
	IP	Intermediate Pressure	DI	Ductile Iron
	HP	High Pressure	PE	Polyethylene
		-	ST	Steel



Every day, underground gas pipes get damaged by people digging without knowing what's below. This can be catastrophic. It might cause serious injury to you and others around you. The costs of repair, fines and fees can be huge. Your project will be delayed and your reputation damaged.

We have designed this leaflet to help you dig safely. And the first thing to do – long before you start work – is call us.

What's the number? 029 2027 8912

We'rehere to



Need help or advice? Call our Plant Protection team on 029 2027 8912 or email dig@wwutilities.co.uk

Smell gas? Call the Gas Emergency Service on 0800 111 999.





- dig@wwutilities.co.uk
 029 2027 8912
 www.wwutilities.co.uk
- f facebook.com/wwutilities
- 🥑 @WWUtilities



Dial Investigate Go ahead

YOUR GAS EMERGENCY AND PIPELINE SERVICE



Can you DIG it?

We bring the gas to homes and businesses across Wales and the south west of England. We invest money, time and effort every year to make sure our pipelines are protected – but the biggest danger to our network is you.



D is for Dial

Digging can be dangerous. Hit a gas pipe and you might cause a gas leak, a fire or explosion.

So phone us first on **029 2027 8912** or email **dig@wwutilities.co.uk**

- You can find out where our pipes are.
- You need to give us 10 working days' notice before you start working.



I is for Investigate

It's the only way to stay safe

- Before you start work, you must get a copy of our up-to-date gas plans and General Conditions and keep them with you on site.
- Use our online mapping service to find the mains pipes under your land.
- Working near a medium-, or intermediate- or highpressure gas pipe? You might need a site visit – call us so we can arrange it.
- Plan ahead we need at least 10 days' notice for a site visit.
- You'll also need our publication 'SSW22 Safe working in the vicinity of high-pressure pipelines and associated installations'.
- Remember, you can't work on a Wales & West Utilities wayleave or easement (land which we have rights over to maintain our gas network) without written permission.
- And you can't work near or move heavy equipment over any gas pipeline until all our conditions have been met and we agree your method of working.
- Watch the video on our website to find out more.

G is for Go ahead

- Make sure you have our up-to-date gas plans on site.
- Need extra advice? Call our Plant Protection team on 029 2027 8912 or email dig@wwutilities.co.uk
- · Use cable- and pipe-locating devices.
- Use safe digging practices, taking every precaution to avoid damaging gas pipes, damaging yourself and damaging your bank balance. You will be billed for any costs if something goes wrong.
- If in doubt, phone us again. We're happy to help.

We need 10 days' notice

Smell gas?

Our Gas Emergency Service is on call 24 hours a day, seven days a week, 365 days a year.

If you cause a gas leak, or think the network might be leaking, call the Gas Emergency Service immediately on **0800 111 999**.

- Get everyone away from the leak.
- Ask everyone in nearby buildings to leave until we're sure it's safe.
- Put out all naked flames and other sources of ignition and make sure no one smokes within 15 metres of the leak.
- Don't try to fix the leak by filling the hole, as gas may enter buildings.
- · Don't try to operate any valves.
- Don't let anyone go near the leak.
- Help our engineers, the police or fire services if they ask.



WATER & SEWER

91 Market Street Hoylake Wirral CH47 5AA Tel. 0151 632 5142 enquiries@cornerstoneprojects.co.uk www.cornerstoneprojects.co.uk VAT Reg. No. 851 4941 19 Company No. 5132353

Registered in England. Registered Address : Cornerstone Projects Ltd, 91 Market Street, Hoylake, Wirral CH47 5AA





Information in this plan is provided for identification purposes only. No warranty as to accuracy is given or implied. The precise route of pipe work may not exactly match that shown. Wessex Water does not accept liability for inaccuracies. Sewers and lateral drains adopted by Wessex Water under the Water Industry (Schemes for Adoption of Private Sewers) Regulations 2011 are to be plotted over time and may not yet be shown. In carrying out any works, you accept liability for the cost of any repairs to Wessex Water apparatus damaged as a result of your works. You are advised to commence excavations using hand tools only. Mechanical digging equipment should not be used until pipe work has been precisely located. If you are considering any form of building works and pipe work is shown within the boundary of your property or a property to be purchased (or very close by) a surveyor should plot its exact position prior to commencing works or purchase. Building over or near Wessex Water's apparatus is not normally permitted.



Information in this plan is provided for identification purposes only. No warranty as to accuracy is given or implied. The precise route of pipe work may not exactly match that shown. Wessex Water does not accept liability for inaccuracies. Sewers and lateral drains adopted by Wessex Water under the Water Industry (Schemes for Adoption of Private Sewers) Regulations 2011 are to be plotted over time and may not yet be shown. In carrying out any works, you accept liability for the cost of any repairs to Wessex Water apparatus damaged as a result of your works. You are advised to commence excavations using hand tools only. Mechanical digging equipment should not be used until pipe work has been precisely located. If you are considering any form of building works and pipe work is shown within the boundary of your property or a property to be purchased (or very close by) a surveyor should plot its exact position prior to commencing works or purchase. Building over or near Wessex Water's apparatus is not normally permitted.



BT

91 Market Street Hoylake Wirral CH47 5AA Tel. 0151 632 5142 enquiries@cornerstoneprojects.co.uk www.cornerstoneprojects.co.uk VAT Reg. No. 851 4941 19 Company No. 5132353

Registered in England. Registered Address : Cornerstone Projects Ltd, 91 Market Street, Hoylake, Wirral CH47 5AA



Our Ref: Ref shown on map

email: nnhc@openreach.co.uk

Date of issue shown on map

Dear Customer,

NR & SW ACT 1991 - PROPOSED WORKS AT:

Prior to commencement of work: for free onsite guidance and accurate up to date location of BT plant please contact our Plant Protection Service by the following methods *Email Dial before you dig* <u>CBYD@openreach.co.uk</u> *Visit the website* <u>www.openreach.co.uk/cbyd</u>

Thank you for your request of describing the above proposals.

Enclosed are copies of our drawing marked up to show the approximate locations of BT apparatus which is present in the immediate vicinity of your works. It is intended for general guidance only. No guarantee is given of its accuracy.

It should not be relied upon in the event of excavations or other works made near to British Telecommunications plc apparatus which may exist at various depths and may deviate from the marked route.

To avoid damage it is recommended that mechanical excavators or borers are not used within 600mm of British Telecommunications plc plant. If scaffolding is erected, please ensure that our equipment is not enclosed, blocked, covered or otherwise obstructed by the scaffolding.

In the event of BT apparatus being in the area of works we recommend that your plant/vehicle crossing is either resited, or apply for a budget estimate by submitting detailed plans to the above address, these will be forwarded to the appropriate department for their comments.

Please ensure you quote our reference on any future correspondence.

Yours faithfully,

a BT Group business

Openreach Plant Maps Requested

NewSite Office (addresses can be found on the New Developments contact page)

Dear Sir/Madam,

You have downloaded copies of our drawings marked up to show the approximate location of Openreach apparatus, which is present in the immediate vicinity of your works. It is intended for general guidance only. No guarantee is given of its accuracy. It should not be relied upon in the event of excavations or other works made near to Openreach apparatus, which may, exist at various depths and may deviate, from the marked route.

To avoid damage it is recommended that mechanical excavators or borers are not used within 600mm of Openreach plant. Please ensure that our equipment is not enclosed, blocked, covered or otherwise obstructed by your plant. In the event of clearance not being adequate we anticipate that your plant is either resited, or an order is placed with Openreach for rearrangements of its plant. If there are any difficulties with the Map please email cbyd@openreach.co.uk

Please contact our Network Protection Service by Email on <u>cbyd@openreach.co.uk</u> giving four calendar weeks notice of your commencement date. This will provide you with on-site advice and a check of location for any Openreach apparatus.

Further to this, I hope the following points will assist you at the new development: -

Openreach has a licence obligation to provide service to any end customer requiring a connection. A Developer would not normally be charged for provision of service, our standard connection charges would apply to the end user when orders are placed with the communication provider of choice. However, should a Developer insist on an underground service in an area where Openreach plant is provided overhead, charges may be incurred.

When the Developer has obtained contract and planning permission Openreach would request a 'Clean', scaled Site Layout, Location Map and a covering letter be sent to the relevant newSite Office. We would particularly request that you give details of your programmed site start date and likely first occupancy date where possible. To obtain contact details of the newSite office covering the development area click on the URL below.

http://www.newdevelopments-openreach.co.uk/ContactUs.aspx

Where a development affects existing Openreach apparatus in the public highway, the cost of any necessary protection or diversionary works must be borne by the Developer. In this case where a budget estimate is required a Site Plan, Location Map and a covering letter should be forwarded to the Repayments Project Office. Please visit <u>www.openreach.co.uk/alterationscontacts</u> for contact details of the Repayments Office covering the development area.

Yours faithfully,

Openreach newSites



resold

IMPORTANT WARNING

Information regarding the location of BT apparatus is given for your assistance and is intended for general guidance only. No guarantee is given of its accuracy. It should not be relied upon in the event of excavations or other works being made newar to BT apparatus which may exist at various depths and may deviate from the marked route.



openreach

CLICK BEFORE YOU DIG

FOR PROFESSIONAL FREE ON SITE ASSISTANCE PRIOR TO COMMENCEMENT OF EXCAVATION WORKS INCLUDING LOCATE AND MARKING SERVICE

email nnhc@openreach.co.uk

ADVANCE NOTICE REQUIRED (Office hours: Monday - Friday 08.00 to 17.00) www.openreach.co.uk/cbyd

Accidents happen

If you do damage any Openreach equipment please let us know by calling 0800 023 2023 (opt 1 + opt 1) and we can get it fixed ASAP

© Crown copyright 2023 OS 100028040. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.

KEY	TO BT SYM	BOLS	Change Of State	+	Hatchings				
	Planned	Live	Split Coupling	×	Built	~			
РСР			Duct Tee		Planned				
Pole	0	0	Building		Inferred	1			
Вох			Kiosk	ĸ	Duct	~			
Manhole			Other proposed plant is shown using dashed line BT Symbols not listed above may be disregarded						
Cabinet		Û	Exist	ing BT Plant i	may not be reco may not be reco ne of preparation	rded.			
					fter the date of p				
	Pending Add	In Place	Pending Remove	Not In Use					
Power Cable	++	NN	11.	**					
Power Duct	##	XN	+++	N/A	1				

BT Ref : UPU11210L Map Reference : (centre) ST5044086872 Easting/Northing : (centre) 350440,186872 Scale : 1:500 Issued : 05/04/2024 11:21:35



resold

IMPORTANT WARNING

Information regarding the location of BT apparatus is given for your assistance and is intended for general guidance only. No guarantee is given of its accuracy. It should not be relied upon in the event of excavations or other works being made newar to BT apparatus which may exist at various depths and may deviate from the marked route.



openreach

CLICK BEFORE YOU DIG

FOR PROFESSIONAL FREE ON SITE ASSISTANCE PRIOR TO COMMENCEMENT OF EXCAVATION WORKS INCLUDING LOCATE AND MARKING SERVICE

email nnhc@openreach.co.uk

ADVANCE NOTICE REQUIRED (Office hours: Monday - Friday 08.00 to 17.00) www.openreach.co.uk/cbyd

Accidents happen

If you do damage any Openreach equipment please let us know by calling 0800 023 2023 (opt 1 + opt 1) and we can get it fixed ASAP

© Crown copyright 2023 OS 100028040. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.

KEY	TO BT SYM	BOLS	Change Of State	+	Hatchings	***			
	Planned	Live	Split Coupling	×	Built	~			
РСР			Duct Tee		Planned				
Pole	O	0	Building		Inferred	1			
Вох			Kiosk	ĸ	Duct	$\langle \rangle$			
Manhole			Other proposed plant is shown using dashed line BT Symbols not listed above may be disregarded						
Cabinet		Û	Exist	ing BT Plant i	may not be reco e of preparation	rded.			
					fter the date of p				
	Pending Add	In Place	Pending Remove	Not In Use					
Power Cable	++	××	11.	NN					
Power Duct	##	XN	+++	N/A	1				

BT Ref : FZG11223U Map Reference : (centre) ST5075886733 Easting/Northing : (centre) 350758,186733 Scale : 1:500 Issued : 05/04/2024 11:22:14

Property of

Rock

Rock



IMPORTANT WARNING

Information regarding the location of BT apparatus is given for your assistance and is intended for general guidance only. No guarantee is given of its accuracy. It should not be relied upon in the event of excavations or other works being made newar to BT apparatus which may exist at various depths and may deviate from the marked route.



openreach

Rock

CLICK BEFORE YOU DIG

FOR PROFESSIONAL FREE ON SITE ASSISTANCE PRIOR TO COMMENCEMENT OF EXCAVATION WORKS INCLUDING LOCATE AND MARKING SERVICE

email nnhc@openreach.co.uk

ADVANCE NOTICE REQUIRED (Office hours: Monday - Friday 08.00 to 17.00) www.openreach.co.uk/cbyd

Accidents happen

If you do damage any Openreach equipment please let us know by calling 0800 023 2023 (opt 1 + opt 1) and we can get it fixed ASAP

© Crown copyright 2023 OS 100028040. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.

KEY	TO BT SYMBOLS Change Of + State +				Hatchings	***	
	Planned	Live	Split Coupling	×	Built	~	
РСР			Duct Tee		Planned		
Pole	0	0	Building	Building Inferre			
Вох			Kiosk	ĸ	Duct	\sim	
Manhole			1 m m		shown using da		
Cabinet	Û	Û	Exist Information	ing BT Plant n n valid at time	bove may be di nay not be reco e of preparation ter the date of p	rded. n. Maps are	
	Pending Add	In Place	Pending Remove	Not In Use]		
Power Cable	++	NN	11.	+ H	1		
Power Duct	##	NN	+++	N/A	1		

BT Ref : GFP11225E Map Reference : (centre) ST5115386564 Easting/Northing : (centre) 351153,186564 Scale : 1:500 Issued : 05/04/2024 11:22:36



IMPORTANT WARNING

Information regarding the location of BT apparatus is given for your assistance and is intended for general guidance only. No guarantee is given of its accuracy. It should not be relied upon in the event of excavations or other works being made newar to BT apparatus which may exist at various depths and may deviate from the marked route.



openreach

CLICK BEFORE YOU DIG

FOR PROFESSIONAL FREE ON SITE ASSISTANCE PRIOR TO COMMENCEMENT OF EXCAVATION WORKS INCLUDING LOCATE AND MARKING SERVICE

email nnhc@openreach.co.uk

ADVANCE NOTICE REQUIRED (Office hours: Monday - Friday 08.00 to 17.00) www.openreach.co.uk/cbyd

Accidents happen

If you do damage any Openreach equipment please let us know by calling 0800 023 2023 (opt 1 + opt 1) and we can get it fixed ASAP

© Crown copyright 2023 OS 100028040. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.

KEY	TO BT SYM	BOLS	Change Of State	+	Hatchings	\otimes			
	Planned	Live	Split Coupling	\times	Built	~			
РСР			Duct Tee		Planned				
Pole	O	0	Building		Inferred	~			
Вох			Kiosk	ĸ	Duct	\sim			
Manhole			Other proposed plant is shown using dashed BT Symbols not listed above may be disrega						
Cabinet		Û	Exist	ing BT Plant r	may not be reco e of preparation	rded.			
					ter the date of p				
	Pending Add	In Place	Pending Remove	Not In Use					
Power Cable	++	XX	11.	NN					
Power Duct	##	XN	+++	N/A	1				

BT Ref : AXX11236I Map Reference : (centre) ST5152686415 Easting/Northing : (centre) 351526,186415 Scale : 1:500 Issued : 05/04/2024 11:23:35



IMPORTANT WARNING

Information regarding the location of BT apparatus is given for your assistance and is intended for general guidance only. No guarantee is given of its accuracy. It should not be relied upon in the event of excavations or other works being made newar to BT apparatus which may exist at various depths and may deviate from the marked route.



openreach

CLICK BEFORE YOU DIG

FOR PROFESSIONAL FREE ON SITE ASSISTANCE PRIOR TO COMMENCEMENT OF EXCAVATION WORKS INCLUDING LOCATE AND MARKING SERVICE

email nnhc@openreach.co.uk

ADVANCE NOTICE REQUIRED (Office hours: Monday - Friday 08.00 to 17.00) www.openreach.co.uk/cbyd

Accidents happen

If you do damage any Openreach equipment please let us know by calling 0800 023 2023 (opt 1 + opt 1) and we can get it fixed ASAP

© Crown copyright 2023 OS 100028040. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.

KEY	TO BT SYMI	BOLS	Change Of State	+	Hatchings					
	Planned	Live	Split Coupling	×	Built	~				
РСР			Duct Tee		Planned					
Pole	0	0	Building		Inferred	~				
Box			Kiosk	ĸ	Duct	\sim				
Manhole			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		shown using da					
Cabinet	Û	Û	Exist Information	ing BT Plant r n valid at tim	bove may be di nay not be reco e of preparation ter the date of p	rded. n. Maps are				
	Pending Add	In Place	Pending Remove	Not In Use						
Power Cable	++	NN	11.	+ H						
Power Duct	##	NN	+++	N/A	1					

BT Ref : ALC11244Z Map Reference : (centre) ST5189786258 Easting/Northing : (centre) 351897,186258 Scale : 1:500 Issued : 05/04/2024 11:24:07



																-		-								
1		□			24	The later		6	-	1.6		15	125.1	-54		5	100	1.425	2	- 224 -	0	5		1	4	
	124	- 51		04	166		84)	39.7		81	16	104	- 10		1943	25			(3.	100	1	si	6	1.04		
-	10		A	- 124		1.00	-		Sec. 1	-	-		4	24			in .	-		14-1 1-1-1	4	Pe :-			4	
	- 64	164		366	166		24	6		6	104	36.3		÷.	- 64	1.00		66) (C. 1	1441	6		6	1.00	1960		
1923		8	5			1.00		100	8	1.44		162	100	18		8	162	2.22	2	1.00	100	8		21 CM		
																								~ }		
	BC		94	8	1.00					8	. etc	. 1881.			R	. <u>B</u>		1.120	124-1	1.0	1	12	a	-		
- 24			9	4		10a	- 54		124	-	9		9	24			4	-		20	200	-				
	- EH	191		- Pe	- 19b		14	- 64		(h)	1961		3	B)	04	. 0		(h)	194			The local sectors and	0		(AB	
100		6	5		10.1	100		5	- 6	14		12	124	0		0	104	18	-		- Carl	10		2	-	
	the r	2		i.			-					-			-								S. 1			
100	100					100							0.00	1 20								100	100			1.00
															10								17			
	- 55			100	-		-			(M	100	B.		10		6		2	1.00	-		B	1		1.1	Ξ.
100			- De		e:	1960		Sie -	- 64			(Dr	100	-100		39	1.54	18	1.00		314				: B	
	124	24		<u>64</u>	100		En -	12.	1	-	54	- Ge.			-	n	6		100	1.Day	54	a 3		100	100	
24	10	si	a	5		164	- 100		5.	- 0-			0	0.		C				P	26	0+			(Car)	0.00
	14	-		14	1.0		2.	14		2	100	10			64	- Car		64	1	3	4	Sec. mark		14	-	
		100	1.00			1.00			- e 1	- 182			1.00	10 a		10 M	1.00							100		
- (B)			15		e.,	2				18			- E			- M			5	-				12		
	6	G.	_	G.:	1.124		24.1	150		5	0.	2	- 54		1941	C+	2		0.045	14		7		- CA	: D-	
20		2	9	Pe					B			÷	æ	194		2	э.,	18		B	- P		- 19 B		8	. (B)
	214	-		- Da	12a		94 U	14		-	- Da	124		-	124	it.		Da-	124	-	-			- 2h -	124	-
- 15		6	100		6	100		-	the l	1.0		16	- Da	- The		114	1.62	18	6	- 24				16 C	16	
											15				- C				1.04	124				104		

IMPORTANT WARNING

Information regarding the location of BT apparatus is given for your assistance and is intended for general guidance only. No guarantee is given of its accuracy. It should not be relied upon in the event of excavations or other works being made newar to BT apparatus which may exist at various depths and may deviate from the marked route.



openreach

CLICK BEFORE YOU DIG

FOR PROFESSIONAL FREE ON SITE ASSISTANCE PRIOR TO COMMENCEMENT OF EXCAVATION WORKS INCLUDING LOCATE AND MARKING SERVICE

email nnhc@openreach.co.uk

ADVANCE NOTICE REQUIRED (Office hours: Monday - Friday 08.00 to 17.00) www.openreach.co.uk/cbyd

Accidents happen

If you do damage any Openreach equipment please let us know by calling 0800 023 2023 (opt 1 + opt 1) and we can get it fixed ASAP

© Crown copyright 2023 OS 100028040. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.

KEY	TO BT SYMI	BOLS	Change Of State	+	Hatchings	***				
	Planned	Live	Split Coupling	×	Built	~				
РСР			Duct Tee		Planned					
Pole	O	0	Building		Inferred	~				
Вох			Kiosk	ĸ	Duct	\sim				
Manhole			Other proposed plant is shown using dashed lines. BT Symbols not listed above may be disregarded.							
Cabinet		Û	Exist	ing <mark>BT Plant</mark> r	nay not be reco nay not be reco e of preparation	rded.				
			only valid fo	or 90 days af	ter the date of p	publication.				
	Pending Add	In Place	Pending Remove	Not In Use						
Power Cable	++	**	## 3	NN						
Power Duct	##	XN	+++	N/A	1					

BT Ref : YFL11244A Map Reference : (centre) ST5226986111 Easting/Northing : (centre) 352269,186111 Scale : 1:500 Issued : 05/04/2024 11:24:34
Maps on Demand Plant Information Reply



IMPORTANT WARNING

Information regarding the location of BT apparatus is given for your assistance and is intended for general guidance only. No guarantee is given of its accuracy. It should not be relied upon in the event of excavations or other works being made newar to BT apparatus which may exist at various depths and may deviate from the marked route.



openreach

CLICK BEFORE YOU DIG

FOR PROFESSIONAL FREE ON SITE ASSISTANCE PRIOR TO COMMENCEMENT OF EXCAVATION WORKS INCLUDING LOCATE AND MARKING SERVICE

email nnhc@openreach.co.uk

ADVANCE NOTICE REQUIRED (Office hours: Monday - Friday 08.00 to 17.00) www.openreach.co.uk/cbyd

Accidents happen

If you do damage any Openreach equipment please let us know by calling 0800 023 2023 (opt 1 + opt 1) and we can get it fixed ASAP

© Crown copyright 2023 OS 100028040. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-license, distribute or sell any of this data to third parties in any form.

KEY TO BT SYMBOLS		Change Of State	+	Hatchings	\otimes		
	Planned	Live	Split Coupling	×	Built	~	
РСР			Duct Tee		Planned		
Pole	0	0	Building		Inferred	~	
Вох			Kiosk	ĸ	Duct	\sim	
Manhole			Other proposed plant is shown using dashed lines.				
Cabinet	Û	Û	BT Symbols not listed above may be disregard Existing BT Plant may not be recorded. Information valid at time of preparation. Maps only valid for 90 days after the date of publication.				
	Pending Add	In Place	Pending Remove	Not In Use	7		
Power Cable	HH	NN	11.	+ H			
Power Duct	##	× N	+++	N/A	1		

BT Ref : IVG11242J Map Reference : (centre) ST5265485992 Easting/Northing : (centre) 352654,185992 Scale : 1:500 Issued : 05/04/2024 11:24:57

WARNING: IF PLANNED WORKS FALL INSIDE HATCHED AREA IT IS ESSENTIAL BEFORE PROCEEDING THAT YOU CONTACT THE NATIONAL NOTICE HANDLING CENTRE. PLEASE SEND E-MAIL TO: nnhc@openreach.co.uk



ELECTRIC

91 Market Street Hoylake Wirral CH47 5AA Tel. 0151 632 5142 enquiries@cornerstoneprojects.co.uk www.cornerstoneprojects.co.uk VAT Reg. No. 851 4941 19 Company No. 5132353

Registered in England. Registered Address : Cornerstone Projects Ltd, 91 Market Street, Hoylake, Wirral CH47 5AA

Our Ref: 33004028 Your Ref: M4 J22-23

Friday, 05 April 2024

Darren Shingler Brunel House 930 Hempton Court Bristol BST BS324SR

Dear Darren Shingler

Thank you for your enquiry dated Friday, 05 April 2024

I now enclose a copy of our plan showing existing National Grid Electricity Distribution (NGED) Electricity / National Grid Telecoms (NGT) apparatus in the vicinity of your proposed works. This information is given as a general guide only and its accuracy cannot be guaranteed. Please note that all NGED equipment on site should be assumed to be LIVE until NGED prove otherwise and provide you with confirmation to this effect in writing. Recent additions to our network, or service connections between the main cable and a building or street lamp may not be shown.

Damage to underground cables and contact with overhead lines can cause severe injury or may prove fatal. If you are excavating on site in the vicinity of either NGED Electrical apparatus or NGT Telecoms apparatus you must comply with the requirements of the following:-

Health & Safety Executive guidance HS(G)47, Avoiding Danger from underground services.

Work taking place in the vicinity of our plant is also regulated under the:-

Electricity at Work Regulations 1989, Health and Safety Act 1974, CDM Regulations 2015. Safe working procedures should be defined and practiced

Please ensure that the use of mechanical excavators in the vicinity of our plant is kept to a minimum. NGT Telecoms ducts contain fibre cables, which are expensive to repair. Therefore, extreme care must be taken whilst working in the vicinity of these ducts, hand digging methods being used to determine their precise position.

If there are overhead lines crossing your site and your proposal involves building works which may infringe the clearance to our overhead system then you should call the relevant general enquiries number (see page 2 of this letter) for advice. Where overhead lines cross your site you must comply with the requirements of Health & Safety Executive guidance as laid down in GS6, Avoidance of Danger from Overhead Electric Lines.

Where diversions to NGED apparatus are needed to allow change to occur on site, the cost of these alterations may be charged to the persons responsible for the works.

If you require advice in connection with your proposals please contact the relevant general enquiries number (see page 2 of this letter)

Following consultation the local NGED team will where necessary prepare detailed proposals and provide a quotation for any necessary alterations and/or development of our equipment on the site.

This information is given as a guide only and its accuracy cannot be guaranteed. This plan is based on data from our Geographic Information System, which is updated every 24 hours to reflect changes to our network. The information contained in this plan reflects the most recent network GIS data, however changes to the network (including network additions and new service

Safety Documents:

https://www.nationalgrid.co.uk/customers-and-community/health-safety/public-safety-advice

National Grid Electricity Distribution Mapping Centre Toll End Road Tipton West Midlands United Kingdom DY4 0HH www.nationalgrid.co.uk

Map Response T 0121 623 9780 NGED.MapResponse @nationalgrid.co.uk

National Grid Electrricity Distribution South West - 02366894 South Wales - 02366985 East Midlands - 02366923 West Midlands - 03600574

Registered in England and Wales

Registered Office: Avonbank Feeder Road Bristol BS2 0TB



connections) may not be shown. You are advised to obtain an up to date plan on the date of commencing on-site works.

nationalgrid **Electricity Distribution**

Yours sincerely NGED Map Response Team

Contact Us

Emergency or Power Supply issues In an emergency call 105, 24 hours a day.

Mapping Enquiries

If you have an enquiry relating to this letter or the attached map plan, please contact us using the following information:

Telephone0121 623 9780EmailNGED.MapResponse@nationalgrid.co.uk

General Enquiries

If you have a general enquiry, please call us on the following telephone number:

All areas 0800 096 3080

LSBUD

If you have an enquiry relating to the use of the LSBUD website please contact LSBUD using the following information:

Telephone0345 437 7365Emailenquiries@LSBUD.co.ukWebsitewww.LSBUD.co.uk

nationalgrid **Electricity Distribution**

Steps to help keep you safe

• If you are working within 10 metres of our 33kV, 66kV, 132kV underground electricity cables or within

10 meters of an overhead electricity line you should call the relevant General Enquiries for free safety advice.

Safety Documents – please download our informative safety documents to help ensure that you, your staff and the public are kept safe whilst working in the vicinity of electricity. https://www.nationalgrid.co.uk/customers-and-community/health-safety/public-safety-advice

• **Make sure you have up to date plans** - remember that recent additions to our network or service connections between the main cable and a building or street lamp may not be shown.

• **Look for signs of service cables -** an electricity meter box or nearby streetlamp may give you an indication that service cables are present in your area of work.

• **Non NGED Network** - electricity cables, lines and equipment owned by others may also be present in addition to NGED network. They are unlikely to be shown on our plans.

• **Use a cable locator** - trace electricity cables and mark the position of them using paint or other waterproof marking on the ground.

• Hand dig trial holes - to confirm the position of cables in close proximity to your area of your work and use spades and shovels rather than picks, pins or forks.

• **Have an emergency plan** - so that everyone working on site understands what to do in the event of an underground electricity cable being damaged or contact being made with an overhead electricity line.

• If you are working within 10 meters of an overhead electricity line then it may be necessary for you to erect warning signs and markers, or height restriction goal posts. Ensure that you comply with the requirements of Health & Safety Executive guidance laid down in GS6, Avoidance of Danger from Overhead Electric Lines.

• **If you are erecting a structure** that could allow anyone standing on it, or its access device (ladder, scaffold, MEWP), to come within 3m of any overhead electric line then **you must inform us**. This is your duty and a legal requirement under the Electricity Safety, Quality & Continuity Regulations 2002.

• **If you cannot work safely** around the underground electricity cable or overhead electricity line, then you may need to get it moved to allow your works to go ahead. Call the general enquiry numbers above for guidance.

• It is possible that cables or pipes may be embedded in concrete - electricity cables embedded in concrete MUST be made 'dead' by Western Power Distribution or the cable owner before the concrete is broken out. Alternatively, another safe way of working should be agreed.

• **Cables are sometimes covered by tiles or a marker tape** - these can be concrete, polythene or earthenware and are a useful early warning of the presence of cables; you should avoid disturbing any tiles or tape to expose the cable. Not all cables have these warning indicators.



PDF designe
0200m



		2				
					PDF	- designe
<u>Contact Us</u>	IMPORTANT NOTICES	0		2	200m	
Mapping Enquiries: 0121 623 9780 General Enquiries: 0800 096 3080	 This information is given as a guide only and its accuracy cannot be guaranteed. Services or recent additions to the network may not be shown. Cables, overhead lines & substations owned by other electricity network owners or private companies may be 	Link Box	Overhead Line	Underground Cable	National Grid Telecom	s Pilot Ca
Date Requested: 05/04/2024 Job Reference: 33004028 Site Location: 351644 186371 Requested by: Mr Darren Shingler Your Scheme/Reference: M4 J22-23	 present and may not be shown. You should always verify exact locations of cables using a cable locator and by careful use of hand tools in accordance with HSE guidance note HSG47. When working within 10m of any overhead electric line you should follow the requirements of HSE Guidance Note GS6. For further advice on working near our electricity cables or lines, call our Contact Centre on 0800 096 3080. Advice should be sought from the National Grid Electricity Distribution Contact Centre for any work that is to take place in proximity to 66kV or 132kV underground cables and 66kV 132kV overhead lines – 0800 096 3080 	• Site Location Line/Area			ss Private Cables PME Earth Undergrour Earth	Pole I Pole I Trans Groun Trans
Scale: 1:2500 (When plotted at A3)		Re	port damage immedia	tely KEEP EVERYC 0800 6783 10		THE AREA
	All Rights Reserved. Ordnance Survey Licence numbers: 100022432. NGED Copyright: This copy has been made by or with the authority of National Grid Electri	L city Distribution (NGED) pursu	uant to Section 47 of the Copyright De	signs and Patents Act 1988 unless	s that Act provides a relevant ex	cception to copyright th

ned for A3 colour print only with no page scaling Cables Electricity Distribution national**grid** le Mounted

nsformer

ound Mounted nsformer



Email: NGED.MapResponse@NationalGrid.co.uk

ht the copy must not be copied without the prior permission of the copyright owner.

					FDFC	resigned
Contact Us Mapping Enquiries: 0121 623 9780 General Enquiries: 0800 096 3080 Date Requested: 05/04/2024 Job Reference: 33004028 Site Location: 351644 186371 Requested by: Mr Darren Shingler Your Scheme/Reference: M4 J22-23	 Advice should be sought from the National Grid Electricity Distribution Contact Centre for any work that is to 	0 Link Box ● Site Location Line/Area		Underground Cable	200m National Grid Telecoms S S Private Cables 	Pilot Cat P
Scale: 1:2500 (When plotted at A3)	take place in proximity to 66kV or 132kV underground cables and 66kV 132kV overhead lines – 0800 096 3080	Re	eport damage immedia	ately KEEP EVERYC 0800 6783 10		E AREA
Crown Copyright ©	All Rights Reserved. Ordnance Survey Licence numbers: 100022432. NGED Copyright: This copy has been made by or with the authority of National Grid Electric	city Distribution (NGED) purs	uant to Section 47 of the Copyright De	esigns and Patents Act 1988 unles	s that Act provides a relevant excepti	on to copyright the



		4
<u>Contact Us</u>	IMPORTANT NOTICES	PDF designe
	 This information is given as a guide only and its accuracy cannot be guaranteed. Services or recent additions to the network may not be shown. 	0200m
	 Cables, overhead lines & substations owned by other electricity network owners or private companies may be present and may not be shown. 	Link Box Overhead Line Underground Cable National Grid Telecoms Pilot C
Job Reference: 33004028	 You should always verify exact locations of cables using a cable locator and by careful use of hand tools in accordance with HSE guidance note HSG47. 	Site Location
Site Location: 351644 186371 Requested by:	 When working within 10m of any overhead electric line you should follow the requirements of HSE Guidance Note GS6. 	Line/Area
	 For further advice on working near our electricity cables or lines, call our Contact Centre on 0800 096 3080. Advice should be sought from the National Grid Electricity Distribution Contact Centre for any work that is to 	
	take place in proximity to 66kV or 132kV underground cables and 66kV 132kV overhead lines – 0800 096 3080	Report damage immediately KEEP EVERYONE AWAY FROM THE AREA
Scale: 1:2500 (When plotted at A3)	I Rights Reserved. Ordnance Survey Licence numbers: 100022432. NGED Copyright: This copy has been made by or with the authority of National Grid Electri	0800 6783 105 city Distribution (NGED) pursuant to Section 47 of the Copyright Designs and Patents Act 1988 unless that Act provides a relevant exception to copyright



nationalgrid

Look out, look up!

National Grid Electricity Distribution's guide to the safe use of mechanical plant in the vicinity of electricity overhead lines



The safe use of mechanical plant in the vicinity of electricity overhead lines

Every year in the UK on average, two people are killed and many more are injured when mechanical plant and machinery comes into contact or close proximity to overhead electricity lines.

This booklet has been produced for anyone who uses mobile plant, (such as Hiabs, MEWPs, tipper lorries and trailers, grab lorries, concrete conveyors and excavators) for short duration work and provides general guidance on how to avoid becoming part of these statistics.

1 Before starting work

Overhead lines have the advantage that they can easily be seen, so before you set up your vehicle or plant always:

Stop and look up!



or in conditions of poor visibility, you should use spotlights or a torch to carefully check that there are no overhead lines within your vehicle's reach. If you are in any doubt about whether the lines in question

whether the lines in question are power or telephone (this is a very common mistake) – always assume that they are power lines and are live.



It is not normally practical for electricity companies to shroud high voltage conductors and even when low voltage conductors are shrouded, the shrouding is not designed to protect against contact by mechanical plant – again, always assume the lines are live.

2 Exclusion zones

Overhead power lines are not normally insulated and so any contact can result in serious or fatal injuries. Electricity at high voltages can also jump gaps with no warning whatsoever, so it is also dangerous to let your plant approach too close to a line. The distance that electricity can jump depends on the voltage of the line. The higher the voltage, the further you must stay away from the line and any other equipment that may be fitted to the pole or pylon. This distance is called the **exclusion zone**. Examples of this are shown highlighted in the diagram below.

Exclusion zones are shown in blue



Exclusion zones for pole with transformer

Exclusion zone high voltage (HV)

Exclusion zone low voltage (LV)

You must not allow any part of your plant to enter the **exclusion zone**. The diagram below shows typical types of overhead lines and provides a guide to help

you assess the line voltage of lines on wooden poles or steel pylons. The minimum **exclusion zone distance** is shown for each example.



Please note that these are absolute minimum distances that should under no circumstances be infringed. If you do – it could prove fatal. As well as staying away from the lines or equipment, you should also stay at least 600mm away from any part of poles, pylons and stay wires. Please remember that is for guidance only, and if you are in any doubt, please call us for advice before setting up your plant or starting work.

3 Stand off distances

If there are power lines in the vicinity of your work the best way to make sure you stay out of the **exclusion zone** is to position your vehicle at a **safe stand off distance** so that, even when fully extended, no part of it can accidentally reach inside the **exclusion zone**.

This **safe stand off distance** can be calculated by adding the **exclusion zone** distance for the appropriate voltage of the line to the **maximum operating reach** of your vehicle.

This is shown in the diagram opposite.

If you position your vehicle outside of the **safe stand off distance**, there is no risk of accidental contact with the lines and no danger of electricity jumping from the line to your vehicle.

If you cannot achieve a **safe stand off distance**, consider moving your vehicle to a safer location.

It may make your job a bit more difficult, but if it means you stay away from the **exclusion zone** - it will be safer.

The next best option would be to consider using smaller plant with a **maximum operating reach** that cannot enter the **exclusion zone**.

You may not be able to achieve either of these options, so, as a last resort, if you cannot avoid operating large items of plant in the vicinity of lines, you must make sure that the plant is fitted with restraints to ensure that the **exclusion zone** cannot be entered.

These restraints may be electrical or hydraulic systems fitted to the plant, or mechanical devices such as chains.

Please seek advice from the plant manufacturer for more information on choices available for your particular item of plant. If you are using a mechanical excavator to dig parallel to the line, it is good practice to position the excavator with the tracks or wheels parallel to the line, so as you move along the excavation the safe stand off distance is easily maintained.

Care must also be taken to avoid non mechanical equipment, (e.g. scaffold poles, ladders and long loads such as lengths of steel or timber) from entering the exclusion zone.

Always maintain at least 600mm clearance from your plant to any of our poles, stay wires or pylons. Any contact with these by your plant could cause the line to break and fall to the ground.









4 Emergency procedures

If contact is made with an overhead line, you must immediately clear the area and suspend all work within 50m of the damage because the line could still be live, or become live again.

The operator of a machine that is in contact with an overhead line should take the following steps:

If the machine is still operable:

 lower any raised parts that are controlled from the driving position and/or drive the vehicle clear of the line, as long as neither of these actions risk breaking the line or dragging it to the ground.

If the machine is not operable or cannot be driven clear of the line:

- stay in the cab
- contact your site manager or us immediately by radio or mobile phone or as soon as possible by any other method
- instruct everyone outside the vehicle not to approach it
- do not exit the cab until given confirmation by National Grid Electricity Distribution personnel that it is safe to do so.

If the machine is inoperable or cannot be driven free and there is risk of fire or other immediate hazard:

- jump clear of the vehicle, avoiding simultaneous contact with any part of the machine and the ground
- try to land with your feet as close together as possible
- where possible, continue to move away from the vehicle using "bunny hops" with your feet together until at least 15m from the vehicle
- instruct other people in the vicinity not to approach the vehicle
- do not return to the vehicle until given confirmation by National Grid Electricity Distribution personnel that it is safe to do so.

Whatever the circumstances please contact us on our emergency number immediately and tell us what has happened.

Please be ready to provide us with a contact telephone number and an accurate location or set of directions – this will help us in getting our staff to site quickly to minimise any danger and to reduce any disruption to your work.

Our emergency number is: 105 or 0800 6783 105

Please report any damage or contact no matter how minor they may seem to you at the time.

Whilst the damage may not cause a serious problem at the time of contact it could fail later, causing danger to our staff and members of the public, disruption to our customer's supplies, and – if we trace the damage back to you – a larger repair bill!

CALL 105

5 More information

Proximity Warning Systems (such as Wire Watcher – see wirewatcher.co.uk for information) may be fitted to your vehicle. Never turn these devices off or disable them in any way.

Take note of any warnings these proximity warning systems may provide but do not use the presence of such devices as a reason not to follow the advice provided in this leaflet.

For your information, we are legally obliged to report all contact with our system to the Department of Trade and Industry (DTI), and, if you are an employer, you may be obliged to report incidents involving your staff or contractors to the Health & Safety Executive (HSE). Even if no one is hurt, you could still find yourself being prosecuted for causing a dangerous occurrence.

6 Further reading

For advice related to signing and guarding at longer term work sites please also refer to National Grid Electricity Distribution booklet "Avoidance of Danger from Electricity Overhead Lines and Underground Cables". More detailed information is also published in the following documents available from the HSE.

GS6 – Avoidance of Danger from Overhead Lines.

HS(G) 47 – Avoiding Danger from Underground Services.

Along with Forestry Industry Safety Accord (FISA) publication **FISA 804** - **Electricity at Work: Forestry.** If you require more site-specific information relating to our equipment at your location please contact us on the relevant **general** enquiries number:

0800 096 3080

Finally... please, always remember that electricity overhead lines can be very dangerous – **the general rule is stay away and stay safe!**

National Grid Electricity Distribution plc Avonbank Feeder Road Bristol BS2 0TB United Kingdom

nationalgrid.co.uk

nationalgrid

Avoidance of danger from electricity overhead lines and underground cables

National Grid Electricity Distribution's information to manage safety whilst working in the vicinity of our equipment.



nationalgrid.co.uk

Avoidance of danger from electricity overhead lines and underground cables

Every year in the UK on average, two people are killed and many more are injured when mechanical plant and machinery comes into contact or close proximity to overhead electricity lines.

Although electric shock is the first thing that people associate with coming into contact with our network, those who have witnessed the effects of damage to our system are shocked by the amount of heat, light and noise that are the result of an electrical flashover.

In the Midlands, South West and South Wales, National Grid Electricity Distribution (NGED) have had to attend to incidents where people have accidentally made contact with one of our live electricity overhead lines or damaged an underground cable and became seriously injured.

A significant number of these accidents occurred whilst people were working in the vicinity of overhead and underground electrical apparatus and this booklet has been produced to provide general guidance on how you and your employees can avoid becoming one of these statistics.



Planning your work

It makes sense to consider your safety while in the vicinity of our equipment as early in your planning process as possible.

One of the first things you should do whenever you are planning your work is to check whether there is any of our equipment in the immediate vicinity. You should do this whether your work is taking place on public (e.g. highways and footpaths) or on private land.

Companies and organisations can request plans through LSBUD (Linesearch BeforeUdig) **Isbud.co.uk** – this site provides the same high quality plans and service that the NGED Webmap system has provided in the past, with the significant added benefit of searching over 40 other asset owners from a single query, including underground and overhead electricity networks, gas, high pressure fuel, water and fibre optic networks.

(Please note: not all asset owners are represented by LSBUD, and enquiries should also be made independently to all other relevant organisations).

This service allows you to request plans online and receive an information pack back via email within minutes. Domestic/private customers should request plans using the phone number, email or postal address shown at the bottom of this section.

For instance, take a good look around your site to see if there are any visible overhead lines.

You should also bear in mind that we have a very extensive network of underground cables, and we are always happy to supply a plan from our Map Response Team who can be contacted via the following;

Tel: 0121 623 9780 Email:

nged.mapresponse@nationalgrid.co.uk

It is always safer to assume that there are underground cables present in the ground until you have proven otherwise.

An online mapping service is available at: nationalgrid.co.uk/ our-network/check-before-you-dig-location-of-our-cables-and-equipment

Working in the vicinity of underground cables

Having obtained copies of our network maps, it is important to recognise that in most cases there will be no surface indication of the presence of underground cables.



We therefore advise that you take the following actions:

- make sure that you have up-to-date copies of our cable record plans on site - not back in the office
- don't assume that these plans are to scale if they have been faxed or copied
- make sure that a competent person using a Cable Avoidance Tool (CAT) locates all of the cables shown on these plans
- mark the locations of cables on the ground surface with waterproof road paint or other permanent marker
- always assume that our cables are live unless we have informed you, in writing, otherwise
- by hand, dig trial holes to locate the exact position of all cables. Always use an insulated spade or shovel – never use a pick, fork or power tool – push the spade or shovel into the ground applying foot pressure
- look out for ducts, marker tape or tiles but do not rely on these.
 Even if a cable route was originally laid in a duct or with a marker tape, these may have been removed during other excavations at a later date along with all or part of the cable route
- brief all people working in the vicinity of the presence and location of all underground cables.

nationalgrid

Under no circumstances should you attempt to work on, or interfere with, any of our underground cables

The only people qualified to work on this equipment are our operatives; who have been specifically trained and are authorised in writing to do so.

Please also be aware that:

- cable record plans are not guaranteed to be completely accurate. Kerb lines, roads and buildings may have been moved or altered since the cables were laid
- cables should ordinarily be at least 450mm deep, but don't assume this to be the case where you are working – ground levels could have changed
- not all service cables are shown on record plans, so look for cables running down poles and bear in mind that all buildings, street lights and street furniture are likely to have cables running to them. Cables feeding street furniture may be relatively shallow near to the furniture
- cables do not run in straight lines. They often "snake" through the ground avoiding surface and buried obstacles that may not be visible to you
- cables are flexible and can change direction and depth abruptly – for this reason never use mechanical excavators within 0.5m of any underground electricity cable even if you have located it with trial holes

- no attempt should be made to break out concrete surrounding a cable. Please contact us immediately on our general enquiries number and we will discuss the options for safe working which may include making the cable dead or you moving your work site if possible. If we need to make the cable dead we may need to provide our customers with two weeks notice of the power interruption
- our cables and joints are not designed to act as steps or to be left unsupported. If you remove support from any cable, you will need to support it using temporary hangers at not more than 0.5m intervals.
- when backfilling, please consolidate the ground under the cables, cover the cable with soil free of stones or with stone dust and replace any cable marker tiles, ducts and tape.

If you damage an underground cable

You must immediately clear the area of personnel because the cable could still be live, or become live again.

If a machine is still in contact with the cable, instruct the driver to jump clear of the vehicle, avoiding simultaneous contact with any part of the machine and the ground. Try to land with your feet as close together as possible.

Where possible, continue to move away from the vehicle using "bunny hops" with your feet together until at least 15m from the vehicle.

Please contact us on our emergency number immediately and tell us what has happened. Please be ready to provide us with a contact telephone number and an accurate location or set of directions – this will help us in getting our staff to site quickly to minimise any danger and lessen the disruption to your work.

Incident locations can be hard to describe. Using the free What3Words app will enable us to quickly and easily identify where the incident has taken place across our network.

CALL 105

Please report any damage to a cable, however superficial it might seem. The cable may not fail at the time of damage, but it could fail later, causing danger to our staff and other contractors, disruption to our customers' supplies, and also – if we trace the damage back to you – a large repair bill.

Working in the vicinity of overhead lines

Under no circumstances should you attempt to work on, or interfere with any of our overhead line equipment or service wires.

The only people qualified to work on this equipment are our operatives; who have been specifically trained and are authorised in writing to do so. Overhead lines have the advantage that, unlike underground cables, they can easily be seen.

- Always assume that our overhead lines are live unless we have informed you otherwise in writing.
- We will be able to advise you about

the type and voltage of the overhead lines in question and provide you with information about the clearances that you must adhere to during your work. Please ring our regional general enquiries number for further advice.

• In some circumstances, we may be

able to temporarily shroud low voltage overhead lines and services running to buildings if you need to work in the vicinity e.g. for scaffolding erection, fascia repairs and painting work on domestic properties. We don't normally charge for the shrouding of overhead lines, but please give us as much notice as possible.

- If you think that you will be working close to our overhead lines and they need shrouding – please don't start work until we have agreed what needs to be done and all safety precautions are in place.
- If you are in any doubt about whether the overhead lines in question are power or telephone (this is a very common mistake) – please ask us.
- Please note that it is not technically

possible to shroud high voltage lines, so if you cannot avoid working near to our high voltage lines, contact us and we will be happy to meet with you to discus safe alternatives.

- If it is decided that work can go ahead in the vicinity of our overhead lines but there is a risk of you infringing the safety clearances from the overhead lines, you have a responsibility to erect safety barriers to segregate your works from the area around the overhead lines. The detailed requirements for these barriers are provided in the HSE document GS6 'Avoidance of Danger from Overhead Lines'. As a summary they should consist of:
 - red and white coloured posts erected at 6m intervals, with coloured bunting stretched between their tops, supplemented by low level bunting erected at 1m above ground level, supported at 3m intervals on red and white coloured posts. This is shown below.
- We are able to advise you on the height of the barriers and any additional clearances necessary if you are using large plant on your site.

- Any bunting, ropes and lanyards used should be made from an insulating material.
- These barriers should be erected parallel to the overhead line at a minimum distance of 6m horizontally from the outermost conductor of the overhead line.
- The supports may be supported by rubble or concrete filled barrels or buried directly in the ground.
- Danger notices should be fixed to all of your high level supports.
- The ground enclosed within these barriers is best regarded as "dead ground" in which all foot and vehicular traffic is forbidden, in all circumstances, for the duration of your work.



- Where it is necessary for foot and vehicular traffic to pass under the line, you will need to form a marked access way between the barriers as shown below.
- This access way should comprise of bunting erected 1m above ground, supplemented by high level "goal-posts" erected at either end.
- The goal post cross bars should be rigid, made of insulating material and positioned in a location and at a height specified by us.
- The access route should be as narrow as possible and should not normally exceed 10m in width.
- If it is necessary to make the access route wider than this, you may find it impractical to use rigid cross bars, so you may use a tensioned rope and bunting instead. If you use rope and bunting as a cross bar, you should move the entrance to the access route out to a minimum distance of 12m from the outermost conductor of the line. This is to allow for any stretching of the rope if pulled by your plant.



- If you decide to use steel wire rope to support the barrier, this must be effectively connected to earth at both ends.
- You should also install Danger Notices at all probable directions of approach and clearly display the cross bar height.
- Whatever measures you take, you should ensure that everyone working in the vicinity of overhead lines is briefed about the risks and what safety measures are in place. Do not permit anyone to carry long objects, especially scaffold poles, ladders and irrigation pipes in the vicinity of overhead lines.
- If you are working at night, or in conditions or poor visibility, you should ensure the area is well lit and that the overhead lines are clearly visible.
- You should ensure that all shrouding, barriers and signs are regularly inspected and maintained so that they remain effective.

- Overhead lines are not normally insulated and electricity at high voltages may jump, so a dangerous situation can arise just from a close approach.
- Cranes and excavators working near overhead lines are at increased risk because of the possibility of the jib/arm slewing or being raised into the overhead line, or the load swinging into the overhead line. You may therefore also need to fit plant and vehicles with restricting chains etc. to physically restrain their operation – we can advise on this if you wish.
- If you are planning to carry out tree cutting or arboriculture work in the vicinity of our overhead lines, you need to be aware that this is a complex, high risk activity and we recommend that you employ a competent tree surgeon, who complies with all of the requirements of Forestry industry Safety Accord (FISA) publication FISA 804 - Electricity at work: Forestry.



If contact is made with an overhead line

You must immediately clear the area and suspend all work within 50m of the damage because the line could still be live, or become live again. The operator of a machine that is in contact with an overhead line should:

• If the machine is still operable and the operator is still in the cab:

- provided that you do not risk breaking the overhead line or dragging it to the ground, immediately lower the raised parts of the machine using only the controls in the cab and/or drive the vehicle clear of the overhead line
- contact us immediately on our emergency number so that we can check the overhead lines
- instruct other people in the vicinity not to approach the vehicle.

• If the machine is not operable, cannot be driven clear of the overhead line or there is a risk that doing so will break the line or drag it to the ground:

- stay in the cab
- contact your site manager or us immediately on our emergency number by radio or mobile phone or as soon as possible by any other method
- instruct everyone outside the vehicle not to approach it
- do not exit the cab until given confirmation by wpd personnel that it is safe to do so.

- If the machine is inoperable or cannot be driven free and there is risk of fire or other immediate hazard:
 - jump clear of the vehicle, avoiding simultaneous contact with any part of the machine and the ground
 - try to land with your feet as close together as possible
 - where possible, continue to move away from the vehicle jumping with both feet together until at least 15m from the vehicle. Instruct other people in the vicinity not to approach the vehicle. Contact us immediately on our emergency number
 - do not return to the vehicle until given confirmation by wpd personnel that it is safe to do so.

Whatever the circumstances please contact us on our emergency number immediately and tell us what has happened. Please be ready to provide us with a contact telephone number and an accurate location or set of directions – this will help us in getting our staff to site quickly to minimise any danger and lessen any disruption to your work.



Please report any damage or contact no matter how minor they may seem to you at the time. The damage may not cause a serious problem at the time of damage, but it could fail later, causing danger to our staff and members of the public, disruption to our customers' supplies, and – if we trace the damage back to you – a large repair bill.

More information

For your information, we are legally obliged to report all contact with our system to the Health and Safety Executive (HSE), and, if you are an employer, you may be obliged to report incidents involving your staff or contractors to the HSE.

Even if no one is hurt, you could be prosecuted for failing to report such an incident.

More detailed general information on this subject is available in the following publications from the HSE:

- HSG(47) Avoiding Danger from Underground Services
- GS6 Avoidance of Danger from Overhead Lines
- along with Forestry Industry Safety Accord (FISA) publication FISA 804 – Electricity at Work: Forestry

If you require more site-specific information relating to our equipment at your location please contact us on our general enquiry number:

Our general enquiry number is: **0800 096 3080**

National Grid Electricity Distribution plc Avonbank Feeder Road Bristol BS2 0TB United Kingdom

nationalgrid.co.uk

Finally

Please, always remember that electricity cables and overhead lines can be very dangerous – the general rule is **stay away and stay safe**.



THIRD PARTY SEARCHES

91 Market Street Hoylake Wirral CH47 5AA Tel. 0151 632 5142 enquiries@cornerstoneprojects.co.uk www.cornerstoneprojects.co.uk VAT Reg. No. 851 4941 19 Company No. 5132353

Registered in England. Registered Address : Cornerstone Projects Ltd, 91 Market Street, Hoylake, Wirral CH47 5AA



Enquiry Confirmation LSBUD Ref: 33004028

Enquirer			
Name	Mr Darren Shingler	Phone	01234567891
Company	Amey	Mobile	Not Supplied
Address	Brunel House 930 Hempton Court Bristol BST BS324SR		
Email	swsdfstats@amey.co.uk		

Enquiry Details		Site Map
Enquiry type	Initial Enquiry	Portskewett
Work category	Highways	FUIISREWEII
Work type	C2 Enquiry (Stat Undertakers only)	press
Work type buffer*	25 metres	Sudbrook
Start date	06/04/2024	
End date	06/04/2024	
Scheme/Reference	M4 J22-23	Prince of Wales Bridge
Search location	XY= 351661, 186367	
Confirmed location	-03 52	Md
Site size	361840 metres square	1011 1011
Site Contact Name	Not Supplied	
Site Phone No.	Not Supplied	
Description of Works		Google Map data ©2024 Please note that the above map only displays the location of the proposed work site and will not display
* The WORK TYPE BI IFFEB it	s a distance added to your search area based on the Work type you	any of the Members' pipes and cables. It is imperative that this area accurately reflects the proposed work site.

* The WORK TYPE BUFFER is a distance added to your search area based on the Work type you have chosen.

Affected LSBUD members					
(LSBUD Members who have assets registered on LSBUD within the vicinity of your search area.)					
Asset Owner	Phone/Email	Emergency Only	Status		
National Grid Electricity Distribution	08000963080	08006783105	Await response		
Wales and West Utilities	02920278912	0800111999	Await response		

Status explanation

Await Response means that the asset owner will contact you. This is typically by sending the plan response but they may ask for further information before being able to do so, particularly if any payments or authorisations are required.

Email Additional Info means that the asset owner needs further information about your works to assess your enquiry before providing a response. Please provide any details you have available including plans, method statements etc. if available.



Important notices

It is very important that you correctly understand what the service does and the procedures in order for you to work safely. Please refer to the LSBUD Support Page (www.lsbud.co.uk/linesearchbeforeudig-support) for further guidance. This information includes how to provide additional information to the LSBUD Members who request it to provide a response to your enquiry.

Validity and search criteria. The results of this enquiry are based on the confirmed information you entered and are valid only as at the date and time of the enquiry. It is your responsibility to ensure that the Enquiry Details are correct, and LinesearchbeforeUdig (LSBUD) accepts no responsibility for any errors or omissions in the Enquiry Details or any consequences thereof. LSBUD Members update their asset information on a regular basis so you are advised to consider this when undertaking any works. It is your responsibility to choose the period of time after which you need to resubmit any enquiry but the maximum time (after which your enquiry will no longer be dealt with by the LSBUD Helpdesk and LSBUD Members) is 28 days. If any details of the enquiry change, particularly including, but not limited to, the location of the work, then a further enquiry must be made.

Terms and Conditions. Please note that this enquiry is subject always to our standard terms and conditions available at <u>www.lsbud.co.uk</u> ("Terms of Use") and the disclaimer at the end of this document. Please note that in the event of any conflict or ambiguity between the terms of this Enquiry Confirmation and the Terms of Use, the Terms of Use shall take precedence.

List of not affected LSBUD members

(LSBUD Members who do not have assets registered on the LSBUD service within the vicinity of your search area.)

area.)	1	
Angus Energy	AWE Pipeline	B & D Energy Limited
Balfour Beatty Investments Limited	BOC Limited (A Member of the Linde Group)	Box Broadband
BP Exploration Operating Company Limited	BPA	Cadent Gas
Cambridgeshire County Council Climate Change and Energy Services	CATS Pipeline c/o Wood Group PSN	Cemex
Centrica Storage Ltd	CNG Services Ltd	Concept Solutions People Ltd
ConocoPhillips (UK) Teesside Operator Ltd	D.S.Smith	Diamond Transmission Corporation
DIO (MOD Abandoned Pipelines)	DIO (MOD Live Pipelines)	Drax Power Limited
E.ON UK CHP Limited	EDF Energy Renewables Ltd	EirGrid
Eleclink Limited	Electricity North West Limited	Energy Assets Networks
ENI & Himor c/o Penspen Ltd	EnQuest NNS Limited	EP Langage Limited
ESB CCGT Power station (Carrington Gas Pipeline)	ESP Utilities Group	ESSAR
Esso Petroleum Company Limited	euNetworks Fiber UK Ltd	EXA Infrastructure
Exolum Pipeline System	Fulcrum Electricity Assets Limited	Fulcrum Pipelines Limited
Gamma	Gas Networks Ireland (UK)	Gateshead Energy Company
Gigaclear Ltd	Harbour Energy	Heathrow Airport LTD
Humbly Grove Energy	IGas Energy	INEOS FPS Pipelines
INEOS Manufacturing (Scotland and TSEP)	INOVYN ChlorVinyls Limited	INOVYN Enterprises Limited
Intergen (Coryton Energy or Spalding Energy)	Jurassic Fibre Ltd	Kensa Utilities
Last Mile	Mainline Pipelines Limited	Manchester Jetline Limited
Manx Cable Company	Marchwood Power Ltd (Gas Pipeline)	Melbourn Solar Limited
MUA Group Limited	National Gas Transmission	National Grid Electricity Transmission
National Grid Ventures	Neos Networks	Northern Gas Networks Limited
Northumbrian Water Group	NPower CHP Pipelines	NTT Global Data Centers EMEA UK Ltd
NYnet Ltd	Ogi	Oikos Storage Limited
Ørsted	Palm Paper Ltd	Perenco UK Limited (Purbeck Southampton Pipeline)
Petroineos	Phillips 66	Portsmouth Water
Premier Transmission Ltd (SNIP)	Redundant Pipelines - LPDA	RWE - Great Yarmouth Pipeline (Bacton to Great Yarmouth Power Station)
RWEnpower (Little Barford and South Haven)	SABIC UK Petrochemicals	SAS Utility Services Ltd
Scottish and Southern Electricity Networks	Scottish Power Generation	Seabank Power Ltd
SES Water	SGN	Shell
Shell NOP	SP Energy Networks	Spring Fibre Limited
Squire Energy Networks	SSE Generation Ltd	SSE Transmission



Enquiry Confirmation LSBUD Ref: 33004028

SSE Utility Solutions Limited	Storengy	Tata Communications (c/o JSM Construction Ltd)
TfL – London Underground HV Cables (Road Side Cables)	toob Limited	Total Colnbrook Pipelines
Total Finaline Pipelines	Transmission Capital	Trojan Energy Limited
UK Power Networks	Uniper UK Ltd	University of Cambridge Granta Backbone Network
Vattenfall	Veolia ES SELCHP Limited	Veolia ES Sheffield Ltd
Voneus Limited	VPI Power Limited	Welsh Power
West of Duddon Sands Transmission Ltd	West Sussex OpenNetwork (Cooperative National Infrastructure)	Westminster City Council
Zayo Group UK Ltd c/o JSM Group Ltd		

Non-LSBUD members (Asset owners not registered on LSBUD)

(The following Non-LSBUD Members may have assets in your search area. It is YOUR RESPONSIBILITY to contact them before proceeding.

Please be aware this list is not exhaustive and it is your responsibility to identify and contact all asset owners within your search area.)

Asset Owner	Preferred contact method	Phone	Status
Bristol Water	development.services@bristolwater.co.uk	01179665881	Not Notified
BT	https://www.swns.bt.com/pls/mbe/welcome.home	08000232023	Not Notified
CityFibre	asset.team@cityfibre.com	033 3150 7282	Not Notified
Colt	plantenquiries@catelecomuk.com	01227768427	Not Notified
Dwr Cymru Welsh Water	https://contact.dwrcymru.com/en	0800 917 2652	Not Notified
Equans	nrswa.uk@equans.com	0800 130 3600	Not Notified
GTC	https://pe.gtc-uk.co.uk/PlantEnqMembership	01359240363	Not Notified
Lumen Technologies	plantenquiries@ocugroup.com	02087314613	Not Notified
Mobile Broadband Network Limited	mbnl.plant.enquiries@turntown.com	01212 621 100	Not Notified
Monmouthshire County Council	stevebaldwin@monmouthshire.gov.uk	01633644762	Not Notified
Sky UK Limited	nrswa@sky.uk	02070323234	Not Notified
Sota	sota.plantenquiries@ocugroup.com		Not Notified
Utility assets Ltd	assetrecords@utilityassets.co.uk		Not Notified
Verizon Business	osp-team@uk.verizonbusiness.com	01293611736	Not Notified
Virgin Media	http://www.digdat.co.uk	08708883116	Not Notified
Vodafone	osm.enquiries@atkinsglobal.com	01454662881	Not Notified
Wessex Water	Asset.enquiries@wessexwater.co.uk	01225526422	Not Notified

Disclaimer

Please refer to LSBUD's Terms of Use for full terms of use available at www.lsbud.co.uk

The results of this Enquiry are personal to the Enquirer and shall not be shared with or relied upon by any other party. The asset information on which the Enquiry results are based has been provided by LSBUD Members, therefore LSBUD will provide no guarantee that such information is accurate or reliable nor does it monitor such asset information for accuracy and reliability going forward. There may also be asset owners which do not participate in the enquiry service operated by LSBUD, including but not exclusively those set out above. Therefore, LSBUD cannot make any representation or give any guarantee or warranty as to the completeness of the information contained in the enquiry results or accept any responsibility for the accuracy of the mapping images used. LSBUD and its employees, agents and consultants accept no liability (save that nothing in this Enquiry Confirmation excludes or limits our liability for death or personal injury arising from our negligence, or our fraud or fraudulent misrepresentation, or any other liability that cannot be excluded or limited by English law) arising in respect thereof or in any other way for errors or omissions including responsibility to any person by reason of negligence.



CABLE

91 Market Street Hoylake Wirral CH47 5AA Tel. 0151 632 5142 enquiries@cornerstoneprojects.co.uk www.cornerstoneprojects.co.uk VAT Reg. No. 851 4941 19 Company No. 5132353

Registered in England. Registered Address : Cornerstone Projects Ltd, 91 Market Street, Hoylake, Wirral CH47 5AA

C2 Plant - Cornerstone Projects Ltd

From:	National Plant Enquiries <osm.enquiries@atkinsrealis.com></osm.enquiries@atkinsrealis.com>
Sent:	09 April 2024 09:13
То:	C2 Plant - Cornerstone Projects Ltd
Subject:	RE: C2 Plant Enquiries - Site Ref. M4 J22-23 COSBIM0123 - Prince of Wales Bridge,
	M4 J22-23, BS35 4NG - From NGR E351661 N186367

Please accept this email as confirmation that Vodafone: Fixed **does not** have apparatus within the vicinity of your proposed works detailed below.

Many thanks.

Plant Enquiries Team(DS) T: +44 (0)1454 662881 E: osm.enquiries@atkinsglobal.com

This response is made only in respect to electronic communications apparatus forming part of the Vodafone Limited electronic communications network formerly being part of the electronic communications networks of Cable & Wireless UK (now re-named Vodafone Enterprise UK), Energis Communications Limited, Thus Group Holdings Limited and Your Communications Limited.

ATKINS working on behalf of Vodafone: Fixed

PLEASE NOTE:

The information given is indicative only. No warranty is made as to its accuracy. This information must not be solely relied upon in the event of excavation or other works carried out in the vicinity of Vodafone plant. No liability of any kind whatsoever is accepted by Vodafone, its servants, or agents, for any error or omission in respect of information contained on this information. The actual position of underground services must be verified and established on site before any mechanical plant is used. Authorities and contractors will be held liable for the full cost of repairs to Vodafone's apparatus and all claims made against them by Third parties as a result of any interference or damage.

Diversionary works may be necessary if the existing line of the highway/railway or its levels are altered, where apparatus is affected. Where apparatus is affected and requires diversion, you must submit draft details of the proposed scheme with a request for a <u>'C3 Budget Estimate'</u> to <u>c3requests@vodafone.com</u> These estimates should be provided by Vodafone normally within 20 working days from receipt of your request. Please include proof of this C2 response when requesting a C3 (using the 'forward' option).



Please consider the environment before printing this e-mail

At Atkins - member of the SNC-Lavalin Group, we work flexible hours around the world. Although I have sent this email at a time convenient for me, I don't expect you to respond until it works for you.

From: C2 Plant - Cornerstone Projects Ltd <c2plant@cornerstoneprojects.co.uk> Sent: Friday, April 5, 2024 2:00 PM To: C2 Plant - Cornerstone Projects Ltd <c2plant@cornerstoneprojects.co.uk> Subject: C2 Plant Enquiries - Site Ref. M4 J22-23 COSBIM0123 - Prince of Wales Bridge, M4 J22-23, BS35 4NG - From NGR E351661 N186367

Dear Sir/Madam,

Re: - Underground Apparatus / Plant

Site Ref. M4 J22-23 COSBIM0123 - Prince of Wales Bridge, M4 J22-23, BS35 4NG - From NGR E351661 N186367

In order that all reasonable precautions may be taken to avoid risk to health and safety through contact with any of your existing apparatus during execution of works at the above site location, please provide plan(s) indicating the


Virgin













:1250	Map Centre: 352625,185873
rren.shingler@amey.co.uk	
4 J22-23 3	

From:	Cummins, Tabitha (NRSWA Administrator) <tabitha.harrisjones@sky.uk></tabitha.harrisjones@sky.uk>
Sent:	08 April 2024 16:51
То:	c2plant@cornerstoneprojects.co.uk
Subject:	C2 Plant Enquiries - Site Ref. M4 J22-23 COSBIM0123 - Prince of Wales Bridge, M4 J22-23, BS35 4NG - From NGR E351661 N186367



SKY Telecommunications Services Ltd 70 Buckingham Avenue Tel: 0207 0323 234/250 Fax: 020 70323252 email: nrswa@sky.uk

08/04/2024

Further to your recent enquiry, the following Sky route(s) may be <u>indirectly</u> affected by your proposed works:

WPD Caldicot - Easter Compton

The SKY route(s) is indirectly affected as we only lease telecoms infrastructure from **National Grid Telecom**, who own and are responsible for the maintenance or diversion thereof. For further information or detailed plans for this area, please contact the National Grid Telecom Enquiry Team, by email: WPDMapResponse@westernpower.co.uk or Phone:0121 623 9780.

Please note that if our apparatus is deemed to be affected by your proposal and requires relocation or diversion in any way, you will need to contact SKY to provide estimates as per NRSWA Diversionary Works process.

Regards

NRSWA Department Sky UK – Technology – Operations nrswa@sky.uk +44 2070323234

SLOUGH SL1 4PN

C2Plant - Cornerstone Projects Ltd

From:	CGI Plant Enquiries <cgiplantenquiries@ocugroup.com></cgiplantenquiries@ocugroup.com>
Sent:	05 April 2024 14:24
То:	'C2 Plant - Cornerstone Projects Ltd'
Subject:	RE: C04-24-0005 C2 Plant Enquiries - Site Ref. M4 J22-23 COSBIM0123 - Prince of Wales Bridge, M4 J22-23, BS35 4NG - From NGR E351661 N186367



Dear Sir or Madam,

With reference to your plant enquiry below, we can confirm that CGI do not have any apparatus within the immediate proximity of your proposed works.

If you require any further information, please do not hesitate to contact us.

<u>Please note that this response is only valid for 3 months. If your works do not commence within this time period, please resubmit your plant enquiry for assessment before any works commence.</u>

Regards

Plant Enquiries Dept OCU Borehamwood Ind. Park Rowley Lane Borehamwood WD6 5PZ

Office: +44 (0)208 731 4613 Fax: +44 (0)208 731 4601 Email: <u>cgi.plantenquiries@ocugroup.com</u> Web: <u>http://www.ocugroup.com</u>





From: C2 Plant - Cornerstone Projects Ltd <c2plant@cornerstoneprojects.co.uk>
Sent: Friday, April 5, 2024 9:34 AM
To: CGI Plant Enquiries <cgiplantenquiries@ocugroup.com>
Subject: C2 Plant Enquiries - Site Ref. M4 J22-23 COSBIM0123 - Prince of Wales Bridge, M4 J22-23, BS35 4NG - From NGR E351661 N186367

External Email Warning: Do not click on links or open attachments unless you recognise the sender & know the content is safe. Learn why this is important

Searches - Cornerstone Projects Ltd

From:	online.plantenquiries@cityfibre.com
Sent:	05 April 2024 11:13
То:	searches@cornerstoneprojects.co.uk
Subject:	CityFibre Plant Enquiry, issued on 4/5/24 10:13 AM. Reference 24f03828-
	bdd8-4dc2-89fd-1c47b6c039ce.
Attachments:	emap.pdf

You recently requested information pertaining to the above location and in relation to CityFibre Holdings Ltd plant.

Reference 24f03828-bdd8-4dc2-89fd-1c47b6c039ce User: User Title: M4 J22-23 1 Comment:

Please find attached a plan of the area of your interest that may contain plant which may be affected by your proposed works.

The validity of this response is 6 weeks, after such time a new enquiry would need to be made.

Please see the points of contact below if they are required:

Plant Enquiries Rutherford House Birchwood Park Warrington WA3 6ZH asset.team@cityfibre.com

Please quote the Reference ID in the subject line in any correspondence.

Please be aware that all information included in this eMap is the property of the sender and subject to copyright. It is illegal to copy or send this information to any third party without the permission of the sender.

[CityFibre]<https://cityfibre.com/>

Plant Enquiries

0203 5100 602

Disclaimer: CityFibre Limited is incorporated in England (No. 09759465) and its registered office is 15 Bedford Street, London WC2E 9HE. This email, together with any attachments, is confidential and for use by the addressee(s) only. If you are not the intended recipient, please notify the sender immediately, delete the message from your system and do not copy, use, distribute or disclose the email, its contents or attachments for any purpose. CityFibre Ltd accepts no liability for damage caused to a recipient's system by this email nor for any unauthorised access to or interference with this email.

	bitmap_layout select_raster LEGEND EXISTING PLANT EXISTING PLANT bitmap_layout select_raster
	CityFibre Holdings Ltd CityFibre Holdings Ltd, 15 Bediord Street, Rutherford House, London, WC2E 9HE Warrington, WC3E 9HE Warrington, WC3E 9HE Email: asset.team@cityfibre.com Disclaimer: Information shown on this plan is for general guidance only No warranty is made as to its accuracy. This plan must not be solely relied upon in the event of excavation or other works being carried out in the vicinity of Cityfibre plant. No liability of any kind is accepted by Cityfibre, its agents or servants for any error, omission, discrepancy or deviation. This information is valid for the date printed.
	Project Plant Enquiry Drawing Existing Plant Drawn by:
	smallworld Date: 05/04/2024 Drawing No. Revision CFH_EP_000001
Gruggy	Scale: 1:2500 A4 N an 20m 40m 60m 80m 100m

bitmap_layout select_raster LEGEND EXISTING PLANT EXISTING PLANT bitmap_layout select_raster
Head Office Asset Office CityFibre Holdings Ltd CityFibre Holdings Ltd, 15 Bedford Street, Rutherford House, London, Birchwood, WC2E 9HE Warrington, WA3 62H Tel: 0845 293 0774 Web: www.cityfibre.com Email: asset.team@cityfibre.com Disclaimer: Information shown on this plan is for general guidance only No warranty is made as to its accuracy. This plan must not be solely relied upon in the event of excavation or other works being carried out in the vicinity of Cityfibre plant. No liability of any kind is accepted by Cityfibre, its agents of servants for any error, omission, discrepancy or deviation. This information is valid for the date printed.
Project Plant Enquiry Drawing Existing Plant Drawn by: smallworld Date: 05/04/2024 Drawing No. Revision CFH_EP_000001 001 Scale: 1:2500 A4



Severn Bridge (Toll)	<section-header> bitmap_layout select_raster LEGEND Imap_layout select_raster Imap_layout select_raster bitmap_layout select_raster bitmap_layout select_raster Mead Office CityFibre Holdings LLd 15 Bedford Street, London, Ware Select Mead Office CityFibre Holdings LLd 15 Bedford Street, London, Ware Select Te: exet Set Set Set Set Set Set Set Set Set S</section-header>
	Information shown on this plan is for general guidance only No warranty is made as to its accuracy. This plan must not be solely relied upon in the event of excavation or other works being carried out in the vicinity of Cityfibre plant. No liability of any kind is accepted by Cityfibre, its agents o servants for any error, omission, discrepancy or deviation. This information is valid for the date printed.
	Project
	Plant Enquiry
	Drawing
	Existing Plant
English	Drawn by:
The Bull	smallworld Date: 05/04/2024
	Drawing No. Revision
	CFH_EP_000001 001
	Scale: 1:2500 A4
	0m 20m 40m 60m 80m 100m

C2 Plant - Cornerstone Projects Ltd

From:	UK OSP-Team . <osp-team@verizon.com></osp-team@verizon.com>
Sent:	09 April 2024 09:41
То:	C2 Plant - Cornerstone Projects Ltd; UK OSP-Team
Subject:	Re: C2 Plant Enquiries - Site Ref. M4 J22-23 COSBIM0123 - Prince of Wales Bridge,
	M4 J22-23, BS35 4NG - From NGR E351661 N186367

Dear Sir/Madam

Verizon is a licensed Statutory Undertaker.

We have reviewed your plans and have determined that Verizon (Formally known as MCI WorldCom, MFS) has no apparatus in the areas concerned.

If you have any further queries please do not hesitate to get in touch.

Yours faithfully

Plant Protection Officer (GB) Email osp-team@uk.verizon.com

On Fri, 5 Apr 2024 at 09:36, C2 Plant - Cornerstone Projects Ltd <<u>c2plant@cornerstoneprojects.co.uk</u>> wrote:

Dear Sir/Madam,

Re: - Underground Apparatus / Plant

Site Ref. M4 J22-23 COSBIM0123 - Prince of Wales Bridge, M4 J22-23, BS35 4NG - From NGR E351661 N186367

C2Plant - Cornerstone Projects Ltd

From:	Stephen Elcock <stephen.elcock@networkrail.co.uk> on behalf of OP Buried Services Enquiries <opburiedservicesenquiries@networkrail.co.uk></opburiedservicesenquiries@networkrail.co.uk></stephen.elcock@networkrail.co.uk>
Sent:	05 April 2024 09:41
То:	C2 Plant - Cornerstone Projects Ltd
Subject:	RE: C2 Plant Enquiries - Site Ref. M4 J22-23 COSBIM0123 - Prince of Wales Bridge, M4 J22-23, BS35 4NG - From NGR E351661 N186367

OFFICIAL

With regards to your enquiry, Network Rail does not believe there is any Network Rail owned apparatus or underground services within the area you have defined. As there is always the possibility that new works could be planned and undertaken in this area by Network Rail this information is valid as at today's date and is supplied for general guidance only.

Please be aware that this response is based on Network Rail's records and knowledge and no guarantee can be given regarding accuracy or completeness. CAT scans, safe digging practices (as contained in HSE publications) and other appropriate investigative techniques should always be carried out.

There may be other apparatus or underground services owned or operated by Utility Companies and accordingly you should contact individual utilities for information.

If, in connection with your investigations and/or work, you become aware of Network Rail apparatus or underground services within your area of work, please ensure these are notified to our Asset Protection team via the following link as a matter of urgency so that appropriate measures for avoidance of risk and damage can be put in place.

Contact details can be found in the following link: Network Rail Asset Protection Teams

If you require any further clarification on any of the information please contact <u>opburiedservicesenquiries@networkrail.co.uk</u>.

Regards,

Stephen Elcock Distribution Administrator



Worksite Survey National Records Centre, Audax Rd, York, North Yorkshire, YO30 4US T: 0330 8535314 E: <u>Stephen.Elcock@networkrail.co.uk</u>

C2 Plant - Cornerstone Projects Ltd

From:	Service Desk - NRTS <noreply@nrtsco.net></noreply@nrtsco.net>
Sent:	05 April 2024 14:28
То:	c2plant@cornerstoneprojects.co.uk
Subject:	REQ00000030133
Attachments:	PofW Bridge.pdf

Please find the attached drawings as requested in your email to telent.

If any works are identified in the vicinity of NRTS2 assets, the Requestor must apply to the telent Service Desk for the Cable/Asset Marking service. An ES1 proforma will be sent out which should be completed and sent back to the Help Desk. The telent O&M Contractor will contact the requester to arrange for pegging and marking of NRTS2 assets.

To ensure that delays are kept to a minimum when applying to telent for the cable marking service, the requester is advised to ensure that:

i) if the Requesting Contractor is already responsible for the site requiring cable investigation, they ensure that site vegetation clearance takes place prior to completing and submitting the cable marking out proforma (ES1)

ii) if the Requesting Contractor not yet responsible for the site, they should ensure that the responsible local HA -Managing Agent Contractor (MAC) is contacted to clear site vegetation.

The requesting contractor is responsible for any traffic management requirements.

Traffic Management for marking out lengths of >500m must be in place for the agreed date on which asset location is to take place

Please address any queries regarding this email and its content to the telent Service Desk on 0845 603 2239 or alternatively 0121 506 6102

Email Attachment : PofW Bridge.pdf (see attachment)

telent Technology Services Ltd. Registered in England. No 703317. Registered Office: Point 3, Haywood Road, Warwick, CV34 5AH, England. telent Technology Services Limited is authorised and regulated by the Financial Conduct Authority for credit-related regulated activities



																					1										
CABLE OFFSET SCHEDULE - Longitudinal communications cable in metres from fenceline (F)									Bar	Description:	Dm.	Chk'd	thild QA: App:					Project: M4 Infrastructure As Constructed		nstructed											
										- Ceacopion		Date:	Date: 1	ate: Date: Date	Date:	and De o	South Wales Trunk Road Agent														
MP	CABLE	MP	CABLE	MP	CABLE	MP	CABLE	MP	CABLE	MP	CABLE	MP	CABLE	MP	CABLE	MP	CABLE	MP	CABLE	\rightarrow		L'016.	L'016.	L/816.	L'BRU.		Asant Cerry	myrdd De Cymru			
LOCATION	OFFSET	LOCATION	OFFSET	LOCATION	OFFSET	LOCATION	OFFSET	LOCATION	OFFSET	LOCATION	OFFSET	LOCATION	OFFSET	LOCATION	OFFSET	LOCATION	OFFSET	LOCATION	OFFSET	I	As Constructed	SR	MM	VT	MC		Richard Jon	nes ESo(Hors) C.Eng C.Env FICE FCIHT	Title: MP 200	.100 to 201.500	
M4 'B' CARR	AGEWAY:	201.320	2.10m (F)	NOTES:																7^	A As Constructed		May 17 h	17 Mar 17 Mar 17		2 2 1	Head of Service - Trunk Road Agent Pennaeth - Asiant Cefoffyrdd De Cymru		Second Severn Crossing		
201.074	20.10m (F)	201.340	2.00m (F)					1								1				\vdash		Sep 15	Noga 17 18	1001 17	10.001 17		Pennaech - A	Asiant Centryrod De Cymru	Second		
201.080	20.20m (F)	201.360		OFFSET MEA				1								1											Unit 12, Lland	idarcy House	File Number:	Drawn By:	Checked By:
201.100	17.90m (F)	201.380		STOPS AT OF				1								1										Name of	The Courtyan Neath, SA32 (ed, Llandarcy,	N/A	SR	MM
201.120	11.70m (F)			THE CABLE L				1								1									_		Neach, SA331	i bru	Financial Code:	Date:	Date:
201.140	1.20m (F)	201.420		POINT IN DUC				1								1						I I							N/A	Sep 2015	Mar 2017
201.160	2.00m (F)			TO SUB STAT				1								1								-	_				nea.		
201.180	1.80m (F)	201,460	2.00m (F)	OF MOTORW	AY											1											e se l'un	and a second s	QA:	Approved:	Scale:
201.200	2.00m (F)	201.480		BOUNDARY.				1								1										NOS	~) ["	n gweithio ar ran	VT	MC	As Stated
201.220	2.00m (F)		1.20m (F)					1								1									_	×1050	2/ 10	lywodraeth Cymru	Date:	Date:	Sheet Number:
201.240	2.20m (F)							1								1										No.	∇	Vorking on behalf of the	Mar 2017	Mar 2017	1 of 1
201.260	2.00m (F)							1								1								_	_	The			Drawing Number:		Rev:
201.280	2.00m (F)							1								1											-× ∣w	Velsh Government			
201.300	1.90m (F)							1								1										L			MCY M4 AC	-IN [200.100-201.	.500] A.6











INDEPENDENT UTILITIES

91 Market Street Hoylake Wirral CH47 5AA Tel. 0151 632 5142 enquiries@cornerstoneprojects.co.uk www.cornerstoneprojects.co.uk VAT Reg. No. 851 4941 19 Company No. 5132353

Registered in England. Registered Address : Cornerstone Projects Ltd, 91 Market Street, Hoylake, Wirral CH47 5AA

Searches - Cornerstone Projects Ltd

From:	plantenquiryservice@gtc-uk.co.uk
Sent:	05 April 2024 11:46
То:	searches@cornerstoneprojects.co.uk
Subject:	GTC Plant Enquiry - Ref- 4223046
Attachments:	4223046.png

GTC Apparatus Not Found In Search Area

Our Plant Enquiry Service Ref: 4223046 Your Enquiry Ref: M4 J22-23

Dear Nicci,

Thank you for your enquiry concerning apparatus in the vicinity of your proposed work. GTC can confirm that we have no apparatus in the vicinity but please note that other asset owners may have and ensure all utility owners have been consulted. For your records, the search area is shown in the attached map.

Please note our assets now include those owned and operated by:

- GTC Pipelines Limited
- Independent Pipelines Limited
- Quadrant Pipelines Limited
- Electricity Network Company Limited
- Independent Power Networks Limited
- Independent Water Networks Limited
- Open Fibre Networks Limited
- Independent Community Heating Limited

If you have any queries or require any further information please do not hesitate to contact us.

Your sincerely,

GTC Plant Enquiry Service.

GTC Synergy House Woolpit Business Park Woolpit Bury St Edmunds Suffolk, IP30 9UP Tel: 01359 240363 plant.enquiries@gtc-uk.co.uk

NOTE:

This E-Mail originates from GTC, Synergy House, Woolpit Business Park, Woolpit, Bury St Edmunds, Suffolk, IP30 9UP

VAT Number: GB688 8971 40. Registered No: 029431.



C2Plant - Cornerstone Projects Ltd

From:	Networks Enquiries <assetenquiries@eclipsepower.co.uk></assetenquiries@eclipsepower.co.uk>
Sent:	05 April 2024 09:51
То:	C2 Plant - Cornerstone Projects Ltd
Subject:	RE: C2 Plant Enquiries - Site Ref. M4 J22-23 COSBIM0123 - Prince of Wales Bridge, M4 J22-23, BS35 4NG - From NGR E351661 N186367

Dear Sir/ Madam,

Thank you for your email. I can confirm that we have no present projects in the illustrated area as demonstrated in your email.

This response is valid for 3 months, after this time has commenced, we request you submit another email demonstrating the location of your plans.

If you have any further queries, do not hesitate to contact me.

Kindest regards, Harry Constantine Eclipse Power Mobile: +44 (0) 7707 138077 Office: +44 (0) 1234 486487 www.eclipsepower.co.uk https://www.linkedin.com/company/eclipse-power-networks



Electricity Connections. Simplified.

This e-mail is intended exclusively for the individual(s) to whom it is addressed and may contain information that is privileged, or confidential. If you are not the addressee, you must not read, use or disclose the contents of this e-mail. If you receive this e-mail in error, please notify <u>enquiries@eclipsepower.co.uk</u> giving the name of the sender and delete the e-mail immediately. Eclipse Power has taken every reasonable precaution to ensure that an attachment to this e-mail has been checked for any viruses. Eclipse Power cannot, however, accept liability for any damage sustained as a result of software viruses and would strongly advise that you carry out your own virus checks before opening any attachment.

