

Tree Works Schedule

	A	B	C	D	E	F	G	H
1	Tree No.	Tag No.	Map No.	TPO No.	Species	Recommended Works:	Works Purpose	Tree Works Timescales
2	1	196	1		English Oak	Cut and remove ivy between 0-2m.	Safety	Within 4 weeks
3	2	183	1		Aspen	Fell to ground level.	Safety	Within 4 weeks
4	3		1		Ash	Fell to ground level.	Safety	Within 4 weeks
5	4	192	1		Ash	Fell to ground level.	Safety	Within 4 weeks
6	5	184	1		Ash	Fell to ground level.	Safety	Within 4 weeks
7	6	163	1		Ash	Fell to ground level.	Safety	Within 4 weeks
8	7	168	1		Ash	Fell to ground level.	Safety	Within 4 weeks
9	8		1		Alder	Fell to ground level.	Safety	Within 4 weeks
10	9		1		English Oak	Fell to ground level.	Safety	Within 4 weeks
11	10		1		Ash	Fell to ground level.	Safety	Within 4 weeks
12	11		1		Ash	Fell to ground level.	Safety	Within 4 weeks
13	12	173	1		Ash	Fell to ground level.	Safety	Within 4 weeks
14	13	35	2		Field Maple	Fell to ground level all ash trees excluding those not infected with ash dieback disease.	Safety	Within 4 weeks
15	14	169	2		Field Maple	Reduce crown by up to 3.5m.	Safety	Within 4 weeks
16	15		2		Field Maple	Coppice (as marked with paint).	Safety	Within 4 weeks
17	16	197	2		Ash	Fell to ground level.	Safety	Within 4 weeks
18	17		2		Ash	Fell to ground level. Fell to ground level.	Safety Safety	Within 4 weeks
19	18		2		Goat Willow	Fell to ground level.	Safety	Within 4 weeks
20	19		2		Ash	Fell to ground level.	Safety	Within 4 weeks
21	20		2		Ash	Fell to ground level.	Safety	Within 4 weeks
22	21		2		Ash	Fell to ground level.	Safety	Within 4 weeks
23	22		2		Ash	Fell to ground level.	Safety	Within 4 weeks
24	23		2		Ash	Fell to ground level.	Safety	Within 4 weeks
25	25		2		Ash	Fell to ground level.	Safety	Within 4 weeks
26	26		2		Ash	Fell to ground level.	Safety	Within 4 weeks
27	27		2		Alder	Fell to ground level.	Safety	Within 4 weeks

Tree Works Schedule

	A	B	C	D	E	F	G	H
1	Tree No.	Tag No.	Map No.	TPO No.	Species	Recommended Works:	Works Purpose	Tree Works Timescales
28	28		2		Alder	Fell to ground level.	Safety	Within 4 weeks
29	29		2		Ash	Fell to ground level.	Safety	Within 4 weeks
30	30		2		Ash	Fell to ground level.	Safety	Within 4 weeks
31	31	165	2		Ash	Fell to ground level.	Safety	Within 4 weeks
32	32	154	2		Ash	Fell to ground level.	Safety	Within 4 weeks
33	33	974	2		Goat Willow	Pollard Pollard to approx. 7m above ground level.	Safety	Within 4 weeks
34	34	193	2		Ash	Fell to ground level.	Safety	Within 4 weeks
35	35	156	2		Ash	Fell to ground level.	Safety	Within 4 weeks
36	36	185	2		Ash	Fell to ground level.	Safety	Within 4 weeks
37	37	189	2		Ash	Fell to ground level.	Safety	Within 4 weeks
38	38	198	2		Ash	Fell to ground level.	Safety	Within 4 weeks
39	39	155	2		Goat Willow	Fell to ground level.	Safety	within 4 weeks
40	40	177	2		Ash	Fell to ground level.	Safety	Within 4 weeks
41	41	182	2		Ash	Fell to ground level. Fell to ground level.	Safety Safety	Within 4 weeks
42	42	180	1		Ash	Fell to ground level.	Safety	Within 4 weeks
43	43		1		Ash	Fell to ground level.	Safety	Within 4 weeks
44	44	171	1		Ash	Fell to ground level.	Safety	Within 4 weeks
45	45		1		Blackthorn	Fell, marked tree, to ground level.	Safety	Within 4 weeks
46	46	162	1		Ash	Fell, marked tree, to ground level.	Safety	Within 4 weeks
47	47		1		Ash	Fell, marked tree, to ground level.	Safety	Within 4 weeks
48	48		2		English Oak	Cut and remove ivy between 0-2m.	Safety	Within 3 months
49	49	167	2		English Oak	Cut all branches to S back to approx. 1m inside edge (north) of footpath.		Within 4 weeks
50	50	175	2		Ash	Fell to ground level.	Safety	Within 4 weeks
51	51	157	2		Ash	Fell to ground level.	Safety	Within 4 weeks
52	52		1		Ash	Fell to ground level.	Safety	Within 4 weeks
53	53		3		Ash	Fell to ground level.	Safety	Within 4 weeks

Tree Works Schedule

	A	B	C	D	E	F	G	H
1	Tree No.	Tag No.	Map No.	TPO No.	Species	Recommended Works:	Works Purpose	Tree Works Timescales
54	54		3		Ash	Fell, marked tree, to ground level.	Safety	Within 4 weeks
55	55		3		Ash	Fell to ground level.	Safety	Within 4 weeks
56	56		3		Ash	Fell to ground level.	Safety	Within 4 weeks
57	57	69	3		Ash	Fell to ground level.	Safety	Within 4 weeks
58	58		3		Ash	Fell to ground level.	Safety	Within 4 weeks
59	59	152	3		Ash	Fell to ground level.	Safety	Within 4 weeks
60	60	159	3		Ash	Fell to ground level.	Safety	Within 4 weeks
61	61	187	3		Ash	Fell to ground level.	Safety	Within 4 weeks
62	62	188	3		Ash	Fell to ground level.	Safety	Within 4 weeks
63	63	190	3		Ash	Fell to ground level.	Safety	Within 4 weeks
64	64		3		Ash	Fell (marked tree) to ground level.	Safety	Within 4 weeks
65	65		3		Ash	Fell (marked tree) to ground level.	Safety	Within 4 weeks
66	66	175	3		Ash	Fell to ground level.	Safety	Within 4 weeks
67	67		3		Goat Willow	Fell to ground level.	Safety	Within 4 weeks
68	68	192	3		Ash	Fell to ground level.	Safety	Within 4 weeks
69	69		3		English Oak	Cut and remove ivy between 0-2m.	Safety	Within 3 months
70	70	184	3		Ash	Fell to ground level.	Safety	Within 4 weeks
71	71	165	3		Ash	Fell to ground level.	Safety	Within 4 weeks
72	72	183	3		Ash	Fell to ground level.	Safety	Within 4 weeks
73	73	172	2		Ash	Fell to ground level.	Safety	Within 4 weeks
74	74	170	2		Ash	Fell to ground level.	Safety	Within 4 weeks
75	75	195	2		Ash	Fell to ground level.	Safety	Within 4 weeks
76	76		2		Ash	Remove dead wood.	Safety	Within 4 weeks
77	77		3		Blackthorn	Fell to ground level.	Safety	Within 4 weeks
78	78		5		Ash	Cut and remove ivy between 0-2m.	Safety	Within 3 months
79	79	11	5		Wild Cherry	fell to ground level	Safety	Within 4 weeks

Tree Works Schedule

	A	B	C	D	E	F	G	H
1	Tree No.	Tag No.	Map No.	TPO No.	Species	Recommended Works:	Works Purpose	Tree Works Timescales
80	80		5		Italian Alder	Cut and remove ivy between 0-2m.	Safety	Within 3 months
81	81		2		Wild Cherry	Fell to ground level.	Safety	Within 4 weeks
82	83		5		Ash	Fell to ground level.	Safety	Within 4 weeks
83	84		5		Silver Birch	Fell to ground level.	Safety	Within 4 weeks
84	85	198	5		Ash	Fell to ground level.	Safety	Within 4 weeks
85	86	121	5		Ash	fell to ground level	Within 4 weeks	Within 4 weeks
86	87	139	5		Goat Willow	fell to ground level	Safety	within 4 weeks
87	88		5		Goat Willow	fellto ground level	Safety	within 4 weeks
88	89	169	6		Goat Willow	Fell to ground level.	Safety	Within 4 weeks
89	90	190	5		Field Maple	Fell to ground level.	Safety	Within 4 weeks
90	91		5		Ash	Fell to ground level.	Safety	Within 4 weeks
91	92		5		Ash	Fell to ground level.	Safety	Within 4 weeks
92	93	176	5		Ash	Fell to ground level.	Safety	Within 4 weeks
93	94		6		Silver Birch	Fell, marked tree, to ground level.	Safety	Within 4 weeks
94	95	200	5		Wild Cherry	Fell to ground level.	Safety	Within 4 weeks
95	96		5		Western Red Cedar	Fell to ground level.	Safety	
96	97	153	4		Goat Willow	Pollard to approx. 6m above ground level and shape.	Safety	Within 4 weeks
97	98		4		Silver Birch	Fell to ground level, marked tree.	Safety	Within 4 weeks
98	99	174	4		Ash	Fell to ground level.	Safety	Within 4 weeks
99	100		4		Ash	Fell to ground level, marked tree.	Safety	Within 4 weeks
100	101	174	4		Elm	Fell to ground level.	Safety	Within 4 weeks
101	102	199	4		Alder	Cut back, remove to base trunk (marked) to E.	Safety	Within 4 weeks
102	103	180	4		Goat Willow	Pollard to approx. 5m above ground level.	Safety	Within 4 weeks
103	104	173	4		Goat Willow	Fell to ground level.	Safety	Within 4 weeks
104	105		4		English Oak	Cut and remove ivy between 0-2m.	Safety	Within 3 months
105	106		4		Goat Willow	Fell to ground level.	Safety	Within 4 weeks

Tree Works Schedule

	A	B	C	D	E	F	G	H
1	Tree No.	Tag No.	Map No.	TPO No.	Species	Recommended Works:	Works Purpose	Tree Works Timescales
106	107		4		Hawthorn	Cut and remove ivy between 0-2m.	Safety	Within 3 months
107	108	194	4		Ash	Fell to ground level.	Safety	Within 4 weeks
108	109	166	4		Goat Willow	Fell to ground level.	Safety	Within 4 weeks
109	110		4		Ash	Fell to ground level, marked tree.	Safety	Within 4 weeks
110	111		4		Mountain Ash	Fell to ground level.	Safety	Within 4 weeks
111	113		6		Ash	Fell to ground level.	Safety	Within 4 weeks
112	114	181	6		Ash	Fell to ground level.	Safety	Within 4 weeks
113	115		6		Hawthorn	Fell to ground level.	Safety	Within 4 weeks
114	G1	151	1		Ash	Fell to ground level all ash trees between tag 151-195.	Safety	Within 4 weeks
115	G2		1		Ash	Fell to ground level all ash trees excluding those not infected with ash dieback disease.	Safety	Within 4 weeks
116	G3	160	1		Alder	Coppice.	Safety	Within 4 weeks
117	G4		1		Ash	Fell to ground level.	Safety	Within 4 weeks
118	G5		2		Ash	Fell to ground level all ash trees excluding those not infected with ash dieback disease.	Safety	Within 4 weeks
119	G6	186	2		Ash	Fell two trees (marked) to ground level.	Safety	Within 4 weeks
120	G7		2			Re-inspect. July 2022	Safety	
121	G8	176	2		Ash	Fell to ground level (two marked trees).	Safety	Within 4 weeks
122	G9		2		Hazel	Fell to ground level.	Safety	
123	G10		2		Ash	Re-inspect. July 2022	Safety	
124	G11		2		Hazel (x3) and Ash	Coppice / cut down to as close ground level.	Arboricultural	Within 3 months
125	G12	161	1		Ash	Fell to ground level two marked trees.	Safety	Within 4 weeks
126	G13		1		Ash	Re-inspect. July 2022	Safety	
127	G14		2		Ash	Fell to ground level two marked trees.	Safety	Within 4 weeks
128	G15		2		Field Maple, Hazel and Goat Willow	Coppice all marked trees.	Safety	Within 4 weeks
129	G16		2		Ash (x3) and Hawthorn	Fell to ground level 4x marked trees.	Safety	Within 4 weeks
130	G17	179	2		Ash	Fell to ground level 4x marked trees.	Safety	Within 4 weeks
131	G18		2		Ash	Re-inspect.	Safety	

Tree Works Schedule

	A	B	C	D	E	F	G	H
1	Tree No.	Tag No.	Map No.	TPO No.	Species	Recommended Works:	Works Purpose	Tree Works Timescales
132	G19	199	2		Ash	Fell two trees (marked) to ground level.	Safety	Within 4 weeks
133	G20		2		Ash	Fell all ash trees between oak an footpath to ground level.	Safety	Within 4 weeks
134	G21		2		Ash	Fell to ground level.	Safety	Within 4 weeks
135	G22		2		Ash	Re-inspect. July 2022	Safety	
136	G23		3		Ash	Re-inspect. July 2022	Safety	
137	G24		3		English Oak and Field Maple	Cut and remove ivy between 0-2m.	Safety	Within 3 months
138	G25	158	3		Ash and Elm	Fell, 2x marked trees, to ground level.	Safety	Within 4 weeks
139	G26		3		Ash	Fell to ground level.	Safety	Within 4 weeks
140	G27		3		Ash	Fell to ground level.	Safety	Within 4 weeks
141	G28		3		Ash	Fell to ground level.	Safety	Within 4 weeks
142	G29	166	3		Ash	Fell, marked trees, to ground level.	Safety	Within 4 weeks
143	G30		3		Ash	Fell, marked trees, to ground level.	Safety	Within 4 weeks
144	G31	191	3		Ash	Fell, marked trees, to ground level.	Safety	Within 4 weeks
145	G32	177	3		Ash	Fell, marked trees, to ground level.	Safety	Within 4 weeks
146	G33		3		Ash	Fell, marked trees, to ground level.	Safety	Within 4 weeks
147	G34		5		Field Maple	Cut and remove ivy between 0-2m.	Safety	Within 3 months
148	G35		5		Ash	Fell to ground level all trees with more than 50% crown dieback.	Safety	Within 4 weeks
149	G36		5		Ash and Ash	Re-inspect. July 2022	Safety	
150	G37	196	5		Ash	Fell to ground level.	Safety	Within 4 weeks
151	G38		5		Ash	Re-inspect. July 2022	Safety	
152	G39		5		Ash	Re-inspect. July 2022	Safety	
153	G40	179	5		Ash	Fell to ground level.	Safety	Within 4 weeks
154	G41		5		Ash	Fell, marked trees, to ground level.	Safety	Within 4 weeks
155	G42		5		Ash	Re-inspect. July 2022	Safety	
156	G43		5		Ash	Fell to ground level all ash trees 50% defoliated or more.	Safety	Within 4 weeks
157	G44		5		Ash	Re-inspect. July 2022	Safety	
158	G45		4		Ash (x2) and English Oak	Cut and remove ivy between 0-2m.	Safety	Within 3 months
159	G46		4		English Elm	Fell to ground level.	Safety	Within 4 weeks

Tree Works Schedule

	A	B	C	D	E	F	G	H
1	Tree No.	Tag No.	Map No.	TPO No.	Species	Recommended Works:	Works Purpose	Tree Works Timescales
160	G47		4		Ash	Cut and remove ivy between 0-2m.	Safety	Within 3 months
161	G48	171	4		Elm and Ash	Fell to ground level.	Safety	Within 4 weeks
162	G49		4		Ash	Fell to ground level, marked trees.	Safety	Within 4 weeks
163	G50		4		Ash	Fell to ground level, marked trees.	Safety	Within 4 weeks
164	G51		4		Alder (x5) and Ash	Fell to ground level.	Safety	Within 4 weeks
165	G52		4		Alder	Fell to ground level.	Safety	Within 4 weeks
166	G53				Ash	Re-inspect. July 2022	Safety	
167	G55		4		Ash	Fell all dead ash and those 50% or more defoliated.	Safety	Within 4 weeks
168	G56		4		Crack Willow	Pollard to approx. 8m above ground level & crown clean.	Safety	Within 4 weeks
169	G57	182	4		Ash	Fell to ground level 2x multi-stemmed (marked) trees.	Safety	Within 4 weeks
170	G58		4		Ash and Hazel	Cut and remove ivy between 0-2m.	Safety	Within 3 months
171	G59		6		English Oak	Cut and remove ivy between 0-2m.	Safety	Within 3 months
172	G60		6		Ash	Fell all dead ash and those 50% or more defoliated.	Safety	Within 4 weeks
173	G61		6		Ash	Re-inspect. completed 18/07/2022	Safety	within 4 weeks
174	G62	170	3		Ash	Fell to ground level, marked trees.	Safety	Within 4 weeks