

FIGURED DIMENSIONS ONLY TO BE USED

General notes:
 This drawing is to be read in conjunction with all relevant engineers and architects drawings.
 The contractor is responsible for checking the line and level of all existing services prior to commencement of works. Any discrepancies from design information must be reported to the site manager and site engineer in writing.
 All existing services to be retained and protected for the duration of the works.
 Contractor to allow for investigations, CCTV survey and to prove existing drainage runs.
 Invert levels of existing drains & manholes shown are per record drawing provided by Scottish Water and are to be confirmed on-site prior to construction commencing.
 Any pipes with less than 1.2m cover to be encased in concrete in trafficked areas.
 Maintenance of SuDS device(s) to be the responsibility of property factor. Maintenance should be carried out as required by the outcome of regular inspections.

Legend

Surface Drainage
 Existing Surface Water Sewer & Manhole
 Proposed Surface Water Sewer & Manhole / Inspection Chamber
 Rainwater Pipe
 Rodding Eye
 Proposed Porous Paving
Foul Drainage
 Existing Foul Water Sewer & Manhole
 Proposed Foul Water Sewer & Manhole / Inspection Chamber
 Soil Vent Pipe
 Rodding Eye

Issue	Revision	Initial	Date
2	Attenuation area added and drainage runs updated	AAH/AH	11/03/20
1	Flow control MH03 and Hydrobrake added	SCA/AH	02/03/20

Cameron Ross
 CIVIL + STRUCTURAL ENGINEERING
 Forbes House | 15 Victoria Street | Aberdeen | AB10 1XB
 T: 01224 642 400 | W: cameronross.co.uk
 Mulberry House | 39-41 Harbour Road | Inverness | IV1 3UF
 T: 01463 570 100 | W: cameronross.co.uk

Client:
MCGA


Project:
**Plot 2
 MacDuff Industrial Estate
 MacDuff**

Drawing Title:
**Proposed Drainage
 Layout**

Status:
Warrant

Scale: As shown @ A1 Date: 12/02/2020
 By: AAH Checked: AAH Approved: SAF

Dwg. No. **190282-900** Rev. **2**



Site Plan
 Scale 1:100