



NOTES:
FIGURED DIMENSIONS TO BE TAKEN IN PREFERENCE TO SCALED DIMENSIONS.
ALL DIMENSIONS TO BE CHECKED ON SITE.



KEY:

Wall Types:

- Wall Type 1**
Kingspan KS1000RW (Vertical)
111mm thick, Uvalue 0.25W/m²K
(Max Uvalue 0.27W/m²K)
- Wall Type 2**
Kingspan KS1000RW Horizontal
111mm thick, Uvalue 0.25W/m²K
(Max Uvalue 0.27W/m²K)
- Wall Type 3**
140mm Block Wall 3.0m high
- Wall Type 4**
90mm Timber Studs at 600mm Centres/Engineer spec, 1x12.5mm SoundBloc to each side of stud, 25mm Isover Acoustic Partition Roll (APR 1200) in Cavity. Max height 3.6m)

Roof Types:

- Roof Type 1**
Kingspan KS1000RW
131mm thick, Uvalue 0.20W/m²K
(Max Uvalue 0.20W/m²K)

Floor Finishes Types:

- Altro Unity 25 Safety Flooring System
- Carpet Tiles - Milliken Light Trails / Dusk DSK11 Titanium
- Flowcrete Flowfast Quartz Flooring (4mm)

Revision: A Date: 06.03.2020 Description: Updated with Cavity Barriers
Revision: B Date: 13.03.2020 Description: Updated metal to timber studs for partitions



Chartered Surveyors and Property Consultants

233 St Vincent Street, Glasgow G2 5QY
Telephone 0141 332 1194 Fax 0141 332 5914
Website: www.g-s.co.uk Email: cad@g-s.co.uk

Client
MCGA
(Maritime and Coastguard Agency)

Project
MCGA Regional Response Unit

Address
Plot 2
Macduff Industrial Estate
Macduff

Drawing Title
Proposed Floor and Roof Plan

Department No. GB_11804	Drg No. 103	Revision B	Sheet Size 1/50 @A1
Aims No. 2019-01-0110	Drawing Status Tender*		
Drawn By AC	Checked By AD	Date 22.11.2019	