



**Specialist EOD&S, Exploitation and
Countermeasures (SEEC) Team**

Contract No: 702047450

For: Project CANINE SUPPORT SOLUTION (CSS)

<p>Between the Secretary of State for Defence of the United Kingdom of Great Britain and Northern Ireland</p> <p>Team Name and address:</p> <p>Specialist EOD&S, Exploitation and Countermeasures (SEEC) Rowan 1c #8207, MoD Abbey Wood, BRISTOL, BS34 8JH</p> <p>E-mail Address: [Redacted]</p> <p>Telephone Number: [Redacted]</p> <p>Facsimile Number: N/A</p>	<p>And</p> <p>Contractor Name and address:</p> <p>Von Wolf K9 Sport and Service Dog Equipment Limited Peeks Brook Lane Smallfield Surrey RH6 9PP</p> <p>E-mail Address: [Redacted]</p> <p>Telephone Number: [Redacted]</p> <p>Facsimile Number: N/A</p>
---	---

Contents

Standardised Contracting Terms.....	3
21 The project specific DEFCONs and SC variants that apply to this Contract are:	13
22 The special conditions that apply to this Contract are:.....	14
Offer and Acceptance	18
Schedule 1 - Additional Definitions of Contract	19
Schedule 2 - Schedule of Requirements	20
SC1B - Schedule 3 - Contract Data Sheet	21
Schedule 4 - Contractor's Sensitive Information Form (i.a.w. Clause 5)	24
Schedule 5 – Notification of IPR Restrictions (IAW Clause 7)	26
DEFFORM 111	33

ANNEX A OF CONTRACT – STATEMENT OF WORK

ANNEX B OF CONTRACT – EQUIPMENT LIST

ANNEX C OF CONTRACT – SECURITY ASPECTS LETTER (SAL)

Standardised Contracting Terms

SC1B

(Edn10/22)

1 Definitions - In the Contract:

Articles means, in relation to Clause 9 and Schedule 3 only, an object which during production is given a special shape, surface or design which determines its function to a greater degree than does its chemical composition;

The Authority means the Secretary of State for Defence of the United Kingdom of Great Britain and Northern Ireland, (referred to in this document as "the Authority"), acting as part of the Crown;

Business Day means 09:00 to 17:00 Monday to Friday, excluding public and statutory holidays;

Contract means the agreement concluded between the Authority and the Contractor, including all terms and conditions, specifications, plans, drawings, schedules and other documentation, expressly made part of the agreement in accordance with Clause 2.c;

Contractor means the person, firm or company specified as such in the Contract. Where the Contractor is an individual or a partnership, the expression shall include the personal representatives of the individual or of the partners, as the case may be;

Contractor Deliverables means the goods and / or services including packaging (and supplied in accordance with any QA requirements if specified) which the Contractor is required to provide under the Contract in accordance with the schedule of requirements.

Effective Date of Contract means the date stated on the Contract or, if there is no such date stated, the date upon which both Parties have signed the Contract;

Firm Price means a price excluding Value Added Tax (VAT) which is not subject to variation;

Government Furnished Assets (GFA) is a generic term for any MOD asset such as equipment, information or resources issued or made available to the Contractor in connection with the Contract by or on behalf of the Authority;

Hazardous Contractor Deliverable means a Contractor Deliverable or a component of a Contractor Deliverable that is itself a hazardous material or substance or that may in the course of its use, maintenance, disposal, or in the event of an accident, release one or more hazardous materials or substances and each material or substance that may be so released;

Issued Property means any item of Government Furnished Assets (GFA), including any materiel issued or otherwise furnished to the Contractor in connection with the Contract by or on behalf of the Authority;

Legislation means in relation to the United Kingdom any Act of Parliament, any subordinate legislation within the meaning of section 21 of the Interpretation Act 1978, any exercise of Royal Prerogative or any enforceable community right within the meaning of Section 2 of the European Communities Act 1972.

Mixture means a mixture or solution composed of two or more substances;

Notices means all notices, orders, or other forms of communication required to be given in writing under or in connection with the Contract;

Parties means the Contractor and the Authority, and Party shall be construed accordingly;

PPT means a tax called “plastic packaging tax” charged in accordance with Part 2 of the Finance Act 2021;

PPT Legislation means the legislative provisions set out in Part 2 and Schedules 9-15 of the Finance Act 2021 together with any secondary legislation made under powers contained in Part 2 of the Finance Act 2021. This includes, but is not limited to, The Plastic Packaging Tax (Descriptions of Products) Regulations 2021 and The Plastic Packaging Tax (General) Regulations 2022;

Plastic Packaging Component(s) shall have the same meaning as set out in Part 2 of the Finance Act 2021 together with any associated secondary legislation;

Sensitive Information means the information listed as such in Schedule 4, being information notified by the Contractor to the Authority, which is acknowledged by the Authority as being sensitive, at the point at which the Contract is entered into or amended (as relevant) and remains sensitive information at the time of publication;

Substance means a chemical element and its compounds in the natural state or obtained by any manufacturing process, including any additive necessary to preserve its stability and any impurity deriving from the process used, but excluding any solvent which may be separated without affecting the stability of the substance or changing its composition;

Transparency Information means the content of this Contract in its entirety, including from time to time agreed changes to this Contract, except for (i) any information which is exempt from disclosure in accordance with the provisions of the Freedom of Information Act 2000 (FOIA) or the Environmental Information Regulations Act 2004 (EIR), which shall be determined by the Authority, and (ii) any Sensitive Information.

2 General

- a. The Contractor shall comply with all applicable Legislation, whether specifically referenced in this Contract or not.
- b. Any variation to the Contract shall have no effect unless expressly agreed in writing and signed by both Parties.
- c. If there is any inconsistency between these terms and conditions and the associated documents expressly referred to therein, the conflict shall be resolved according to the following descending order of priority:
 - (1) the terms and conditions;
 - (2) the schedules; and
 - (3) the documents expressly referred to in the agreement.
- d. Neither Party shall be entitled to assign the Contract (or any part thereof) without the prior written consent of the other Party.
- e. Failure or delay by either Party in enforcing or partially enforcing any provision of the Contract shall not be construed as a waiver of its rights under the Contract.
- f. The Parties to the Contract do not intend that any term of the Contract shall be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person that is not a Party to it.
- g. The Contract and any non-contractual obligations arising out of or in connection with it shall be governed by and construed in accordance with English Law, and subject to Clause 15 and without prejudice to the dispute resolution procedure set out therein, the Parties submit to the exclusive jurisdiction of the English courts. Other jurisdictions may apply solely for the purpose of giving effect to this Clause 2.g and for enforcement of any judgement, order or award given under English jurisdiction.

3 Application of Conditions

- a. These terms and conditions, schedules and the specification govern the Contract to the entire exclusion of all other terms and conditions. No other terms or conditions are implied.
- b. The Contract constitutes the entire agreement and understanding and supersedes any previous agreement between the Parties relating to the subject matter of the Contract.

4 Disclosure of Information

Information received or in connection with the Contract shall be managed in accordance with DEFCON 531 (SC1) and Clause 5.

5 Transparency

- a. Notwithstanding any other condition of this Contract, including 531 (SC1), the Contractor understands that the Authority may publish the Transparency Information to the general public.
- b. Subject to Clause 5.c, the Authority shall publish and maintain an up-to-date version of the Transparency Information in a format readily accessible and reusable by the general public under an open licence where applicable.
- c. If, in the Authority's reasonable opinion, publication of any element of the Transparency Information would be contrary to the public interest, the Authority shall be entitled to exclude such information from publication. The Authority acknowledges that it would expect the public interest by default to be best served by publication of the Transparency Information in its entirety. Accordingly, the Authority acknowledges that it shall only exclude Transparency Information from publication in exceptional circumstances and agrees that where it decides to exclude information from publication on that basis, it will provide a clear statement to the general public explaining the categories of information that have been excluded from publication and reasons for withholding that information.
- d. The Contractor shall assist and co-operate with the Authority as reasonably required to enable the Authority to publish the Transparency Information, in accordance with the principles set out above. Where the Authority publishes Transparency Information, it shall:
 - (1) before publishing redact any information that would be exempt from disclosure if it was the subject of a request for information under the FOIA and/or the EIR, for the avoidance of doubt, including the Sensitive Information.
 - (2) taking into account the Sensitive Information set out in Schedule 4, consult with the Contractor where the Authority intends to publish information which has been identified as Sensitive Information. For the avoidance of doubt the Authority, acting reasonably, shall have absolute discretion to decide what information shall be published or be exempt from disclosure in accordance with the FOIA and/or the EIR; and
 - (3) present information in a format that assists the general public in understanding the relevance and completeness of the information being published to ensure the public obtain a fair view on how this Contract is being performed.

6 Notices

- a. A Notice served under the Contract shall be:
 - (1) in writing in the English Language;
 - (2) authenticated by signature or such other method as may be agreed between the Parties;

- (3) sent for the attention of the other Party's representative, and to the address set out in the Contract;
 - (4) marked with the number of the Contract; and
 - (5) delivered by hand, prepaid post (or airmail), facsimile transmission or, if agreed in the Contract, by electronic mail.
- b. Notices shall be deemed to have been received:
- (1) if delivered by hand, on the day of delivery if it is a Business Day in the place of receipt, and otherwise on the first Business Day in the place of receipt following the day of delivery;
 - (2) if sent by prepaid post, on the fourth Business Day (or the tenth Business Day in the case of airmail) after the day of posting;
 - (3) if sent by facsimile or electronic means:
 - (a) if transmitted between 09:00 and 17:00 hours on a Business Day (recipient's time) on completion of receipt by the sender of verification of the transmission from the receiving instrument; or
 - (b) if transmitted at any other time, at 09:00 on the first Business Day (recipient's time) following the completion of receipt by the sender of verification of transmission from the receiving instrument.

7 Intellectual Property

- a. The Contractor shall as its sole liability keep the Authority fully indemnified against an infringement or alleged infringement of any intellectual property rights or a claim for Crown use of a UK patent or registered design caused by the use, manufacture or supply of the Contractor Deliverables.
- b. The Authority shall promptly notify the Contractor of any infringement claim made against it relating to any Contractor Deliverable and, subject to any statutory obligation requiring the Authority to respond, shall permit the Contractor to have the right, at its sole discretion to assume, defend, settle or otherwise dispose of such claim. The Authority shall give the Contractor such assistance as it may reasonably require to dispose of the claim and will not make any statement which might be prejudicial to the settlement or defence of the claim.
- c. Notwithstanding any other provisions of the Contract and for the avoidance of doubt, award of the Contract by the Authority and placement of any contract task under it does not constitute an authorisation by the Crown under Sections 55 and 56 of the Patents Act 1977 or Section 12 of the Registered Designs Act 1949. The Contractor acknowledges that any such authorisation by the Authority under its statutory powers must be expressly provided in writing, with reference to the acts authorised and the specific intellectual property involved.

Notification of Intellectual Property Rights (IPR) Restrictions

- d. Where any of the Conditions listed below (1 to 3) have been added to these Conditions of the Contract as Project Specific DEFCONs at Clause 21, the Contractor warrants and confirms that all Intellectual Property Rights restrictions and associated export restrictions relating to the use or disclosure of the Contractor Deliverables that are notifiable under those Conditions, or of which the Contractor is or should reasonably be aware as at Effective Date of Contract, are disclosed in Schedule 5 (Notification of Intellectual Property Rights (IPR) Restrictions):
- (1) DEFCON 15 - including notification of any self-standing background Intellectual Property;
 - (2) DEFCON 90 - including copyright material supplied under clause 5;
 - (3) DEFCON 91 - limitations of Deliverable Software under clause 3b;
- e. The Contractor shall promptly notify the Authority in writing if they become aware during

the performance of the Contract of any required additions, inaccuracies or omissions in Schedule 5.

f. Any amendment to Schedule 5 shall be made in accordance with DEFCON 503 (SC1).

8 Supply of Contractor Deliverables and Quality Assurance

a. This Contract comes into effect on the Effective Date of Contract.

b. The Contractor shall supply the Contractor Deliverables to the Authority at the Firm Price stated in the Contract.

c. The Contractor shall ensure that the Contractor Deliverables:

- (1) correspond with the specification;
- (2) are of satisfactory quality (within the meaning of the Sale of Goods Act 1979, as amended) except that fitness for purpose shall be limited to the goods being fit for the particular purpose held out expressly by or made known expressly to the Contractor and in this respect the Authority relies on the Contractor's skill and judgement; and
- (3) comply with any applicable Quality Assurance Requirements specified in the Contract.

d. The Contractor shall apply for and obtain any licences required to import any material required for the performance of the Contract in the UK. The Authority shall provide to the Contractor reasonable assistance with regard to any relevant defence or security matter arising in the application for any such licence.

9 Supply of Hazardous Substances, Mixtures and Articles in Contractor Deliverables

a. Nothing in this Clause 9 shall reduce or limit any statutory duty or legal obligation of the Authority or the Contractor.

b. As soon as possible and in any event within the period specified in the Contract (or if no such period is specified no later than one month prior to the delivery date), the Contractor shall provide to the Authority's representatives in the manner and format prescribed in the Contract:

- (1) confirmation as to whether or not to the best of its knowledge any of the Contractor Deliverables contain hazardous Substances, Mixtures or Articles; and
- (2) for each Substance, Mixture or Article supplied in meeting the criteria of classification as hazardous in accordance with the GB Classification, Labelling and Packaging (GB CLP) a UK REACH compliant Safety Data Sheet (SDS);
- (3) where Mixtures supplied do not meet the criteria for classification as hazardous according to GB CLP but contain a hazardous Substance an SDS is to be made available on request; and
- (4) for each Article whether supplied on its own or part of an assembly that contains a Substance on the UK REACH Authorisation List, Restriction List and / or the Candidate List of Substances of Very High Concern (SVHC) in a proportion greater than 0.1% w/w of the Article, sufficient information, available to the supplier, to allow safe use of the Article including, as a minimum, the name of that Substance.

c. For substances, Mixtures or Articles that meet the criteria list in clause 9.b above:

- (1) if the Contractor becomes aware of new information which may affect the risk management measures or new information on the hazard, the Contractor shall update the SDS/safety Information and forward it to the Authority and to the address listed in Schedule 3; and

- (2) if the Authority becomes aware of new information that might call into question the appropriateness of the risk management measures identified in the safety information supplied, shall report this information in writing to the Contractor.
- d. If the Substances, Mixtures or Articles in Contractor Deliverables are Ordnance, Munitions or Explosives (OME), in addition to the requirements of the GB CLP and UK REACH the Contractor shall comply with hazard reporting requirements of DEF STAN 07-085 Design Requirements for Weapons and Associated Systems.
- e. If the Substances, Mixtures or Articles in Contractor Deliverables, are or contain or embody a radioactive substance as defined in the Ionising Radiation Regulations SI 2017/1075, the Contractor shall additionally provide details on DEFFORM 68 of:
- (1) activity; and
 - (2) the substance and form (including any isotope).
- f. If the Substances, Mixtures and Articles in Contractor Deliverables have magnetic properties which emit a magnetic field, the Contractor shall additionally provide details on DEFFORM 68 of the magnetic flux density at a defined distance, for the condition in which it is packed.
- g. Failure by the Contractor to comply with the requirements of this Condition shall be grounds for rejecting the affected Substances, Mixtures and Articles in Contractor Deliverables. Any withholding of information concerning hazardous Substance, Mixtures or Articles in Contractor Deliverables shall be regarded as a material breach of Contract under Condition 18 (Material Breach) for which the Authority reserves the right to require the Contractor to rectify the breach immediately at no additional cost to the Authority or to terminate the Contract in accordance with Condition 18.
- h. Where delivery is made to the Defence Fulfilment Centre (DFC) and / or other Team Leidos location / building, the Contractor must comply with the Logistic Commodities and Services Transformation (LCST) Supplier Manual.

10 Delivery / Collection

- a. The Contract shall specify whether the Contractor Deliverables are to be delivered to the consignee by the Contractor or collected from the consignor by the Authority.
- b. Title and risk in the Contractor Deliverables shall pass from the Contractor to the Authority on delivery or on collection in accordance with Clause 10.a.
- c. The Authority shall be deemed to have accepted the Contractor Deliverables thirty (30) days after title and risk has passed to the Authority unless it has rejected the Contractor Deliverables within the same period.

11 Marking of Contractor Deliverables

- a. Each Contractor Deliverable shall be marked in accordance with the requirements specified in Contract, or if no such requirement is specified, the Contractor shall mark each Contractor Deliverable clearly and indelibly in accordance with the requirements of the relevant DEF-STAN 05-132 as specified in the contract or specification. In the absence of such requirements, the Contractor Deliverables shall be marked with the MOD stock reference, NATO Stock Number (NSN) or alternative reference number specified in the schedule of requirements.
- b. Any marking method used shall not have a detrimental effect on the strength, serviceability or corrosion resistance of the Contractor Deliverables.
- c. The marking shall include any serial numbers allocated to the Contractor Deliverable.
- d. Where because of its size or nature it is not possible to mark a Contractor Deliverable with

the required particulars, the required information should be included on the package or carton in which the Contractor Deliverable is packed, in accordance with condition 12 (Packaging and Labelling (excluding Contractor Deliverables containing Ammunition or Explosives)).

12 Packaging and Labelling of Contractor Deliverables (Excluding Contractor Deliverables Containing Ammunition or Explosives)

- a. The Contractor shall pack or have packed the Contractor Deliverables in accordance with any requirements specified in the Contract and Def Stan 81-041 (Part 1 and Part 6).
- b. The Contractor shall establish if the Contractor Deliverables are, or contain, Dangerous Goods as defined in the Regulations set out in this Clause 12. Any that do shall be packaged for UK or worldwide shipment by all modes of transport in accordance with the following unless otherwise specified in the Contract.:
 - (1) the Technical Instructions for the Safe Transport of Dangerous Goods by Air (ICAO), IATA Dangerous Goods Regulations;
 - (2) the International Maritime Dangerous Goods (IMDG) Code;
 - (3) the Regulations Concerning the International Carriage of Dangerous Goods by Rail (RID); and
 - (4) the European Agreement Concerning the International Carriage of Dangerous Goods by Road (ADR).
- c. Certification markings, incorporating the UN logo, the package code and other prescribed information indicating that the package corresponds to the successfully designed type shall be marked on the packaging in accordance with the relevant regulation.

13 Plastic Packaging Tax

- a. The Contractor shall ensure that any PPT due in relation to this Contract is paid in accordance with the PPT Legislation.
- b. The Contract Price includes any PPT that may be payable by the Contractor in relation to the Contract.
- c. On reasonable notice being provided by the Authority, the Contractor shall provide and make available to the Authority details of any PPT they have paid that relates to the Contract.
- d. The Contractor shall notify the Authority, in writing, in the event that there is any adjustment required to the Contract Price in accordance with section 70 of the Finance Act 2021 and, on reasonable notice being provided by the Authority, the Contractor shall provide any such information that the Authority requires in relation to any such adjustment.
- e. In accordance with DEFCON 609 (SC1) the Contractor (and their sub-contractors) shall maintain all records relating to PPT and make them available to the Authority when requested on reasonable notice for reasons related to the Contract.
- f. Where the Contractor manufactures, purchases or imports into the UK any Plastic Packaging Component in relation to the Contract the Contractor shall, on reasonable notice being given, provide the Authority with such information and documentation that it requires to enable the Authority to carry out due diligence checks and satisfy itself that the Contractor has complied with the requirements of the PPT Legislation. This shall include, but is not limited to the Contractor providing:
 - (1) confirmation of the tax status of any Plastic Packaging Component;
 - (2) documents to confirm that PPT has been properly accounted for;
 - (3) product specifications for the packaging components, including, but not limited to, the weight and composition of the products and any other product specifications that may be

required; and

(4) copies of any certifications or audits that have been obtained or conducted in relation to the provision of Plastic Packaging Components.

g. The Authority shall have the right, on providing reasonable notice, to physically inspect or conduct an audit on the Contractor, to ensure any information that has been provided in accordance with clause 13.f above is accurate.

h. In the event the Contractor is not required to register for PPT they (and to the extent applicable, their sub-contractors) shall provide the Authority with a statement to this effect and, to the extent reasonably required by the Authority on reasonable notice, supporting evidence for that statement.

i. The Contractor shall provide, on the Authority providing reasonable notice, any information that the Authority may require from the Contractor for the Authority to comply with any obligations it may have under the PPT Legislation.

14 Progress Monitoring, Meetings and Reports

The Contractor shall attend progress meetings and deliver reports at the frequency or times (if any) specified in the Contract and shall ensure that its Contractor's representatives are suitably qualified to attend such meetings. Any additional meetings reasonably required shall be at no cost to the Authority.

15 Payment

a. Payment for Contractor Deliverables will be made by electronic transfer and prior to submitting any claims for payment under clause 15b the Contractor will be required to register their details (Supplier on-boarding) on the Contracting, Purchasing and Finance (CP&F) electronic procurement tool.

b. Where the Contractor submits an invoice to the Authority in accordance with clause 15a, the Authority will consider and verify that invoice in a timely fashion.

c. The Authority shall pay the Contractor any sums due under such an invoice no later than a period of 30 days from the date on which the Authority has determined that the invoice is valid and undisputed.

d. Where the Authority fails to comply with clause 15b and there is undue delay in considering and verifying the invoice, the invoice shall be regarded as valid and undisputed for the purpose of clause 15c after a reasonable time has passed.

e. The approval for payment of a valid and undisputed invoice by the Authority shall not be construed as acceptance by the Authority of the performance of the Contractor's obligations nor as a waiver of its rights and remedies under this Contract.

f. Without prejudice to any other right or remedy, the Authority reserves the right to set off any amount owing at any time from the Contractor to the Authority against any amount payable by the Authority to the Contractor under the Contract or under any other contract with the Authority, or with any other Government Department.

16 Dispute Resolution

a. The Parties will attempt in good faith to resolve any dispute or claim arising out of or relating to the Contract through negotiations between the respective representatives of the Parties having authority to settle the matter, which attempts may include the use of any alternative dispute resolution procedure on which the Parties may agree.

b. In the event that the dispute or claim is not resolved pursuant to Clause 16.a the dispute

shall be referred to arbitration and shall be governed by the Arbitration Act 1996. For the purposes of the arbitration, the arbitrator shall have the power to make provisional awards pursuant to Section 39 of the Arbitration Act 1996.

c. For the avoidance of doubt it is agreed between the Parties that the arbitration process and anything said, done or produced in or in relation to the arbitration process (including any awards) shall be confidential as between the Parties, except as may be lawfully required in judicial proceedings relating to the arbitration or otherwise. No report relating to anything said, done or produced in or in relation to the arbitration process may be made beyond the tribunal, the Parties, their legal representatives and any person necessary to the conduct of the proceedings, without the concurrence of all the Parties to the arbitration.

17 Termination for Corrupt Gifts

The Authority may terminate the Contract with immediate effect, without compensation, by giving written notice to the Contractor at any time after any of the following events:

- a. where the Authority becomes aware that the Contractor, its employees, agents or any sub-contractor (or anyone acting on its behalf or any of its or their employees):
 - (1) has offered, promised or given to any Crown servant any gift or financial or other advantage of any kind as an inducement or reward;
 - (2) commits or has committed any prohibited act or any offence under the Bribery Act 2010 with or without the knowledge or authority of the Contractor in relation to this Contract or any other contract with the Crown;
 - (3) has entered into this or any other contract with the Crown in connection with which commission has been paid or has been agreed to be paid by it or on its behalf, or to its knowledge, unless before the contract is made particulars of any such commission and of the terms and conditions of any such agreement for the payment thereof have been disclosed in writing to the Authority.
- b. In exercising its rights or remedies to terminate the Contract under Clause 17.a. the Authority shall:
 - (1) act in a reasonable and proportionate manner having regard to such matters as the gravity of, and the identity of the person committing the prohibited act;
 - (2) give due consideration, where appropriate, to action other than termination of the Contract, including (without being limited to):
 - (a) requiring the Contractor to procure the termination of a subcontract where the prohibited act is that of a Subcontractor or anyone acting on its or their behalf;
 - (b) requiring the Contractor to procure the dismissal of an employee (whether its own or that of a Subcontractor or anyone acting on its behalf) where the prohibited act is that of such employee.
- c. Where the Contract has been terminated under Clause 17.a. the Authority shall be entitled to purchase substitute Contractor Deliverables from elsewhere and recover from the Contractor any costs and expenses incurred by the Authority in obtaining the Contractor Deliverables in substitution from another supplier.

18 Material Breach

In addition to any other rights and remedies, the Authority shall have the right to terminate the Contract (in whole or in part) with immediate effect by giving written notice to the Contractor where the Contractor is in material breach of their obligations under the Contract. Where the

Authority has terminated the Contract under Clause 18 the Authority shall have the right to claim such damages as may have been sustained as a result of the Contractor's material breach of the Contract.

19 Insolvency

The Authority shall have the right to terminate the contract if the Contractor is declared bankrupt or goes into liquidation or administration. This is without prejudice to any other rights or remedies under this Contract.

20 Limitation of Contractor's Liability

- a. Subject to Clause 20.b the Contractor's liability to the Authority in connection with this Contract shall be limited to £5m (five million pounds).
- b. Nothing in this Contract shall operate to limit or exclude the Contractor's liability:
 - (1) for:
 - a. any liquidated damages (to the extent expressly provided for under this Contract);
 - b. any amount(s) which the Authority is entitled to claim, retain or withhold in relation to the Contractor's failure to perform or under-perform its obligations under this Contract, including service credits or other deductions (to the extent expressly provided for under this Contract);
 - c. any interest payable in relation to the late payment of any sum due and payable by the Contractor to the Authority under this Contract;
 - d. any amount payable by the Contractor to the Authority in relation to TUPE or pensions to the extent expressly provided for under this Contract;
 - (2) under Condition 7 of the Contract (Intellectual Property), and DEFCONs 91 or 638 (SC1) where specified in the contract;
 - (3) for death or personal injury caused by the Contractor's negligence or the negligence of any of its personnel, agents, consultants or sub-contractors;
 - (4) For fraud, fraudulent misrepresentation, wilful misconduct or negligence;
 - (5) in relation to the termination of this Contract on the basis of abandonment by the Contractor;
 - (6) for breach of the terms implied by Section 2 of the Supply of Goods and Services Act 1982; or
 - (7) for any other liability which cannot be limited or excluded under general (including statute and common) law.
- c. The rights of the Authority under this Contract are in addition to, and not exclusive of, any rights or remedies provided by general (including statute and common) law.

21 The project specific DEFCONs and SC variants that apply to this Contract are:

DEFCON 5J (Edition 18/11/16)

DEFCON 5J (Edition 18/11/16) – Unique Identifiers

DEFCON 90

DEFCON 90 (Edn 06/21) - Copyright

DEFCON 113

DEFCON 113 (Edn 02/17) - Diversion Orders

DEFCON 129

DEFCON 129 (Edn 02/22) - Packaging (For Articles Other Than Munitions)

DEFCON 129J (SC1)

DEFCON 129J (SC1) (Edn. 11/16) - The use of Electronic Business Delivery Form

DEFCON 503 (SC1)

DEFCON 503 (SC1) (Edn. 06/22) - Formal Amendments to the Contract

DEFCON 524A (SC1)

DEFCON 524A (SC1) (Edn 12/22) - Counterfeit Materiel

DEFCON 531 (SC1)

DEFCON 531 (SC1) (Edn. 09/21) - Disclosure of Information

DEFCON 532A

DEFCON 532A (Edn. 05/22) -Protection Of Personal Data (Where Personal Data is not being processed on behalf of the Authority)

DEFCON 534

DEFCON 534 (Edn 06/21) - Subcontracting and Prompt Payment

DEFCON 537

DEFCON 537 (Edn 12/21) - Rights of Third Parties

DEFCON 538

DEFCON 538 (Edn 06/02) – Severability

DEFCON 540 (SC1)

DEFCON 540 (Edn 05/23) – Conflicts of Interest

DEFCON 566

DEFCON 566 (Edn 10/20) - Change of Control of Contractor

DEFCON 624 (SC1)

DEFCON 624 (SC1) (Edn. 08/22) - Use Of Asbestos

DEFCON 627

DEFCON 627 (Edn 11/21) - Quality Assurance - Requirement for a Certificate of Conformity

DEFCON 630 (SC1)

DEFCON 630 (SC1) (Edn. 02/18) - Framework Agreements

DEFCON 632

DEFCON 632 (Edn 11/21) - Third Party Intellectual Property - Rights and Restrictions

DEFCON 658 - Cyber Risk Profile - Very Low

Reference: **RAR- 161623104**

Note: Further to DEFCON 658 the Cyber Risk Profile of the Contract is Very Low, as defined in Def Stan 05-138.

DEFCON 660

DEFCON 660 (Edn 12/15) - Official-Sensitive Security Requirements

22 The special conditions that apply to this Contract are:

22.1 Third Party IPR Authorisation

AUTHORISATION BY THE CROWN FOR USE OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS

Notwithstanding any other provisions of the Contract and for the avoidance of doubt, award of the Contract by the Authority and placement of any contract task under it does not constitute an authorisation by the Crown under Sections 55 and 56 of the Patents Act 1977 or Section 12 of the Registered Designs Act 1949. The Contractor acknowledges that any such authorisation by the Authority under its statutory powers must be expressly provided in writing, with reference to the acts authorised and the specific intellectual property involved.

22.2 Variation of Price (VoP)

1. The Year 4, Year 5, Option Year 1 and Option Year 2 prices of Annex B – Equipment List are FIXED at Contract Year 1 price levels. The prices do not include provision beyond this date for increases or decreases in the market price of the Articles being purchased. Any such variation shall be calculated in accordance with the following formula:

$$V = P (a+b (O_i/O_0)) - P$$

Where:

V represents the variation of price

P represents the FIXED price as stated in the Schedule of Requirements or Annex A – Additional

O represents the index **G776 - PPI INDEX OUTPUT DOMESTIC - C32 Other manufactured goods 2015=100**

OO represents the 12-month average OUTPUT Price Index figure for the base period (Year 1)

O_i represents the 12-month average OUTPUT Price Index figure for the Fixed Price period to which the VoP condition is being applied (i.e. Year 4, Year 5, Option 1 or Option 2).

a represents the Non- Variable Element (NVE)

b represents the Variable Element

a+b=1

2. The Index referred to in Clause 22.2.1 above shall be taken from the following Tables:

OUTPUT Price Index - e.g. ONS Publication MM22 Table 2 'Price Indices of UK OUTPUT: All Manufacturing and Selected Industries', or, Table 4 'Price Indices of Products Manufactured in the UK'.

3. Indices published with a 'B' or 'F' marker, or a suppressed value, in the last 3 years are not valid for Variation of Price clauses and shall not be used. Where the price index has an 'F' marker or suppression applied to it during the term of the Contract, the Authority and the Contractor shall agree an appropriate replacement index or indices. The replacement index or indices shall cover, to the maximum extent possible, the same economic activities as the original index or indices.

4. In the event that any material changes are made to the indices (e.g. a revised statistical base date) during the period of the contract and before final adjustment of the final contract price, then the re-basing methodology outlined by the Office for National Statistics (ONS, the series providers) to match the original index to the new series shall be applied.

5. In the event the agreed index or indices cease to be published (e.g. because of a change in the Standard Industrial Classification) the Authority and the Contractor shall agree an appropriate replacement index or indices, which shall cover to the maximum extent possible the same economic activities as the original index or indices. The methodology outlined by the Office for National Statistics used for rebasing indices (as in Clause 5 above) shall then be applied.

6. Notwithstanding the above, any extant index / indices agreed in the Contract shall continue to be used as long as it is / they are available and subject to ONS revisions policy. Payments calculated using the extant index / indices during its / their currency shall not be amended retrospectively as a result of any change to the index or indices.

7. The Contractor shall notify the Authority of any significant changes in the purchasing / manufacturing plan on the basis of which these provisions were drawn up and agreed, or of any other factor having a material bearing on the operation of these provisions such as to cause a significant divergence from their intended purpose, in order that both parties may consider whether any change in this provision would be appropriate.

8. Prices shall be adjusted taking into account the effect of the above formula as soon as possible after publication of the relevant indices or at a later date if so agreed between the Authority and the Contractor. Where an index value is subsequently amended, the Authority and the Contractor shall agree a fair and reasonable adjustment to the price, as necessary.

9. Claims under this Condition shall be submitted to the Bill Paying Branch, certified to the effect that the “requirements of this Clause [insert the VOP clause number]” have been met.

22.3 Exercise of Options

a) The Contractor, in consideration of award of the Contract, hereby grants to the Authority the irrevocable options detailed at Line Item 2 of the Schedule of Requirements (Schedule 2) in accordance with the terms and conditions set out in this Contract provided that the options are exercised within three months prior to completion of Line Item 1 of Schedule 2.

b) The Authority shall be under no obligation to exercise the options. The Authority shall not be liable for any advance commitment that the Contractor may enter into in pursuance of the options referred to.

22.4 Russian and Belarusian Exclusion Condition for Inclusion in Contracts

1. The Contractor shall, and shall procure that their Sub-contractors shall, notify the Authority in writing as soon as they become aware that:

- a. the Contract Deliverables and/or Services contain any Russian/Belarusian products and/or services; or
- b. that the Contractor or any part of the Contractor's supply chain is linked to entities

who are constituted or organised under the law of Russia or Belarus, or under the control (full or partial) of a Russian/Belarusian person or entity. Please note that this does not include companies:

- (1) registered in the UK or in a country with which the UK has a relevant international agreement providing reciprocal rights of access in the relevant field of public procurement; and/or
- (2) which have significant business operations in the UK or in a country with which the UK has a relevant international agreement providing reciprocal rights of access in the relevant field of public procurement.

2. The Contractor shall, and shall procure that their Sub-contractors shall, include in such notification (or as soon as reasonably practicable following the notification) full details of the Russian products, services and/or entities and shall provide all reasonable assistance to the Authority to understand the nature, scope and impact of any such products, services and/or entities on the provision of the Contract Deliverables and/or Services.

3. The Authority shall consider the notification and information provided by the Contractor and advise the Contractor in writing of any concerns the Authority may have and/or any action which the Authority will require the Contractor to take. The Contractor shall be required to submit a response to the concerns raised by the Authority, including any plans to mitigate those concerns, within 14 business days of receipt of the Authority's written concerns, for the Authority's consideration.

4. The Contractor shall include provisions equivalent to those set out in this clause in all relevant Sub-contracts.

Offer and Acceptance

Offer and Acceptance

Contract 702047450 for the Procurement of the CANINE SUPPORT SOLUTION

This Contract shall come into effect on the date of signature by both parties.

For and on behalf of the Contractor:

Name and Title	[Redacted]
Signature	[Redacted]
Date	24/09/2024

For and on behalf of the Secretary of State for Defence:

Name and Title	[Redacted]
Signature	[Redacted]
Date	24/09/2024

SC1B Schedules

Schedule 1 - Additional Definitions of Contract

Obsolescence Concern - measure of uncertainty as to when an item will become obsolete.

Obsolescence Issue - effect when the item is obsolete or when there is certainty as to when the item will become obsolete.

Contract Effective Date – the date of the Acceptance of Offer of Contract as detailed in the signature block.

Contract Start Date – the date that the contract services should be available from (i.e., 28 November 2024).

Contract Term - the period between the Contract Start Date and the Expiry Date or termination date.

Contract Expiry Date – the Contract end date (i.e., 27 November 2029) unless extended in accordance with Condition 22.3 (Exercise of Options)

Schedule 2 - Schedule of Requirements

Contractor Deliverables				
Item Number	Specification	Quality Control	Delivery	Price Ex VAT
				Total inc. packaging (and delivery if specified in Schedule 3 (Contract Data Sheet))
1.	<p>Supply CANINE SUPPORT Equipment as priced within Annex B – Equipment List for the period.</p> <p>Year 1 – 28 Nov 2024 to 27 Nov 2025</p> <p>Year 2 – 28 Nov 2025 to 27 Nov 2026</p> <p>Year 3 – 28 Nov 2026 to 27 Nov 2027</p> <p>Year 4 – 28 Nov 2027 – 27 Nov 2028</p> <p>Year 5 – 28 Nov 2028 – 27 Nov 2029</p> <p>The Contractor shall deliver the products and services in accordance with Annex A – Statement of Work</p>	Quality Assurance to be provided as detailed in Annex A – Statement of Work	<p>As specified in the Purchase Order for each individual order.</p> <p>All deliveries will be made in the UK.</p>	<p>FIRM Priced Year 1 to 3 FIXED (in accordance with Clause 22.2) Priced Year 4 to 5</p> <p>FIRM prices in accordance with the agreed prices at Annex B – Equipment List</p>
2.	Option 1 (28 Nov 2029 to 27 Nov 2031) – to be taken up in accordance with Clause 22.3.			FIXED Priced in accordance with Clause 22.2
3.	Option 2 (28 Nov 2030 to 27 Nov 2031) – to be taken up in accordance with Clause 22.3			FIXED Priced in accordance with Clause 22.2
Total Firm Price				Priced in accordance with Annex B – Equipment List

SC1B - Schedule 3 - Contract Data Sheet

Contract Period	<p>Contract Start Date shall be:</p> <p>28 November 2024</p> <p>The Contract expiry date shall be:</p> <p>27 November 2029</p>
Clause 6 - Notices	<p>Notices served under the Contract can be transmitted by electronic mail.</p> <p>Notices served under the Contract shall be sent to the following address:</p> <p>Authority: (see DEFFORM 111)</p> <p>Contractor: [Redacted]</p>
Clause 8 – Supply of Contractor Deliverables and Quality Assurance	<p>Is a Deliverable Quality Plan required for this Contract?</p> <p>No</p> <p>No specific Quality Management System requirements are defined. This does not relieve the Supplier of providing conforming products under this contract. CoC shall be provided in accordance with DEFCON 627.</p> <p>No Deliverable Quality Plan is required reference DEFCON 602B.</p> <p>Processes and controls for the avoidance of counterfeit materiel shall be established and applied in accordance with Def Stan. 05-135, Issue 2 – Avoidance of Counterfeit Materiel.</p> <p>Where GQA is performed against this contract it will be in accordance with AQAP 2070 Edition B Version 4.</p>
Clause 9 – Supply of Data for Hazardous Substance, Articles and Materials in Contractor Materials	<p>A completed DEFFORM 68 (Hazardous and Non-Hazardous Substances, Mixtures or Articles Statement), and if applicable, UK REACH Article 31 compliant Safety Data Sheet(s) (SDS) including any related information to be supplied in compliance with the Contractor's statutory duties under Clauses 9.b, and any information arising from the provisions of Clause 9 are to be provided by e-mail with attachments in Adobe PDF or MS WORD format to:</p> <p>The Authority's Representative (Commercial – see DEFFORM</p>

	<p>111)</p> <p>by the following date: 1 January 2025.</p> <p>So that the safety information can reach users without delay, the Authority shall send a copy preferably as an email with attachment(s) in Adobe PDF or MS WORD format.</p> <p>(1) Hard copies to be sent to:</p> <p>Hazardous Stores Information System (HSIS)</p> <p>Spruce 2C, #1260 MOD Abbey Wood (South) Bristol BS34 8JH</p> <p>(2) Emails to be sent to:</p> <p>DESEngSfty-QSEPSEP-HSISMulti@mod.gov.uk</p> <p>SDS which are classified above OFFICIAL including Explosive Hazard Data Sheets (EHDS) for Ordnance, Munitions or Explosives (OME) are not to be sent to HSIS and must be held by the respective Authority Delivery Team.:</p>
Clause 10 – Delivery/Collection	<p>Contract Deliverables are to be:</p> <p>Delivered by the Contractor in accordance with Annex A – Statement of Work.</p> <p>Special Instructions:</p> <p>N/A</p>
Clause 12 – Packaging and Labelling of Contractor Deliverables	<p>Additional packaging requirements:</p> <p>In accordance with Annex A – Statement of Work</p>

Clause 14 – Progress Meetings	<p>The Contractor shall be required to attend the following meetings:</p> <p>N/A</p>
Clause 14 – Progress Reports	<p>The Contractor is required to submit the following Report:</p> <p>In accordance with Annex A – Statement of Work</p>

Schedule 4 - Contractor's Sensitive Information Form (i.a.w. Clause 5)

This list shall be agreed in consultation with the Authority and the Contractor and may be reviewed and amended by agreement. The Authority shall review the list before publication of any information.

Contract No: 702047450
Description of Contractor's Sensitive Information: 1) Pricing information 2) Personnel information (personal data of staff members) 3) Description of own branded product line
Cross Reference(s) to location of Sensitive Information: 1) Pricing information – Annex C of DF47_Price_Model-OSC and Annex B of Contract Equipment List- O 2) Personnel information – 2.2.3 (Response to SOW2), 2.2.5 (SOW4), 2.2.13 (SOW11) 3) Product information – 2.23 (Response to SOW2)
Explanation of Sensitivity: 1) Commercial information 2) Data protection 3) Trade secrets
Details of potential harm resulting from disclosure: 1) Competitive disadvantage 2) Identity theft 3) Competitive disadvantage
Period of Confidence (if applicable): 1) 5 years 2) in perpetuity 3) 5 years

Contact Details for Transparency / Freedom of Information matters:

Name: [Redacted]

Position: Director

Address: Peeks Brook Lane, Smallfield, Surrey, RH6 9PP

Telephone Number: [Redacted]

Email Address: [Redacted]

Schedule 5 – Notification of IPR Restrictions (IAW Clause 7)

DEFFORM 711

DEFFORM 711 (Edn 11/22)

Ministry of Defence
DEFFORM 711 – NOTIFICATION OF INTELLECTUAL PROPERTY RIGHTS (IPR)
RESTRICTIONS

DEFFORM 711 - PART A – Notification of IPR Restrictions

1, ITT/Contract Number				
2. ID#	3. Unique Technical Data Reference Number / Label	4. Unique Article(s) Identification Number / Label	5. Statement Describing IPR Restriction	6. Ownership of the Intellectual Property Rights
1	N/A	N/A	N/A	N/A
2				
3				
4				
5				
6				

7				
8				
9				
10				

Please continue on additional sheets where necessary

DEFFORM 711 - PART B – System / Product Breakdown Structure (PBS)

The Contractor should insert their PBS here. For Software, please provide a Modular Breakdown Structure

NIL RETURN

DEFFORM 711 (Edn 11/22)

Completion Notes

Part A

If any information / technical data that is deliverable or delivered under the relevant Contract conditions is, or may be, subject to any IPR restrictions (or any other type of restriction which may include export restrictions) affecting the Authority's ability to use or disclose the information / technical data in accordance with the conditions of any resulting Contract, then the Contractor must identify this restricted information / technical data in this Part A. Otherwise, the Authority shall treat such information in accordance with the same rights under the Contract it would enjoy should no restrictions exist.

For example, any of the following must be disclosed:

- a) any restriction on the provision of information / technical data to the Authority; any restriction on disclosure or the use of information by, or on behalf of, the Authority; any obligations to make payments in respect of IPR, and any patent or registered design (or application for either) or other IPR (including unregistered design right) owned or controlled by you or a third party;
- b) any allegation made against the Contractor, whether by claim or otherwise, of an infringement of IPR (whether a patent, registered design, unregistered design right, copyright or otherwise) or of a breach of confidence, which relates to the performance of the Contract or subsequent use by or for the Authority of any Contract deliverables;
- c) the nature of any allegation referred to under sub-paragraph (b) above, including any request or obligation to make payments in respect of the IPR of any confidential information and / or;
- d) action the Contractor needs to take, or the Authority is requested to take, to deal with the consequences of any allegation referred to under sub-paragraph (b) above.

Block 1	Enter the associated Invitation to Tender (ITT) or Contract number as appropriate.
Block 2	No action – This sequential numbering is to assist isolation and discussion of any line item
Block 3	Identify a unique reference number for the information / technical data (i.e. a Contractor's document or file reference number) including any dates and version numbers. Documents may only be grouped and listed as a single entry where they relate to the same Article and where the restrictions and IPR owner are the same.
Block 4	Identify the Article(s) associated with the information / technical data by entering a unique identification number / label for the Article(s). This may range from platform level down to sub-system level. This is to enable the Authority to quickly identify the approximate technical boundary to

	<p>any user rights limitation (e.g. The RADAR or Defensive Aid Sub-System etc). This identification shall be at the lowest level of replaceability of the Article(s) or part of it to which the restrictions apply (i.e. if the restrictions apply to a sub-system the parent system should not be used to identify the restriction boundary). Any entry without a unique identifier shall be treated as a nil entry.</p> <p>NOTE: The Authority does not accept any IPR restrictions in respect of the physical Articles themselves. Block 4 is solely to provide an applied picture to any technical data stated under Block 3 as having IPR restrictions.</p>
Block 5	<p>This is a freeform narrative field to allow a short explanation justifying why this information / technical data has limited rights applying to it.</p>
Block 6	<p>Identify who is the owner of the IPR in the information / technical data (i.e. copyright, design right etc). If it is a sub-contractor or supplier, please identify this also.</p>

Part B

If neither hardware nor software is proposed to be designed, developed or delivered as part of the Contract, Part B should be marked "NIL RETURN".

Otherwise, the Contractor must include a System / Product Breakdown Structure (PBS) in a format which is consistent with ISO 21511 and / or the configuration requirements of DEFSTAN 05-057, unless an alternative format better represents your design configuration. For software, a modular breakdown structure must be provided. For reasons of clarity, it is acceptable to provide several levels of breakdown if this assists in organising the configuration of the Articles.

Details provided under Part B shall not imply any restriction of use over the Contract Articles, nor any restriction on associated technical data to be delivered under the Contract. Any restrictions of such technical data must be identified within Part A.

Against each unique item within the PBS / module breakdown, one of the following categories shall be recorded:

- a) (PVF) - Private Venture Funded - where the article existed prior to the proposed Contract and its design was created through funding otherwise than from Her Majesty's Government (HMG).
- b) (PAF) - Previous Authority Funded (inc. HMG Funded) - where the article existed prior to the proposed Contract and its design was created through Previous Authority Funding.
- c) (CAF) - Contract Authority Funded (inc. HMG Funded) - where the article did not exist prior to the Contract and its design will be created through Contract Authority Funding under this Contract.
- d) (DNM) Design Not Mature - where the article / design configuration is not yet fixed.

In combination with one of categories (a) to (d) above, the Contractor shall further identify where an item has, or will have, foreign export control applying to it, through use of the further following category:

- e) (FEX) Foreign Export Controlled

Notes:

1. During the term of the Contract the Contractor may transition any items identified as category (d) above into category (b) or (c). Transitions from category (d) into category (a) may only be made with the express written agreement of the Authority's Senior Commercial Officer, and by following the amendment process set out in the Contract.
2. It is acceptable to specify the highest level of structure to which the category (a), (b) or (c) applies (i.e. there is no need to specify each sub-system / componentry if the entirety of the parent system was for example, Private Venture Funded). See guidance examples overleaf.
3. For the avoidance of doubt, where a parent system did not exist prior to the Contract yet makes use of Private Venture Funded Articles, it must be identified as (CAF). The Private Venture Funded sub-components / sub-systems can be identified as PVF.
4. Where items are identified as category (b), the Contractor should provide the

number(s) of the previous Contract(s) under which the design was created and the Previous Authority Funding was applied.

Example PBS

The DEFFORM 711 on the Commercial Toolkit

http://aof.uwh.dii.f.r.mil.uk/aofcontent/tactical/toolkit/downloads/defforms/word/711_0422.doc

contains a theoretical pictorial example but it is to be noted that the configuration may equally be dealt with in a hierarchal tabularised format.

DEFFORM 111

DEFFORM 111

Appendix - Addresses and Other Information

1. Commercial Officer

Name: [Redacted]

Address: MoD Abbey Wood, Rowan 2C, #8207, Bristol, BS34 8JH

Email: [Redacted] ☎ ☎ [Redacted]

2. Project/Operations Manager, Equipment Support Manager or PT Leader (from whom technical information is available)

Name: [Redacted]

Address MoD Abbey Wood, Rowan 2C, #8207, Bristol, BS34 8JH

Email: [Redacted] ☎ ☎ [Redacted]

3. Packaging Design Authority Organisation & point of contact:

(Where no address is shown please contact the Project Team in Box 2)

☎ ☎

4. (a) Supply / Support Management Branch or Order Manager:

Branch/Name:

☎ ☎

(b) U.I.N.

5. Drawings/Specifications are available from

6. Intentionally Blank

7. Quality Assurance Representative:

[Redacted]

8. **AQAPS** and **DEF STANs** are available from UK Defence Standardization, for access to the documents and details of the helpdesk visit <http://dstan.uwh.diif.r.mil.uk/> [intranet] or <https://www.dstan.mod.uk/> [extranet, registration needed].

9. Consignment Instructions The items are to be consigned as follows:

10. Transport. The appropriate Ministry of Defence Transport Offices are:

A. **DSCOM**, DE&S, DSCOM, MoD Abbey Wood, Cedar 3c, Mail Point 3351, BRISTOL BS34 8JH

Air Freight Centre

IMPORTS ☎☎ 030 679 81113 / 81114 Fax 0117 913 8943

EXPORTS ☎☎ 030 679 81113 / 81114 Fax 0117 913 8943

Surface Freight Centre

IMPORTS ☎☎ 030 679 81129 / 81133 / 81138 Fax 0117 913 8946

EXPORTS ☎☎ 030 679 81129 / 81133 / 81138 Fax 0117 913 8946

B.JSCS

JSCS Helpdesk No. 01869 256052 (select option 2, then option 3)

JSCS Fax No. 01869 256837

www.freightcollection.com

11. The Invoice Paying Authority

Ministry of Defence, DBS Finance, Walker House, Exchange Flags Liverpool, L2 3YL

☎☎ 0151-242-2000 Fax: 0151-242-2809

Website is: <https://www.gov.uk/government/organisations/ministry-of-defence/about/procurement#invoice-processing>

12. Forms and Documentation are available through *:

Ministry of Defence, Forms and Pubs Commodity Management PO Box 2, Building C16, C Site, Lower Arncott, Bicester, OX25 1LP (Tel. 01869 256197 Fax: 01869 256824)

Applications via fax or email: Leidos-FormsPublications@teamleidos.mod.uk

*** NOTE**

1. Many **DEFCONs** and **DEFFORMs** can be obtained from the MOD Internet Site:

<https://www.kid.mod.uk/maincontent/business/commercial/index.htm>

2. If the required forms or documentation are not available on the MOD Internet site requests should be submitted through the Commercial Officer named in Section 1.

ANNEX A
CANINE SUPPORT SOLUTION (CSS)
STATEMENT OF WORK

Ref	Work Category	Statement of Work
SOW 1	Delivery Timescales	<p>All items within the catalogue are expected to be delivered within 5 working days. Where an item has a longer delivery lead time than 5 working days, (for example made to measure items) the Supplier is to inform the authority of the expected lead and delivery timescale within 72 hours of receiving an order. Items that are required to be delivered to a UK destination should be actioned using the address stipulated for delivery on the Purchase order. It is assumed that all deliveries shall be made within 5 business days unless otherwise agreed with the Authority and stated against the item at Annex B to the Contract.</p> <p>Where a delivery will not take place within the agreed timescale, the Contractor must notify the Project Manager (DEFFORM 111) within 5 business days with an explanation of why the delivery will be delayed, the mitigations that are being taken and a new expected delivery date.</p>
SOW 2	Continuous Improvement Changes, and Additions to the Catalogue	<p>Throughout the term of the Contract the Contractor shall utilise its expertise as a supplier of dog training aids to identify products that may bring benefit to the Authority's user community. The Contractor shall make recommendations for potential new additions to the catalogue as part of the Quarterly Progress Reports for the Authority's consideration. All items must comply with the legislative requirements listed under SOW 9. The Contractor must demonstrate that any new items are fit for purpose and suitable for use in a military environment. The Authority may undertake additional trials on any recommended equipment. Update and inclusion of new products within the catalogue shall be made through an amendment to the Contract.</p> <p>Items listed within the catalogue that are identified by a manufacturer have proven performance in the MWD environment and/or are the only product tested and approved, offering the correct level of environmental protection</p>

		for Service MWDs and compatible with In-Service systems already employed by the Ministry of Defence (MOD) MWD community and cannot be substituted for a similar item. Where the Contractor is proposing to replace an article in the Catalogue e.g., because of supply chain issues or obsolescence, the Contractor is required to demonstrate that the same testing standards have been applied. For example, if a harness buckle has been tested to 5Kn breaking strain, the same level of performance must be demonstrated for a proposed substitute item. Any products may be assessed for suitability for MOD MWDs by an Authority appointed Veterinary Officer before being accepted into service and included on the catalogue.
SOW 3	Ordering Process for Catalogue Items	<p>The Contractor shall provide items listed in Annex B to the Contract upon request in accordance with the following process.</p> <p>A CP&F Purchase Order, issued by the Authority to the Contractor, will constitute the Authority's approval to proceed with the supply of the items listed in the Purchase Order. The Contractor shall then proceed with the supply of the order and deliver the items to the address stated in the Purchase Order in accordance with SOW1. Any queries with orders received via Exostar will be addressed to the SEEC Project Team (see DEFFORM 111) who will then forward on to the customer.</p> <p>If the Contractor is unable to accept the demand order whether wholly or in part, they shall notify the Authority giving the reasons and where appropriate recommendations for amendment. The Contractor shall endeavour to collate deliveries into batches whenever possible.</p> <p>Payment shall be made on delivery and acceptance of items.</p>
SoW4	Quality Management	<ol style="list-style-type: none"> For the purposes of the contract, Counterfeit Avoidance Management shall be managed in accordance with Defence Standard 05-135 entitled "Avoidance of Counterfeit Materiel Issue 2". All Reference to the Government Quality Assurance Representative (GQAR) in the documents which form part of this Contract shall be read as referring to the Authority specified in Box 7 of the DEFFORM 111. Certificate of Conformity (CoC) shall be provided in accordance with DEFCON 627. A CoC will be required for items that are classed as a safety concern to MOD human personnel and Canine welfare and would be required to

		<p>include the following information:</p> <ul style="list-style-type: none">a. Contractor name and address;b. Contractor unique CoFC reference number;c. Contract number and where applicable Contract Amendment number;d. Details of any approved concessions;e. Acquirer name and organisation;f. Delivery address;g. Contract Item Number from the Schedule of Requirements;h. Description of Article or Service including part number, Specification and configuration status;i. NATO Stock Number (NSN) (where allocated);j. Identification marks, batch and serial number(s) in accordance with the Specification;k. Quantities;l. A signed and dated statement by the Contractor that Articles or Services provided comply with the requirements of the Contract, and approved concessions.m. Exceptions or additions to the above are to be documented. <p>The following support items/equipment will require a CoC:</p> <ul style="list-style-type: none">Demanet Full Bite SuitDog Attack Trainer (Bite Suit)Concealed Dog Attack (Bite Suit)Dog Bite Head ProtectorHockey Style Protective HelmetLeg Protector Bite/Scratch TrousersDog Trainer Attack SleeveDog Trainer Attack Sleeve CoverDog Attack Trainer Concealed
--	--	---

		<p>Dog Attack Trainer (Under Sleeve Arm Protector)</p> <p>Dog Attack Trainer Neoprene Under Sleeve</p> <p>Dog Bite Hand Protector</p> <p>Dog Bite Groin Protector</p> <p>Dog Bite Protective Sleeve</p> <p>Puppy Training Bite Sleeve</p> <p>Made to Measure Bite Suit</p> <p>Dog Handler Back Support</p> <p>Climbing/Belaying Gloves</p> <p>Paw Protector Boot</p> <p>Nyclot Bite Sleeve Set</p> <p>Bite work Gloves</p> <p>Dog Cooling Coat</p> <p>Dog Flotation Jacket</p> <p>Dog Agility A Frame</p> <p>Dog Jump/Hurdle</p> <p>Dog Agility Window</p> <p>Training Bungee</p> <p>Agility Tyre Jump</p> <p>Agitation Fight Table</p> <p>Agility Weave Poles</p>
SOW 5	Reliability	<p>Due to the nature of breeds employed for MWD duties (German Shepherd/Belgian Malinois etc), all items supplied are required to be rugged and hard wearing. As stated, some items listed have a proven track record for protection, performance and reliability. The Authority shall track performance of equipment through Equipment Failure Reports (EFRs). Should any item routinely fail, the Contractor will be requested to source and supply an alternative item that</p>

		offers the same level of performance expected at no additional cost to the Authority. The Contractor will be responsible for the return and replacement of any item that has failed to perform to standards. Consideration of alternative products for inclusion on the catalogue shall be made in accordance with the process set out at SOW2.
SOW 6	Website	<p>The Contractor shall design and build and support a website to enable MOD users the opportunity to browse and view the catalogue. This is to enable MOD User to view items prior to procurement, the following information is to be displayed on the website:</p> <ul style="list-style-type: none">• Item image• Item order/reference number• Item description• Item dimensions (if applicable)• Items sizes available• Item cost (Ex VAT)• <p>The website shall be available to MOD Users only and not be accessible to the public. The website shall be available via open-source internet and password protected to ensure access is restricted to authorised users only. The website shall be available 24hrs, 7 days a week less any time for routine updates on off-peak hours. The website shall not be used for ordering items, all orders shall be processed via CP&F in accordance with SOW 2.</p> <p>The website shall be available within four weeks of the Contract Effective Date.</p> <p>The Contractor shall provide/adhere to the following website requirements and standards:</p> <ol style="list-style-type: none">1. The MoD User password portion of the page used for the general public shopping experience shall conform to https://design-system.service.gov.uk/components/password-input/

		<p>2. The “official” content shall be maintained as a separate source document to that used for the general public shopping experience</p> <p>3. The Supplier shall use appropriate techniques to incorporate the MoD User password portion into the page used for the general public shopping experience. Any adversarial activity targeting the general public portion shall be prevented from delivering adverse impact on the “official” content.</p> <p>4.</p>
SOW 7	Hazardous Materials	<p>Items supplied for MWD enrichment/stimulus shall be free from toxins, e.g. Kong and Nylabone are manufactured free from Bisphenol (BPA) and Phthalates. Radiopaque items are also required under this contract and are required to show under x-ray as stated.</p>
SOW 8	Transportation and Packaging & Labelling	<p>The Contractor is responsible for transport and shall deliver, duty paid, all items directly to the Authority in the UK.</p> <p>The Contractor shall be responsible for the condition of any item up to the point of delivery.</p> <p>The Contractor shall be responsible for obtaining the necessary licences, including export and transport licences, from the necessary authorities to allow deliveries to take place in a timely fashion.</p> <p>When an item is required to be delivered overseas, a British Force Post Office (BFPO) address will be detailed on the Purchase Order. All items are required to be packaged and managed using the standards detailed in the Logistics, Commodities and Services Transformation supplier manual. 20190628-LCST-Supplier-Manual-CMO-V2.0-Final.pdf. The Contractor shall only be responsible for the movement of all items to a nominated Defence Fulfilment Centre such as Bicester or Donnington in the UK (whilst remaining compliant with the packaging requirements in the LCST Supplier Manual for overseas shipment). Any onward shipment from the Defence Fulfilment Centre will be organised by the Defence Logistics Network.</p> <p>All items shall be packaged in retail trade packaging and labelled in accordance with DEFCON 129.</p>

SOW 9	Welfare Considerations	<p>The Contractor shall ensure that all items supplied under the Contractor will maintain the Authority's ability to comply with the following five dog welfare needs listed in the Animal Welfare Act 06¹ and detailed in the DEFRA Code of Practice for the Welfare of Dogs 2009².</p> <ol style="list-style-type: none"> 1. Its need for a suitable environment 2. Its need for a suitable diet. 3. Its need to be able to exhibit normal behaviour patterns. 4. Any need it has to be housed with, or apart from, other animals. 5. Any need to be protected from pain, suffering, injury and disease.
SOW 10	Quarterly Progress Reports	<p>On a quarterly basis, the Contractor shall provide the Authority Project Manager (listed in DEFFORM 111) with a Quarterly Progress Report. The Quarterly Progress Report shall detail:</p> <ul style="list-style-type: none"> • A summary of all items ordered and delivered within the quarter, including performance information relating to delivery within the contracted timescales • Proposals for any continuous improvement (SOW2) • Risks, issues and opportunities • Identification of any obsolescence (SOW 11) or supply chain issues.
SOW 11	Obsolescence	<p>The Contractor shall be responsible for managing obsolescence over the entire period of the contract and, notwithstanding any Obsolescence Issues or problems; the Contractor remains responsible for meeting all performance and other requirements of this contract.</p> <p>The Contractor shall provide the Authority with obsolescence status as part of the Quarterly Progress Report (SOW 10).</p>

¹ <http://www.legislation.gov.uk/ukpga/2006/45/contents>

² <https://www.gov.uk/government/publications/code-of-practice-for-the-welfare-of-dogs>

		Contractor shall be liable for all costs incurred in identifying and implementing a Form Fit Function (Equivalent) replacement to resolve the Obsolescence Risk or Obsolescence Issue. The costs for which the Contactor is responsible include but are not limited to; the costs of locating suitable product replacement, testing and qualification requirements, provision of a Firm Price.
--	--	--

ANNEX B - 702047450

CANINE SUPPORT SOLUTION (CSS)

EQUIPMENT LIST

All prices shall be inclusive of packaging costs, delivery, overheads and profit. Items shall be delivered duty paid. All prices shall be Ex VAT.

Item No.	Item	Description	Year 1 Price (Firm)	Year 1 Price Break for Qty x5	Year 2 Price (Firm)	Year 2 Price Break for Qty x5	Year 3 Price (Firm)	Year 3 Price Break for Qty x5	Year 4 Price (Fixed)	Year 4 Price Break for Qty x5	Year 5 Price (Fixed)	Year 5 Price Break for Qty x5	Option Year 1 (Fixed)	Option Year 1 Price Break for Qty x5	Option Year 2 (Fixed)	Option Year 2 Price Break for Qty x5
1	Black Dog Collar	25mm wide and adjustable from 400mm - 650mm Colour: Material Black Nylon, Non-corrosive metal side release buckle/clip and ID ring	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
2	Red Dog Collar	25mm wide and adjustable from 400mm - 650mm Colour: Material Black Nylon, Non-corrosive metal side release buckle/clip and ID ring	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
3	Leather Dog Collar	32mm wide, 560mm long leather, belt-type collar, non-corrosive metal buckle, dark coloured.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
4	Leather Dog Collar	32mm wide, 660mm long leather, belt-type collar, non-corrosive metal buckle, dark coloured.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

5	Leather Dog Collar	46mm wide, 560mm long leather, belt-type collar, non-corrosive metal buckle, dark coloured.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
6	Leather Dog Collar	46mm wide, 660mm long leather, belt-type collar, non-corrosive metal buckle, dark coloured	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
7	Ancol Nylon Dog Collar	Colour - Black Size Small 26-36cm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
8	AustriAlpin (Cobra Buckle) Tactical Canine Collar	Colour - Black Size Medium	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
9	AustriAlpin (Cobra Buckle) Tactical Canine Collar	Colour - Black Size Large	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
10	Check Chain	610mm x 4mm non-corrosive metal twisted-link check chain.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
11	Check Chain	660mm x 4mm non-corrosive metal twisted-link check chain.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
12	Check Cord	Lockable cord collar - 550mm x 4mm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
13	Check Cord	Lockable cord collar - 610mm x 4mm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
14	Check Cord	Lockable cord collar - 660mm x 4mm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
15	Check Cord	Lockable cord collar - 700mm x 4mm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
16	Nylon Check Collar	Black Nylon/Cotton webbed, full-slip, non-corrosive metal, O-ring, Length: 50 - 70cm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
17	Ray Allen Cobra Buckle Collar - 38mm	Nylon collar suitable for agitation work, with an additional handle for trainer/handler convenience. Available Black and Grey.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
18	Ray Allen Cobra Buckle Collar with handle 45mm	Nylon collar suitable for agitation work, with an additional handle for trainer/handler convenience. Available Black and Grey.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

19	Agitation Tie Back Lead/Tie	Heavy duty webbing, with carabiner and heavy-duty quick release clasp - 4 metre length	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
20	Patrol Lead	Patrol lead – 18mm x 1500mm Predominant Colour: Black rubberised-Cotton Webbing, non-corrosive metal robust G-clip. Looped end handle approx. 180mm, with O ring.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
21	Patrol Lead	Patrol lead – 25mm x 1500mm Predominant Colour: Black rubberised-Cotton Webbing, Non-corrosive metal release robust G-clip. Looped handle approx. 200mm with O ring.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
22	Folding Extendable Patrol Lead	Patrol lead which can be unfolded to double in size – 25mm x 2000mm extended length. Predominant Colour: Black rubberised-Cotton webbing, non-corrosive metal release robust G-clip. Looped handle approx. 200mm, with 2 x D Clips.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
23	Riot Lead	Riot lead – 25mm x 1500mm Predominant Colour: Black rubberised-Cotton Webbing, Non-corrosive metal robust G-clip. 2 x Looped handles, approx. 200mm, one located at the base and one at end of lead.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
24	Leather Lead	Soft round leather lead, width 20mm x 1250mm length non-corrosive metal robust G clip, metal O ring incorporated into open hand loop, dark colour	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
25	Leather Lead	Soft round leather lead, width 20mm x 1800mm length non-corrosive metal robust G clip, metal O ring incorporated into open hand loop, dark colour	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
26	Leather Slip Lead	Rolled leather slip lead 6mm in diameter 1.5 meters in length, dark colour.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

27	Retractable Tape Lead	8 metre retractable tape lead, dark colour, robust, non-corrosive metal robust G clip.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
28	Retractable Tape Lead	10 metre retractable tape lead, dark colour, robust, non-corrosive metal robust G clip.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
29	Control/Lead Line	To be made from soft material i.e., durable cotton 20mm wide and available in 5 metre lengths with non-corrosive metal robust G clip, hand loop, dark colour.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
30	Control/Lead Line	To be made from soft material i.e., durable cotton 20mm wide and available in 7 metre lengths with non-corrosive metal robust G clip, hand loop, dark colour.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
31	Control/Lead Line	To be made from soft material i.e., durable cotton 20mm wide and available in 10 metre lengths with non-corrosive metal robust G clip, hand loop, dark colour.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
32	Tracking Line	10 metres x 20mm made from soft material i.e. durable cotton with non-corrosive metal robust G clip, hand loop, dark colour.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
33	Tracking Line	10 metre x 10mm Leather Tracking Line, with non-corrosive robust G Clip	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
34	Search Dog Line	20 metres x 16mm Nylon line with non-corrosive metal robust G clip, hand loop, dark colour	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
35	Control Line	Paracord 15 metres x 4mm (Paracord), with non-corrosive metal robust G clip. 20cm Hand loop.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
36	Control Line	Paracord 30 metres x 4mm (Paracord) with non-corrosive metal robust G clip and 20cm Hand loop	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
37	Tether Chain	Non-corrosive metal, approx. 150cm long with 2 snap clips & 2 swivels, without choke collar. For Dogs up to 15Kg in Weight	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

38	Tether Ground Spike	Non-corrosive metal screw tie-out stake, with swivel O-ring attachment, Length of screw depth 400mm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
39	Wire Tether	Non-corrosive metal cable & G-clip, rubber coated, karabiner, Length: 1600mm.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
40	Tracking Pole	Plastic coated metal tracking pole, 1m long x 12mm diameter.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
41	Dog Grasper Pole	Quick release pole - 1525mm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
42	Wire Dog Muzzle	Non-corrosive metal wire construction, padded nose pad, nylon/leather material straps with quick release locking non-corrosive metal clip. Size Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
43	Wire Dog Muzzle	Non-corrosive metal wire construction, padded nose pad, nylon/leather material straps with quick release locking non-corrosive metal clip. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
44	Wire Dog Muzzle	Non-corrosive metal wire construction, padded nose pad, nylon/leather material straps with quick release locking non-corrosive metal clip. Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
45	Wire Dog Muzzle	Non-corrosive metal wire construction, padded nose pad, nylon/leather material straps with quick release locking non-corrosive metal clip. Size X-Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
46	Agitation Muzzle	Leather and breathable construction with non-corrosive metal bar, adjustable straps with non-corrosive metal buckles for German Sheppard Dog and Belgian Malinois	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
47	Nylon Inspection Muzzle	Black nylon, adjustable, restricted jaw movement for inspection purposes, Quick release lockable plastic clip. Size Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

48	Nylon Inspection Muzzle	Black nylon, adjustable, restricted jaw movement for inspection purposes, Quick release lockable plastic clip. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
49	Nylon Inspection Muzzle	Black nylon, adjustable, restricted jaw movement for inspection purposes, Quick release lockable plastic clip. Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
50	Nylon Inspection Muzzle	Black nylon, adjustable, restricted jaw movement for inspection purposes, Quick release lockable plastic clip. Size X-Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
51	Baskerville Ultra Muzzle	With a secure metal buckle with pre-holed webbing, to ensure it is fully adjustable, quick and easy to fit. Size Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
52	Baskerville Ultra Muzzle	With a secure metal buckle with pre-holed webbing, to ensure it is fully adjustable, quick and easy to fit. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
53	Baskerville Ultra Muzzle	With a secure metal buckle with pre-holed webbing, to ensure it is fully adjustable, quick and easy to fit. Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
54	Baskerville Ultra Muzzle	With a secure metal buckle with pre-holed webbing, to ensure it is fully adjustable, quick and easy to fit. Size X-Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
55	Baskerville Deluxe Muzzle	Made from soft plastic mesh, the Baskerville Muzzle permits panting & drinking. comfortable & safe for dogs to wear. Size Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
56	Baskerville Deluxe Muzzle	Made from soft plastic mesh, the Baskerville Muzzle permits panting & drinking. comfortable & safe for dogs to wear. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

57	Baskerville Deluxe Muzzle	Made from soft plastic mesh, the Baskerville Muzzle permits panting & drinking. comfortable & safe for dogs to wear. Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
58	Leather Basket Muzzle with Steel Bar	Agitation Muzzle to fit female GSD/Malinois	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
59	Leather Basket Muzzle with Steel Bar	Agitation Muzzle to fit male GSD/Malinois	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
60	High Visibility Search Harness	Black nylon/cotton adjustable, webbing 50mm width with high visibility reflective covering/strip 20mm width, 2-point, brass D-ring, plastic clips. Size Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
61	High Visibility Search Harness	Black nylon/cotton adjustable, webbing 50mm width with high visibility reflective covering/strip 20mm width, 2-point, brass D-ring, plastic clips. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
62	High Visibility Search Harness	Black nylon/cotton adjustable, webbing 50mm width with high visibility reflective covering/strip 20mm width, 2-point, brass D-ring, plastic clips. Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
63	Operational Search Harness	Nylon/cotton webbing approx. 50mm width. Adjustable, 3 x hook & eye attachment & 2 x elastic loops, 2-point, non-corrosive metal D-ring, plastic clip, carrying/lifting handle, Black. Size Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
64	Operational Search Harness	Nylon/cotton webbing approx. 50mm width. Adjustable, 3 x hook & eye attachment & 2 x elastic loops, 2-point, non-corrosive metal D-ring, plastic clip, carrying/lifting handle, Black. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

65	Operational Search Harness	Nylon/cotton webbing approx. 50mm width. Adjustable, 3 x hook & eye attachment & 2 x elastic loops, 2-point, non-corrosive metal D-ring, plastic clip, carrying/lifting handle, Black. Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
66	Euro Joe - Y Tactical Harness (or equivalent)	Adjustable Dog Harness. Size Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
67	Euro Joe - Y Tactical Harness (or equivalent)	Adjustable Dog Harness. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
68	Euro Joe - Y Tactical Harness (or equivalent)	Adjustable Dog Harness. Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
69	Euro Joe - Y Tactical Harness (or equivalent)	Adjustable Dog Harness. Size X-Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
70	Euro Joe - Hercules Harness (or equivalent)	Adjustable dog harness in nylon, with a handle and a ring to attach a leash. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
71	Euro Joe - Hercules Harness (or equivalent)	Adjustable dog harness in nylon, with a handle and a ring to attach a leash. Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
72	Euro Joe - Hercules Harness (or equivalent)	Adjustable dog harness in nylon, with a handle and a ring to attach a leash. Size X-Large	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
73	UK Multi Terrain Pattern Search Dog Harness	Canine Search Dog Harness - 50mm Strap, one-buckle fastening for easy release and grab handle. Size Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
74	UK Multi Terrain Pattern Search Dog Harness	Canine Search Dog Harness - 50mm Strap, one-buckle fastening for easy release and grab handle. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
75	UK Multi Terrain Pattern Search Dog Harness	Canine Search Dog Harness - 50mm Strap, one-buckle fastening for easy release and grab handle. Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£

76	Operational/Multi-Purpose Harness	A load bearing harness to be made from Military grade materials with Military spec Cobra buckles for extra strength and security. Fitted with D rings to allow a dog to be secured to its handler when fast roping or abseiling. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
77	Operational/Multi-Purpose Harness	A load bearing harness to be made from Military grade materials with Military spec Cobra buckles for extra strength and security. Fitted with D rings to allow a dog to be secured to its handler when fast roping or abseiling. Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
78	Ruffwear Doubleback Harness	Strength-rated, adjustable martingale for a customised fit. Strength-rated tie-in point for easy rope attachment. Padded belly support, adjustable frame, and leg loops. Size Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
79	Ruffwear Doubleback Harness	Strength-rated, adjustable martingale for a customised fit. Strength-rated tie-in point for easy rope attachment. Padded belly support, adjustable frame, and leg loops. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
80	Ruffwear Doubleback Harness	Strength-rated, adjustable martingale for a customised fit. Strength-rated tie-in point for easy rope attachment. Padded belly support, adjustable frame, and leg loops. Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
81	Agitation Harness	Nylon/cotton webbing, adjustable, Width: 40mm straps, saddle back, 3 x D-rings in non-corrosive metal. Front adjustable by metal non-corrosive buckle. A Control handle is required. Size Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

82	Agitation Harness	Nylon/cotton webbing, adjustable, Width: 40mm straps, saddle back, 3 x D-rings in non-corrosive metal. Front adjustable by metal non-corrosive buckle. A Control handle is required. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
83	Agitation Harness	Nylon/cotton webbing, adjustable, Width: 40mm straps, saddle back, 3 x D-rings in non-corrosive metal. Front adjustable by metal non-corrosive buckle. A Control handle is required. Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
84	Agitation Harness	Nylon/cotton webbing, adjustable, Width: 40mm straps, saddle back, 3 x D-rings in non-corrosive metal. Front adjustable by metal non-corrosive buckle. A Control handle is required. Size X-Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
85	Tracking Harness	Black nylon/cotton webbing 50mm wide with 4-point, adjustable, non-corrosive metal D-rings and metal non-corrosive buckle.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
86	Handler Leg Harness	Harness to be strapped to the top of the thigh and to the belt of the handler. Nylon/cotton webbing 25mm wide with adjustable, non-corrosive metal robust G-clip, plastic clip attachments and a webbing belt loop.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
87	Handlers Riggers Belt/Waist Harness	Nylon/cotton webbing 25mm wide with adjustable, non-corrosive metal robust G-clip and quick-release clip	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
88	Handlers Hands Free/Dog Leash Running Belt	A padded running belt with front clip plastic buckle and 1 x side D Clip for attaching the dog.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

89	Transportation Kennel	Kennel for dog Transportation. Must be IATA 91/628/EEC compliant. Intermediate Size approx. 81 x 57 x 62cm (external measurements) for dogs weighing 30lb to 50lb.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
90	Transportation Kennel	Kennel for dog Transportation. Must be IATA 91/628/EEC compliant. Large approx. 91 x 63 x 68cm (external measurements) for dogs weighing 50lb to 70lb.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
91	Transportation Kennel	Kennel for dog Transportation. Must be IATA 91/628/EEC compliant. Extra Large approx. 101 x 68 x 76cm (external measurements) for dogs weighing 70lb to 90lb.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
92	Transportation Kennel	Kennel for dog Transportation. Must be IATA 91/628/EEC compliant. Giant approx. 122 x 81 x 89cm (external measurements) for dogs weighing 90 to 125lbs.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
93	Metal Collapsible Transportation Kennel	Collapsible metal kennel for use in the transportation of Military Working Dogs. Airline specification compliant. Must be collapsible. Large approx. 660 x 610 x 914mm, Wire diameter 4mm, wire spacing 3.6cm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
94	Metal Collapsible Transportation Kennel	Collapsible metal kennel for use in the transportation of Military Working Dogs. Airline specification compliant. Must be collapsible. Extra Large approx. 787 x 711 x 1070mm, Wire diameter 4mm, wire spacing 3.6cm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
95	Kuranda Alloy Bed	Aluminium frame bed with raised corners and legs. Protected by a poly-resin sleeve. With no corner gaps to deter biting. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

96	Kuranda Alloy Bed	Aluminium frame bed with raised corners and legs. Protected by a poly-resin sleeve. With no corner gaps to deter biting. Size Large	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
97	Kuranda Alloy Bed	Aluminium frame bed with raised corners and legs. Protected by a poly-resin sleeve. With no corner gaps to deter biting. Size X-Large	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
98	Kuranda Bed Replacement Fabric	Replacement fabric for Ally framed bed. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
99	Kuranda Bed Replacement Fabric	Replacement fabric for Ally framed bed. Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
100	Kuranda Bed Replacement Fabric	Replacement fabric for Ally framed bed. Size X-Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
101	Kuranda Alloy Bed Leg Inserts	Replacement parts for the leg inserts of the Ally framed beds.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
102	Kuranda Alloy Bed Bolts	Bolts to replace on the Ally framed beds.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
103	Kuranda Alloy Bed Corner and Leg Kit	Equipment to enable repair of Ally framed bed corners and legs.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
104	Kennel Sleeping Bench	Raised sleeping platform. 150 x 100cm metal frame, non-impervious robust rubber/plastic covered removable platform that is raised between 10 - 15cm.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
105	Kennel Mat	Kennel mat, strong rubber, size: 150 x 100, 3mm thick, in a dark colour.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
106	Kennel Bedding Mat (Roll)	Veterinary style bedding made of absorbent polyester foam, insulated with water resistant backing and chew resistant. Available in 10 metre lengths and 150cm width.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

107	Kennel Bedding Mat	Veterinary style bedding made of absorbent polyester foam, insulated with water resistant backing and chew resistant, 150cm in length and 100cm wide	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
108	Waterproof Dog Bed	Size 110 x 70cm. Fully waterproof, durable, chew resistant dog bed.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
109	Waterproof Dog Bed Mattress	A waterproof, wipe clean dog Bed/Mattress - 110 x 70cm. Durable and chew resistant.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
110	Long Tooth Dog Comb	Head length 11cm Tooth length 20mm Chromed steel long tooth, metal internal T construction with easy/soft-grip plastic handle.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
111	Short Tooth Dog Comb	Head length 11cm Tooth length 15mm steel short tooth, metal internal T construction with easy/soft-grip plastic handle.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
112	Grooming Brush	Head length 9cm tooth length 10mm, metal internal construction with easy/soft-grip plastic handle.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
113	Steel Dog Comb	Stainless steel, wide/narrow tooth length 9cm of close nit teeth and wider teeth.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
114	Grooming Tool	De-shedding / moulting comb.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
115	Dog Toothbrush (Finger Type)	Pack of 2 - 5 brushes	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
116	Demanet Full Bite Suit	Full body bite suit, made to measure. Complete with carrying bag.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
117	Dog Attack Trainer (Bite Suit)	Full length padded bite suits complete with carrying bag, single piece with non-detachable arms. Must have robust fastenings (preferably NOT Velcro). Size Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

11 8	Dog Attack Trainer (Bite Suit)	Full length padded bite suits complete with carrying bag, single piece with non-detachable arms. Must have robust fastenings (preferably NOT Velcro). Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
11 9	Dog Attack Trainer (Bite Suit)	Full length padded bite suits complete with carrying bag, single piece with non-detachable arms. Must have robust fastenings (preferably NOT Velcro). Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
12 0	Dog Attack Trainer (Bite Suit)	Full length padded bite suits complete with carrying bag, single piece with non-detachable arms. Must have robust fastenings (preferably NOT Velcro). Size X-Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
12 1	Dog Attack Trainer (Bite Suit)	Full length padded bite suits complete with carrying bag, single piece with non-detachable arms. Must have robust fastenings (preferably NOT Velcro). Size XX-Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
12 2	Concealed Dog Attack Training (Bite Suit)	Full length, padded, concealed bite suit complete with carrying bag, single piece with non-detachable arms. Robust fastenings (preferably NOT Velcro) – Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
12 3	Concealed Dog Attack Training (Bite Suit)	Full length, padded, concealed bite suit complete with carrying bag, single piece with non-detachable arms. Robust fastenings (preferably NOT Velcro) – Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

12 4	Concealed Dog Attack Training (Bite Suit)	Full length, padded, concealed bite suit complete with carrying bag, single piece with non-detachable arms. Robust fastenings (preferably NOT Velcro) – Size X-Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
12 5	Dog Bite Head Protector	Fully padded helmet with face guard to provide protection to head, face and neck. Leather/vinyl padded shell with protective, high-density foam. Removable, metal face guard cage, and padded flaps on front, side and back of neck. Universal fit.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
12 6	Hockey Style Protective Helmet	Fully protective 'Hockey' type helmet ventilated with face guard to provide protection to head and face. A hard-outer shell with dual-density foam liner. Removable metal face guard. Size Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
12 7	Hockey Style Protective Helmet	Fully protective 'Hockey' type helmet ventilated with face guard to provide protection to head and face. A hard-outer shell with dual-density foam liner. Removable metal face guard. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
12 8	Hockey Style Protective Helmet	Fully protective 'Hockey' type helmet ventilated with face guard to provide protection to head and face. A hard-outer shell with dual-density foam liner. Removable metal face guard. Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
12 9	Leg Protector Bite/Scratch Trousers	Bib and brace style scratch pants padded front – Size Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
13 0	Leg Protector Bite/Scratch Trousers	Bib and brace style scratch pants padded front – Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
13 1	Leg Protector Bite/Scratch Trousers	Bib and brace style scratch pants padded front – Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

13 2	Leg Protector Bite/Scratch Trousers	Bib and brace style scratch pants padded front – Size X-Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
13 3	Leg Protector Bite/Scratch Trousers	Bib and brace style scratch pants padded front – Size XX-Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
13 4	Dog Trainer Attack Sleeve	Right arm Leather sleeve, flexible with bite-bar, closed hand.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
13 5	Dog Trainer Attack Sleeve	Left arm Leather sleeve, flexible with bite-bar, closed hand.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
13 6	Dog Trainer Attack Sleeve Cover	Sleeve cover, jute, extra strong to be available for Left and Right arms.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
13 7	Dog Attack Trainer Concealed	Padded durable cotton materiel, laced fastening, open hand concealed sleeve.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
13 8	Dog Attack Trainer (Under Sleeve Arm Protector)	Under-sleeve leather arm protector with touch and close fastening.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
13 9	Dog Attack Trainer Neoprene Under Sleeve	Under-sleeve neoprene arm protector, 7mm thickness. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
14 0	Dog Attack Trainer Neoprene Under Sleeve	Under-sleeve neoprene arm protector, 7mm thickness. Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
14 1	Dog Bite Hand Protector	An ambidextrous hand protector.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
14 2	Dog Bite Groin Protector	Groin protection (Cricket Box)	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
14 3	Dog Bite Protective Sleeve	Soft padded sleeve with bent arm, closed handed.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
14 4	Puppy Training Bite Sleeve	Soft padded Jute puppy Sleeve with plastic upper arm protection.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
14 5	Made to Measure Bite Suit	A full body, Trouser and Jacket, padded suit, with low collar, open handed. Metal & Velcro jacket fastenings. Various levels of thickness/protection will be required depending on the specific requirement.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£

14 6	Dog Handler Back Support	A lightweight design, reinforced back support with braces, for back support whilst undertaking protection work and training	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
14 7	Climbing/Belaying Gloves	Gloves must be durable and offer dexterity to enable handler to quickly run a line without causing burn. Must be able to control and stop line whilst wearing gloves. Full finger length. Size Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
14 8	Climbing/Belaying Gloves	Gloves must be durable and offer dexterity to enable handler to quickly run a line without causing burn. Must be able to control and stop line whilst wearing gloves. Full finger length. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
14 9	Climbing/Belaying Gloves	Gloves must be durable and offer dexterity to enable handler to quickly run a line without causing burn. Must be able to control and stop line whilst wearing gloves. Full finger length. Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
15 0	Training Vest (Black)	A lightweight training vest designed to have multiple easy access exterior pockets to allow storage of treats, toys and general MWD equipment such as leads and collars. It's designed to enable users to have their hands relatively free whilst training dogs. Size Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

15 1	Training Vest (Black)	A lightweight training vest designed to have multiple easy access exterior pockets to allow storage of treats, toys and general MWD equipment such as leads and collars. It's designed to enable users to have their hands relatively free whilst training dogs. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
15 2	Training Vest (Black)	A lightweight training vest designed to have multiple easy access exterior pockets to allow storage of treats, toys and general MWD equipment such as leads and collars. It's designed to enable users to have their hands relatively free whilst training dogs. Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
15 3	Training Vest (Black)	A lightweight training vest designed to have multiple easy access exterior pockets to allow storage of treats, toys and general MWD equipment such as leads and collars. It's designed to enable users to have their hands relatively free whilst training dogs. Size X-Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
15 4	Training Vest (UK Multi Terrain Pattern)	A lightweight training vest designed to have multiple easy access exterior pockets to allow storage of treats, toys and general MWD equipment such as leads and collars. It's designed to enable users to have their hands relatively free whilst training dogs. Available in Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

15 5	Training Vest (UK Multi Terrain Pattern)	A lightweight training vest designed to have multiple easy access exterior pockets to allow storage of treats, toys and general MWD equipment such as leads and collars. It's designed to enable users to have their hands relatively free whilst training dogs. Available in Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
15 6	Training Vest (UK Multi Terrain Pattern)	A lightweight training vest designed to have multiple easy access exterior pockets to allow storage of treats, toys and general MWD equipment such as leads and collars. It's designed to enable users to have their hands relatively free whilst training dogs. Available in Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
15 7	Training Vest (UK Multi Terrain Pattern)	A lightweight training vest designed to have multiple easy access exterior pockets to allow storage of treats, toys and general MWD equipment such as leads and collars. It's designed to enable users to have their hands relatively free whilst training dogs. Available in X-Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
15 8	Cold Weather Dog Coat	Relaxed Fit with vest coverage and side-release buckles for easy on/off, and abrasion-resistant shell fabric with a warm, comfortable fleece lining. weather Dark colour. Sizes to be in approx. in-line with the description below: XS/Girth 17-22"	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

159	Cold Weather Dog Coat	Relaxed Fit with vest coverage and side-release buckles for easy on/off, and abrasion-resistant shell fabric with a warm, comfortable fleece lining. weather Dark colour. Sizes to be in approx. in-line with the description below: Small/Girth 22–27"	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
160	Cold Weather Dog Coat	Relaxed Fit with vest coverage and side-release buckles for easy on/off, and abrasion-resistant shell fabric with a warm, comfortable fleece lining. weather Dark colour. Sizes to be in approx. in-line with the description below: Medium/Girth 27–32"	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
161	Cold Weather Dog Coat	Relaxed Fit with vest coverage and side-release buckles for easy on/off, and abrasion-resistant shell fabric with a warm, comfortable fleece lining. weather Dark colour. Sizes to be in approx. in-line with the description below: Large/Girth 32-36"	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
162	Cold Weather Dog Coat	Relaxed Fit with vest coverage and side-release buckles for easy on/off, and abrasion-resistant shell fabric with a warm, comfortable fleece lining. weather Dark colour. Sizes to be in approx. in-line with the description below: Extra Large/Girth 36-42	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

163	Ruffwear Fleece Dog Sweater Climate Changer	A technical fleece with sleeves and a full-length zipper, quick-drying and provides coverage and warmth. Size Extra Small .	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
164	Ruffwear Fleece Dog Sweater Climate Changer	A technical fleece with sleeves and a full-length zipper, quick-drying and provides coverage and warmth. Size Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
165	Ruffwear Fleece Dog Sweater Climate Changer	A technical fleece with sleeves and a full-length zipper, quick-drying and provides coverage and warmth. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
166	Ruffwear Fleece Dog Sweater Climate Changer	A technical fleece with sleeves and a full-length zipper, quick-drying and provides coverage and warmth. Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
167	Ruffwear Fleece Dog Sweater Climate Changer	A technical fleece with sleeves and a full-length zipper, quick-drying and provides coverage and warmth. Size X-Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
168	Dog Cooling Coat	Dog cooling coat - to be submerged in water to keep dog cool in temperate climates. Size X-Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
169	Dog Cooling Coat	Dog cooling coat - to be submerged in water to keep dog cool in temperate climates. Size Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
170	Dog Cooling Coat	Dog cooling coat - to be submerged in water to keep dog cool in temperate climates. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
171	Dog Cooling Coat	Dog cooling coat - to be submerged in water to keep dog cool in temperate climates. Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
172	Dog Cooling Coat	Dog cooling coat - to be submerged in water to keep dog cool in temperate climates. Size X-Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
173	Dog Flotation Jacket	Flotation jacket/buoyancy aid for dogs, black or dark in colour. Size Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

17 4	Dog Flotation Jacket	Floatation jacket/buoyancy aid for dogs, black or dark in colour. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
17 5	Dog Flotation Jacket	Floatation jacket/buoyancy aid for dogs, black or dark in colour. Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
17 6	Dog Goggles	To be available with UV and Clear lenses. Dark colour straps and frame with head and chin strap.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
17 7	Rex Specs Goggles	Interchangeable, spherical, UV400 protective polycarbonate lens one clear lens and one smoked lens, UV400 protection.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
17 8	Canine Hearing Protection	RexSpecs EarPro - To be available in Green and Black. Size 2	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
17 9	Canine Hearing Protection	RexSpecs EarPro - To be available in Green and Black. Size 3	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
18 0	Canine Hearing Protection	RexSpecs EarPro - To be available in Green and Black. Size 4.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
18 1	Paw Protector Boot	Set of four boots that provide resistance to hard, hot and sharp surfaces and objects. Slip resistant soles. Dark coloured. There must be a minimum of two restraining methods and be specifically designed for front and back feet. Must have the ability to drain when wet, immersed in water and breathable for use in hot climates. Size Extra Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

18 2	Paw Protector Boot	Set of four boots that provide resistance to hard, hot and sharp surfaces and objects. Slip resistant soles. Dark coloured. There must be a minimum of two restraining methods and be specifically designed for front and back feet. Must have the ability to drain when wet, immersed in water and breathable for use in hot climates. Size Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
18 3	Paw Protector Boot	Set of four boots that provide resistance to hard, hot and sharp surfaces and objects. Slip resistant soles. Dark coloured. There must be a minimum of two restraining methods and be specifically designed for front and back feet. Must have the ability to drain when wet, immersed in water and breathable for use in hot climates. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
18 4	Paw Protector Boot	Set of four boots that provide resistance to hard, hot and sharp surfaces and objects. Slip resistant soles. Dark coloured. There must be a minimum of two restraining methods and be specifically designed for front and back feet. Must have the ability to drain when wet, immersed in water and breathable for use in hot climates. Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
18 5	Paw Protector Boot Liner	Sock liners for use with Paw Protector Boots - to allow extra protection and insulation and ensure a better fit. Size X-Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

186	Paw Protector Boot Liner	Sock liners for use with Paw Protector Boots - to allow extra protection and insulation and ensure a better fit. Size Small.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
187	Paw Protector Boot Liner	Sock liners for use with Paw Protector Boots - to allow extra protection and insulation and ensure a better fit. Size Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
188	Paw Protector Boot Liner	Sock liners for use with Paw Protector Boots - to allow extra protection and insulation and ensure a better fit. Size Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
189	Paw Protector Boot Liner	Sock liners for use with Paw Protector Boots - to allow extra protection and insulation and ensure a better fit. Size X-Large.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
190	Rukka Proff Boots	To be available in the following sizes: 2 - 42mm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
191	Rukka Proff Boots	To be available in the following sizes: 3 - 48mm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
192	Rukka Proff Boots	To be available in the following sizes: 4 - 53mm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
193	Rukka Proff Boots	To be available in the following sizes: 5 - 58mm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
194	Rukka Proff Boots	To be available in the following sizes: 6 - 63mm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
195	Rukka Proff Boots	To be available in the following sizes: 7 - 69mm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
196	Rukka Proff Boots	To be available in the following sizes: 8 - 75mm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

197	Collapsible Drinking Bowl	Durable folding drinking bowl, dark in colour. Capacity 0.5- 1L.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
198	Dog Travel Bowl	Non-spill travel bowl set with a 1L capacity.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
199	Dog Water/Feed Bowl 2.8L	Non-corrosive metal feed/water bowl complete with kennel attachment bracket, 2.8L capacity.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
200	Dog Water/Feed Bowl with Kennel Attachment 2.8L	Non-corrosive metal feed/water bowl complete with kennel attachment bracket, 2.8L capacity.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
201	Dog Water/Feed Bowl 2.8L	Replacement bowl for Kennel attachment listed above.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
202	Dog Water/Feed Bowl 4L	Non-corrosive metal feed/water bowl with a non-slip base, 4L capacity.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
203	Dog Water/Feed Bowl with Kennel Attachment 4L	Non-corrosive metal feed/water bowl complete with kennel attachment bracket, 4L capacity.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
204	Dog Water/Feed Bowl 4L	Replacement bowl for Kennel attachment listed above.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
205	Anti-Gulp Feeding Bowl	Drop Design, Anti-Slip - Dimensions 30 x 30 x 10cm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
206	Anti-Gulp Feeding Bowl	Flower Design, Anti-Slip - Dimensions 30 x 30 x 10cm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
207	Anti-Gulp Feeding Bowl	Coral Design, Anti-Slip - Dimensions 30 x 30 x 10cm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
208	Slow Feeding Bowl	Stainless Steel, Anti-Slip - Dimensions 20 x 20 x 5cm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
209	Dog Training Clicker	Dog training and obedience clicker, dark colour and robust enough to withstand Military Working Dog training.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£

210	Silent Dog Whistle	Silent whistle with adjustable pitch including lanyard. Whistle is to be pea less type.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
211	Treat/Reward Bag	Lined, sealable bag to be worn around the waist - size approx. 20 x 20cm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
212	Training Padded Stick	Padded stick with strap - Size approx. 60cm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
213	Agitation Training Whip/Stick	Agitation whip/stick with strap - Size approx. 60cm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
214	Split Cane/Clatter Stick	Bambo or Cane split clatter/stick - Size approx. 60cm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
215	Dog Training Ball on Rope	Rugged ball on a rope Size Medium - 60mm, rope length 260mm Medium and Large balls are to be of differing colours	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
216	Dog Training Ball on Rope	Rugged ball on a rope Size Large - 80mm, rope length 260mm Medium and Large balls are to be of differing colours	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
217	Foam Reward Ball	Foam Ball - must bounce and must float in water. Durable, and free from covering that may be chewed off. Free from latex vinyl and phthalates. Size - Medium.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
218	Tennis Ball	Durable and pressurised, thick rubber, with non-peel felt covering. Must be durable.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
219	Kong Reward Dog Toy on Rope	Size Medium	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
220	Kong Reward Dog Toy on Rope	Size Large	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
221	Kong Reward Dog Toy	Size Medium	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£

22 2	Kong Reward Dog Toy	Size Large	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
22 3	Kong Reward Dog Toy	Size X Large	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
22 4	Kong Stuff Ball	Size Large	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
22 5	Kong Extreme Reward Dog Toy	Size Large	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
22 6	Kong Extreme Reward Dog Toy	Size X-Large	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
22 7	Aqua Kong Floating Dog Toy	Size Medium	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
22 8	Aqua Kong Floating Dog Toy	Size Large	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
22 9	Kong Gyro	Size Small	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
23 0	Kong Gyro	Size Large	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
23 1	Kong Treat Wobbler	Size Large	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
23 2	Kong Extreme Goodie Bone	Size Medium	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
23 3	Kong Extreme Goodie Bone	Size Large	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
23 4	Snuffle Mat	Size Large	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
23 5	GoughNuts Maxx Tug	Size 11"	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
23 6	GoughNuts Pro 50 Dog Ball	Pro 50 Ball – Ball size 3 inches (7.5cm)	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
23 7	Circular Lick Mat	One size	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
23 8	K9 Julius Teasing Leather Tug Toy	Size 60cm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
23 9	K9 Julius Bite Pad	Cotton/Nylon material, Size Mini (Soft)	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
24 0	Leather Stitched Tug Toy	Toy with 2 handles - dimensions 5 x 25cm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
24 1	Leather Stitched Tug Toy	Toy with single handle - dimensions 3 x 25cm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
24 2	French linen Tug Toy	Toy with single handle - dimensions 3 x 25cm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£

24 3	French linen Tug Toy	Toy with 2 handles - dimensions 5 x 25cm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
24 4	Jute Stitched Tug Toy	Toy with single handle - dimensions 3 x 25cm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
24 5	Jute Stitched Tug Toy	Toy with two handles - dimensions 5 x 25cm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
24 6	3 Handled Cushion Tug Toy	French Linen Toy with 3 handles - dimensions approx. 20 x 30cm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
24 7	3 Handled Cushion Tug Toy	Hessian type material for adult dogs with 3 handles	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
24 8	Bumper/Water Dummy with Rope	Floating Bumper/Water Dummy with Rope. Colour White, Dimensions - 2 x 10"	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
24 9	Bumper/Water Dummy with Rope	Floating Bumper/Water Dummy with Rope. Colour Orange, Dimensions - 2 x 10"	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
25 0	Starmark Easy Glide Frisbee	Assorted colours - 9"	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
25 1	Starmark Easy Glide Frisbee	Assorted colours - 11"	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
25 2	5 Section Graduated Working Trial/Long Jump	Wooden or similar material construction, not pole or hurdle type.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
25 3	Rigid Tunnel	Agility Tunnel, length - 5 metres	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
25 4	Tunnel Stakes	Set of 3 - if not included with tunnel system above.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
25 5	Dog Walk	Adjustable height Aluminium dog walk with ramp either end	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
25 6	Dog Agility A Frame	Foldable Aluminium agility A Frame with brace, minimum height 1 metre - maximum height 1.5 metres	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
25 7	Dog Jump/Hurdle	Solid construction - Height 1 metre	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
25 8	Dog Agility Window	Solid construction - Window height from floor Window opening 850 x 850 approx.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
25 9	Marmax Dog Agility Cube	A weatherproof and maintenance free cube that will not rot or corrode. Size 500.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£

260	Marmax Dog Agility Cube	A weatherproof and maintenance free cube that will not rot or corrode. Size 700.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
261	Marmax Dog Agility Cube	A weatherproof and maintenance free cube that will not rot or corrode. Size 1000.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
262	Transportable/Lightweight Scent Carousel	NCTAS approved transportable/Lightweight system for odour detection training.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
263	Stainless Steel Scent Pot	Stainless Steel Scent Pot for use with Scent Carousel	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
264	Stainless Steel Scent Pot Lid	Fully Perforated Lid for use with Scent Pot	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
265	Stainless Steel Scent Pot Lid	Variable Control Lid for use with Scent Pot	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
266	Odour ID Stand Pot	GenWare Stainless Steel Shaker Small 2mm Holes	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
267	Odour ID Training Cage	A suet feast bird feeder - Single holder, size - approx. 120 x 130 x 50mm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
268	Aluminium Scent Box with Magnet	Aluminium scent box with magnet - Size 2" x 2" x 8"	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
269	NCTAS Odour ID Training Stands	Clear polycarbonate stand - Size 1 meter x 145mm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
270	Scent Tube	PVC tube with perforated ends to enable circulation of odour - Size approx. 15mm diameter x 20cm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
271	Scent Blocks	Porotherm clay construction blocks used for odour detection training - Size 300 x 224 x 140	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
272	Car Ventilation Tailgate Lock	Size 21"	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
273	Internationale Gebrauchshunde Prüfungsordnung (IGP)/IPO Blind.	Collapsible blind for search work. Size Large	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£

27 4	Animal Stretcher	Animal Stretcher/Veterinary Transport Trolley with wheels Expanded size: 122 x 65 x 3cm Folding size: 55 x 58 x 7cm. Weight capacity up-to 250lb	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
27 5	Klack Klack Board	NEPOP® Klack klack board size Large - 30 x 30cm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
27 6	Dog Armour Pro Sleeve	Dog Armour Pro Sleeve – One Size	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
27 7	Dog Armour Pro Leg	Dog Armour Pro Sleeve – One Size	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
27 8	Portable Scent Carousel	Portable/collapsible 12 arm carousel.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
27 9	Neoprene Decoy Wraps	Neoprene Decoy Wraps Length 83" Width 3.5" Thickness 3mm elasticated start loop Velcro fastener	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
28 0	Stainless Steel Gag Stick	Stainless Steel Break Stick	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
28 1	Dog Attack Response Board Small	The dog attack response board Small Board: 400 x 600m	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
28 2	Dog Attack Response Board Small	The dog attack response board Large board: 800 x 600mm	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
28 3	Rubber Arm	Left Arm Length 47cm long Velcro straps to enable it to be attached	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
28 4	Nyclot Bite Sleeve Set	Complete Set of 5 Yellow, Black, Green, Blue and Red Material - French Linen/Nyclot	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -
28 5	Training Bungee	Elastic training bungee Size - 2 metre	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£ -	£ -	£ -	£ -	£ -	£ -	£ -	£ -

286	Training Bungee	Elastic training bungee Size - 4 metre	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
287	First Strike Deterrent Spray	First Strike K9 Deterrent Spray – 50ml	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
288	Agility Tyre Jump	Must have adjustable height and conform with FCI regulations.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
289	Agitation Fight Table	Agitation Fight Table Diameter - 8ft Nonslip surface Steel centre pole with swivel coupling Adjustable base/feet	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
290	Agility Weave Poles	Agility weave poles – Pack of 12	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
291	Bags scoop/poop dog	1000 durable bags 7.5 x 12.5 x 17.5 inches	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
292	Bite work Gloves	(XL) Mens	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
293	Bite work Gloves	(L) Mens	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
294	Bite work Gloves	(M) Women's	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
295	Bite work Gloves	(S) Women's	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
296	Tether Flex Pole	Tether Flex Pole with quick release clip	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
297	RAM Black Leather Muzzle	Size 7 and Mixed sold in Batches of 8	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
298	RAM Black Leather Muzzle	Size 8 and Mixed sold in Batches of 9	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
299	RAM Black Leather Muzzle	Size 9 and Mixed sold in Batches of 10	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
300	Kong Tyre	Tyre shaped toy made of durable KONG Extreme Rubber	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
301	TransK9-Dog Cage & Drawer Combo B12/TL1	For Land Rover Discovery 3 and 4	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£
302	TransK9-VB2 Double Dog Cage Transit Box	For Mercedes, Volkswagen, Renault and more	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£

30 3	Transk9-b9 Double Dog Cage Transit Box	For Isuzu, Toyota, Ford Ranger	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
30 4	TransK9-B28 Single Dog Cage Transit Box	For Land Rover Discovery, Defender & More	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
30 5	TransK9-B24 Single Dog Cage Transit Box	For Discovery, Ford Galaxy and Defender	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
30 6	Kuranda Bunk Bed Adapter Kits	Aluminium kit to allow two Kuranda dogs beds to be made into a bunk.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
30 7	Bite suit bag	Holdall style bag, 100ltr in size, suitable for and carrying bite suits.	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£
30 8	Pad Toughening Solution	Approx 4 fl oz bottle	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	£	£	£	£	£	£	£	£	£

ANNEX C - 702047450
CANINE SUPPORT SOLUTION (CSS)
SECURITY ASPECTS LETTER (SAL)



[REDACTED]

Search Lead, Specialist EOD&S,
Exploitation & Countermeasures
(SEEC)

#8207, Rowan 2C, MOD Abbey
Wood, Bristol, UK BS34 8JH

Email: [REDACTED]

File reference: 702047450

Insert Date: 5 April 2024

702047450 - CANINE SUPPORT SOLUTION (CSS)

Annex C – Security Aspects Letter

[Redacted under exemptions set out by the Freedom of Information Act]