

Invitation to Quote (ITQ) on behalf of UK Research and Innovation – Medical Research Council

**Subject: Plate Reader with Analysis Data System Workstation** 

**Sourcing Reference Number: RE20388** 

## **UK Shared Business Services Ltd (UK SBS)**

www.uksbs.co.uk

Registered in England and Wales as a limited company. Company Number 6330639. Registered Office Polaris House, North Star Avenue, Swindon, Wiltshire SN2 1FF VAT registration GB618 3673 25 Copyright (c) UK Shared Business Services Ltd. 2014



# **Section 6 – Evaluation questionnaire**

Bidders should note that the evaluation questionnaire is located within the **e-sourcing questionnaire**.

Guidance on completion of the questionnaire is available at <a href="http://www.uksbs.co.uk/services/procure/Pages/supplier.aspx">http://www.uksbs.co.uk/services/procure/Pages/supplier.aspx</a>

PLEASE NOTE THE QUESTIONS ARE NOT NUMBERED SEQUENTIALLY

## **COMMERCIAL QUESTIONNAIRE**

SEL1.1	Please state the full legal name and address and contact details of the
	organisation tendering (or organisation acting as lead contact where a
5:11	consortium bid is being submitted).
Bidder	The information should be based on the details of the organisation bidding (or
Guidance	organisation acting as lead contact where a consortium bid is being
	submitted).
	This is the legal entity with whom we will Contract if successful.
Scoring	For information only
Criteria	
Answer	Text
Туре	(a) Bidders full legal name
	(b) Address line 1
	Address line 2
	Address line 3
	Address line 4
	Town / City
	Country
	Post code (or equivalent)
	(c) Bidder contact
	(d) Telephone No.
	(e) Email

SEL1.2	In the last three years, has any finding of unlawful discrimination been made against your organisation by an Employment Tribunal, an Employment Appeal Tribunal or any other court (or in comparable proceedings in any jurisdiction other than the UK)? And/or;  In the last three years, has your organisation had a complaint upheld following an investigation by the Equality and Human Rights Commission or its predecessors (or a comparable body in any jurisdiction other than the UK), on grounds of alleged unlawful discrimination?
Bidder Guidance	The Bidder shall answer <b>Yes</b> or <b>No</b>
	Yes – Fail – Please provide details within SEL1.2.1 No – Pass – No response required to SEL1.2.1
	*If you have answered "yes" please provide, as an attachment to SEL1.2.1 a summary of the nature of the investigation and an explanation of the outcome of the investigation to date.
	If the investigation upheld the complaint against your organisation, please use the attachment to explain what action (if any) you have taken to prevent unlawful discrimination from reoccurring.
	You may be excluded if you are unable to demonstrate to the Contracting Authority's satisfaction that appropriate remedial action has been taken to prevent similar unlawful discrimination reoccurring.
Scoring Criteria	Mandatory Pass / Fail
Answer Type	Yes – Fail – Please provide details within SEL1.2.1 No – Pass – No response required to SEL1.2.1

SEL1.2.1	Supporting Documentation for SEL1.2.1
Bidder Guidance	Where a bidder has responded 'Yes' to SEL1.2 please provide a supporting document attached to this question, including a summary of the nature of the investigation and an explanation of the outcome of the investigation to date.
	If the investigation upheld the complaint against your organisation, please use the attachment to explain what action (if any) you have taken to prevent unlawful discrimination from reoccurring.
	You may be excluded if you are unable to demonstrate to the Contracting Authority's satisfaction that appropriate remedial action(s) have been taken to prevent similar unlawful discrimination reoccurring.
	This information should be provided as an attachment to this question. Any bidder declaring unlawful discrimination within SEL1.2 but not providing evidence may not be considered.
Scoring	For Information Only
Criteria	
Answer	Document Upload
Туре	

SEL1.3	If you are Commercial organisation with a minimum financial turnover of £36M, please confirm that you are compliant with Section 54 of the Modern Slavery Act 2015.
Bidder Guidance	The Bidder shall choose from the following options;
	<ul> <li>A. N/A – our turnover is less than £36M</li> <li>B. Yes – We are compliant and have attached information in SEL1.3.1</li> <li>C. No (with justification) – we are not compliant but will be prior to commencement of a contract. See information attached in SEL1.3.1</li> <li>D. No – we are not and will not be compliant at the time of award of the contract</li> </ul>
	Bidders selecting option 'D' will be considered non-compliant for this Procurement.
Scoring Criteria	Mandatory Pass/ Fail
Answer Type	<ul> <li>A. N/A – our turnover is less than £36M</li> <li>B. Yes – We are compliant and have attached information in SEL1.3.1</li> <li>C. No (with justification) – we are not compliant but will be prior to commencement of a contract. See information attached in SEL1.3.1</li> <li>D. No – we are not and will not be compliant at the time of award of the contract</li> </ul>

SEL1.3.1	Supporting Documentation for SEL1.3
Bidder guidance	Where a bidder has responded 'Yes' or 'No (with justification)' to SEL1.3, please provide your supporting information as an attachment.  Any bidder declaring they are compliant within SEL1.3 but not providing
	evidence may not be considered.
Scoring	For information only

Criteria	
Answer	Document upload
Туре	

FOI1.1	FREEDOM OF INFORMATION ACT 2000 (FOIA) AND / OR ENVIRONMENTAL INFORMATION REGULATIONS 2004 (EIR)  Information provided in the course of the procurement process may be disclosed under Freedom of Information Act 2000 or Environmental Information Regulations 2004.  Please note that some of the information provided may be protected under the FOIA exemptions and EIR exceptions. More information on
	applying the exemptions or exceptions can be found under the information Commissioners Office (ICO) website <a href="http://ico.org.uk">http://ico.org.uk</a> Please confirm you have been informed that information provided under
	this Bid may be disclosed under the FOIA and EIR and agree to it being published.
Bidder Guidance	The Bidder shall answer <b>Yes</b> or <b>No</b>
	Yes – Pass No – Fail
Scoring Criteria	Mandatory Pass / Fail
Answer Type	Yes – Pass No – Fail

#### AW1.1 FORM OF BID

I declare that to the best of my knowledge the answers submitted in this ITQ are correct. I understand that the information will be used in the process to assess my organisation's suitability to be invited to bid for the Contracting Authority's requirement and I am signing on behalf of my organisation. I understand that the Contracting Authority may reject this ITQ if there is a failure to answer all relevant questions fully or if I provide false/misleading information.

I understand that the Government's transparency agenda requires that sourcing documents, including ITQ templates such as this, are published on a designated, publicly searchable web site, and, that the same applies to other sourcing documents issued by the Contracting Authority, including the ITQ, and any contract entered into by the Contracting Authority or its customers with its preferred supplier once the procurement is complete.

By submitting a response to this ITQ I agree that our participation may be made public.

I understand that the answers given in this response will not be published on the web site (but may fall to be disclosed under Freedom of Information Act 2000 or Environmental Information Regulations 2004).

By submitting a response to this ITQ I agree and accept the justification

	for the Contracting Authority's evaluation criteria.
	By submitting a response to this ITQ I agreed and accept that the Contracting Authority reserves the right to change without notice the procedure for awarding the Contract, to reject any or all bids for the Contract, to stop the process and not award the Contract (in whole or in part) at any time without any liability on its part.
	By submitting a response to this ITQ I agree and accept that nothing in this process is intended to form any express or implied contractual relationship between the Parties unless and until a Contract is awarded. The Contracting Authority is not liable for any costs resulting from cancellation of this process nor any costs incurred by Bidders taking part in this procurement process.
	I understand that where sourcing documents issued by the Contracting Authority or contracts with its suppliers fall to be disclosed the Contracting Authority will redact them as it thinks necessary, having regard (inter alia) to the exemptions/exceptions in the FOIA or EIR.
Bidder Guidance	The Bidder shall answer <b>Yes</b> or <b>No</b>
	Yes - Pass
Scoring Criteria	No - Fail Mandatory Pass / Fail
Answer Type	Yes – Pass No – Fail

#### AW1.3 CERTIFICATE OF BONA FIDE BID

The essence of procurement is that the customer shall receive bona fide competitive Bids, from all those Bidding. In recognition of this principle, we certify that this is a bona fide Bid, intended to be competitive and that we have not fixed or adjusted the amount of Bid by or under or in accordance with any agreement with any other person.

We also certify that we have not done, and we undertake that we will not do at any time before the hour and date specified for the return of this Bid any of the following:

- (a) Communicate to a person other than the person calling for these Bids the amount or approximate amount of the proposed Bid, except where the disclosure, in confidence, of the approximate amount of the Bid was necessary to obtain insurance premium quotations for the preparation of the Bid;
- (b) Enter into any agreement or arrangement with any other person that he shall refrain from bidding or as to the amount of any Bid to be submitted;
- (c) Offer to pay or agree to pay or give any sum of money or valuable consideration directly or indirectly to any person for doing or having done or causing or have caused to be done in relation to any other Bid or proposed Bid for the said supply / service any act or thing of the sort described

	above.
	In this certificate, the word "person" includes any persons and anybody or association, corporate or unincorporated, and any "agreement or arrangement" includes any such transaction, formal or informal, and whether legally binding or not.
	We acknowledge that the Contracting Authority will be entitled to cancel the contract and to recover from us the amount of any loss resulting from such cancellation if we or our representatives (whether with our without our knowledge) shall have practiced collusion in Bidding for this contract or any other contract with the Contracting Authority or shall employ any corrupt or illegal practices either in the obtaining or execution of this contract or any other contract with the Contracting Authority.
	We agree that the Contracting Authority may disclose the Bidders information / documentation (submitted to the Contracting Authority during this Procurement) more widely within Government for the purpose of ensuring effective cross-Government procurement processes, including value for money and related purposes.
Bidder	The Bidder shall answer <b>Yes</b> or <b>No</b>
Guidance	Yes – Pass
	No – Fail
Scoring Criteria	Mandatory Pass / Fail
Answer	Yes – Pass
Туре	No – Fail

AW3.1	In the event of a Bidder successfully providing the most advantageous offer to the Contracting Authority against a procurement requirement, the Bidder is expected to provide an answer to the validation check that can be seen within Stage One: Overview Section prior to the award of any Contract.  If the Bidder fails to meet the Contracting Authority's expectations, we reserve the right to not award the Contract to the relevant Bidder and either award to the Bidder with the second most advantageous response or run a new procurement.
Bidder Guidance	The Bidder is not required to complete the validation check at this stage but will be required to respond to the questions in the event of providing the most advantageous offer to the Contracting Authority's against a procurement requirement.  Yes – Pass No – Fail
Scoring Criteria	Mandatory Pass / Fail
Answer	Yes – Pass
Туре	No – Fail

AW4.1	Please confirm your acceptance of the Contract Terms that can be found within the Stage One: Overview section.
Bidder Guidance	The Bidder shall answer Yes, No with justification or No
	Yes, we accept the terms and condition in their entirety – Pass
	<b>No with justification</b> – Pass. Complete the document upload attached to AW4.2 with details of what amounts to a valid justification.
	No – Fail
	For absolute clarity should a bidder select 'Yes' or 'No' you are <b>not</b> required to respond to AW4.2, however if you select 'No with Justification' you will be required to complete AW4.2 in order to be considered.
Scoring Criteria	Mandatory Pass / Fail
Answer Type	Multiple Choice Dropdown
71-	Yes, we accept the terms and condition in their entirety – Pass No with justification – Pass. Complete the document upload attached to AW4.2 with details of what amounts to a valid justification. No – Fail

AW4.2	Where a Bidder has answered question AW4.1 with 'No with justification' they must detail the justification and the proposed change to the clause.
	Where a bidder has responded 'Yes' or 'No' to AW4.1 you are not required to respond to this question.
Bidder Guidance	A justification for not accepting a specific clause or series of clauses from the attached Contract Terms is that the Bidder would be in breach of legal requirements or statutory regulations by complying with that clause or series of clauses (i.e. for the avoidance of doubt, being unable to comply with a clause or series of clauses because of an internal policy reason will not be considered to be a justification for a legal requirement or statutory regulation).  Where the Bidder has answered question AW4.1 as "no with justification", the Bidder shall provide a Contract mark-up utilising track changes detailing the
	relevant clause, the proposed changes to the clause and the justification for the changes. In this case, the Bidder shall score a pass if (but only if) the Contracting Authority considers both the following requirements are satisfied:  • the reasons stated as justifying the Bidder's statement that it cannot accept the Contract Terms due to legal requirements or statutory regulations are valid; and  • the changes submitted do not create significant risk for the Contracting Authority and are reasonably necessary and proportionate to ensure the Bidder complies with the legal requirements and statutory
	regulations.  In the event of a Bidder answering Yes or No to Question AW4.1 and then providing a proposed mark-up, rejection of a clause or a justification for a change then the response will be a Fail.  Any bidder selecting 'No with Justification' to AW4.1 and failing to upload an

	attachment to this question detailing the information above may not be considered further.
	Bidders are to note that any requested modifications to the Contracting Authority Terms and Conditions on the grounds of statutory and legal matters only, should be raised as a formal clarification during the permitted clarification period.
Scoring	Mandatory Pass / Fail
Criteria	
Answer	Document Upload
Туре	

### PRICE QUESTIONNAIRE

AW5.2	Bidders are required to complete the Excel Pricing Schedule attached in the Document Upload attachments.
	All prices shall be in £ GBP and exclusive of VAT.
	All costs appearing elsewhere in the Bid but not mentioned in this Pricing Schedule shall be presumed waived.
Bidder Guidance	Bidders shall confirm they have completed the Pricing Schedule.
	The scoring methodology for this question shall be:
	The lowest price for a response which meets the pass criteria shall score 100.
	All other bids shall be scored on a pro rata basis in relation to the lowest price. The score is then subject to a multiplier to reflect the percentage value of the price criterion.
	Where the scoring criterion is worth 50% then the 0-100 score achieved will be multiplied by 50
	In the example if a supplier scores 80 from the available 100 points this will equate to 40% by using the following calculation: Score/Total Points multiplied by 50 (80/100 x $50 = 40$ )
	The lowest score possible is 0 even if the price submitted is more than 100% greater than the lowest price.
	The lowest price for a response which meets the pass criteria shall score 100. All other bids shall be scored on a pro rata basis in relation to the lowest price. The lowest score possible is 0.
	For example, assuming the lowest bid is £100,000.
	Bid Price £100,000 Differential to the lowest price which meets mandatory pass criteria ('Differential') 0 Score 100
	Bid price - £120,000 Differential - 20% Score - 80 Bid price - £140,000 Differential - 40% Score - 60
	Bid Price - £150,000 Differential - 50% Score - 50
	Bid Price - £175,000 Differential - 75% Score - 25 Bid Price - £200,000 Differential - 100% Score - 0
	Bid Price - £300,000 Differential - 200% Score - 0
Scoring Criteria	Maximum Marks – 30%
Answer Type	Price Document Upload
. , , , ,	

AW5.4	The Contracting Authority is committed to delivering payments to suppliers within the timescales stated within our Contract terms and intend to embrace e-invoicing.  Further information and helpful guidance regarding e-invoicing and iSupplier is available on the UK SBS website at: <a href="https://www.uksbs.co.uk/services/Finance/Pages/iSupplier.aspx">https://www.uksbs.co.uk/services/Finance/Pages/iSupplier.aspx</a> Please confirm if you are successfully awarded this contract, that your implementation team will work with the Contracting Authority to ensure that e-invoicing is established within 28 days of Contract award by the Contracting Authority.
Bidder Guidance	The Bidder shall answer Yes or No  Yes – we will utilise an e-invoicing option - Pass No – we will not utilise an e-invoicing option – Fail
Scoring Criteria	Mandatory Pass / Fail
Answer Type	Yes – we will utilise an e-invoicing option - Pass No – we will not utilise an e-invoicing option – Fail

## **QUALITY QUESTIONNAIRE**

AW6.1	Please confirm your compliance to the requirements of Section 4 Specification
Bidder	The Bidder shall answer <b>Yes</b> or <b>No</b>
Guidance	
	Yes – Pass
	No – Fail
Scoring	Mandatory Pass / Fail
Criteria	·
Answer	Yes – Pass
Type	No – Fail

AW6.2	Variable Bids
	The Contracting Authority shall not accept variable bids as part of this Procurement. The criteria in regard to variable bids for this Procurement is outlined below.
Bidder Guidance	The Bidder shall answer <b>Yes</b> or <b>No</b>
Guidance	Yes - We have provided a variable bid only – Fail
	No - We have chosen to only offer a main bid and have not chosen to provide an alternative bid submission – Pass
Scoring Criteria	Mandatory Pass / Fail
Answer	Yes - We have provided a variable bid only – Fail
Туре	<b>No</b> - We have chosen to only offer a main bid and have not chosen to provide an alternative bid submission – <b>Pass</b>

PROJ1.1	The bidder is required to upload full details of the equipment being provided including how their system meets the specification
Bidder guidance	The bidder is required to upload full details of the equipment being provided  Attachments are allowed for this question
	The Bidder shall make a declaration that they have provided the requested information in the form and content as required.
	Information submitted by the bidder can be used as supporting evidence against compliance to the specification in question AW6.1. UK SBS have the discretion to negate a response received from the bidder in question AW6.1 on the basis of their assessment
Scoring criteria	For Information only
Bidder response	The Bidder shall make a declaration that they have provided the requested information in the form and content as required

PROJ1.2	Absorption (Abs) Spectral ranges:
	The bidder shall confirm the minimum Abs Spectral ranges for the equipment being offered.
Bidder Guidance	The bidder shall confirm the minimum Abs Spectral ranges for the equipment being offered
	The bidder shall choose from the following options:
	<ul> <li>250 - 800 nm – 25 Marks</li> </ul>
	<ul> <li>250 - 1000 nm – 50 Marks</li> </ul>
	• 230 - 1000 nm – 100 Marks
Scoring Criteria	Selection Question
Answer Type	Maximum Marks – 7%

Fluorescence (FL) Spectral ranges:
The bidder shall confirm the minimum FL Spectral ranges for the equipment being offered.
The bidder shall confirm the minimum FL Spectral ranges for the equipment being offered
The bidder shall choose from the following options:
• 250 - 830 nm – 50 Marks
• 240 - 900nm – 100 Marks
Selection Question
Maximum Marks – 5%

PROJ1.4	Lumi Spectral ranges:
	The bidder shall confirm the minimum Lumi Spectral ranges for the equipment being offered.
Bidder Guidance	The bidder shall confirm the minimum Lumi Spectral ranges for the equipment being offered
	The bidder shall choose from the following options:
	• 300 - 740nm – 50 Marks
	• 240 - 740nm – 100 Marks
Scoring Criteria	Selection Question
Answer	Maximum Marks – 3%
Туре	

PROJ2.0	FL Sensitivity:
	The bidder shall confirm the minimum FL Sensitivity for the equipment being offered.
Bidder Guidance	The bidder shall confirm the minimum FL Sensitivity for the equipment being offered
	The bidder shall choose from the following options:
	5 pM fluorescein 384 well – 25 Marks
	1 pM fluorescein 384 well – 50 Marks
	<ul> <li>&lt; 0.5 pM fluorescein 384 well – 100 Marks</li> </ul>
Scoring Criteria	Selection Question
Answer Type	Maximum Marks – 7%

PROJ2.1	Lumi Sensitivity:
	The bidder shall confirm the minimum Lumi Sensitivity for the equipment being offered.
Bidder Guidance	The bidder shall confirm the minimum Lumi Sensitivity for the equipment being offered
	The bidder shall choose from the following options:
	10 pM ATP-Glow 384 well – 25 Marks
	<ul><li>&lt; 5 pM ATP-Glow 384 well – 50 Marks</li></ul>
	<ul> <li>&lt; 0.5 pM fluorescein 384 well – 100 Marks</li> </ul>
Scoring Criteria	Selection Question
Answer	Maximum Marks – 5%
Type	

PROJ2.2	TRF Cartridge Sensitivity:
	The bidder shall confirm the minimum TRF Cartridge Sensitivity for the equipment being offered.
Bidder Guidance	The bidder shall confirm the minimum TRF Cartridge Sensitivity for the equipment being offered
	The bidder shall choose from the following options:
	<ul><li>&lt; 0.1 pM europium 384 well – 25 Marks</li></ul>
	<ul> <li>&lt; 0.05 pM europium 384 well – 50 Marks</li> </ul>
	<ul><li>&lt; 0.03 pM europium 384 well – 100 Marks</li></ul>
Scoring Criteria	Selection Question
Answer Type	Maximum Marks – 3%

PROJ2.3	FP Cartridge Sensitivity:
	The bidder shall confirm the minimum FP Cartridge Sensitivity for the equipment being offered.
Bidder Guidance	The bidder shall confirm the minimum FP Cartridge Sensitivity for the equipment being offered
	The bidder shall choose from the following options:
	<ul> <li>&lt; 5 mP fluorescein 384 well – 25 Marks</li> </ul>
	<ul> <li>&lt; 3 mP fluorescein 384well – 50 Marks</li> </ul>
	<ul> <li>&lt; 0.5 mP fluorescein 384 well – 100 Marks</li> </ul>
Scoring	Selection Question
Criteria	
Answer	Maximum Marks – 5%
Type	

PROJ2.4	AlphaScreen Cartridge Sensitivity:
	The bidder shall confirm the minimum AlphaScreen Cartridge Sensitivity for the equipment being offered.
Bidder Guidance	The bidder shall confirm the minimum AlphaScreen Cartridge Sensitivity for the equipment being offered
	The bidder shall choose from the following options:
	<ul> <li>&lt; 500 amol/well 384 well – 50 Marks</li> </ul>
	<ul> <li>&lt; 100 amol/well 384 well – 100 Marks</li> </ul>
Scoring Criteria	Selection Question
Answer Type	Maximum Marks – 5%

PROJ3.0	Read times for a Read scan:
	The bidder shall confirm the minimum Read times for a Read scan for the equipment being offered.
Bidder Guidance	The bidder shall confirm the minimum Read times for a Read scan for the equipment being offered
	The bidder shall choose from the following options:
	• 30s – 25 Marks
	• < 30s – 50 Marks
	• <10s – 100 Marks
Scoring Criteria	Selection Question
Answer Type	Maximum Marks – 10%

PROJ3.1	Read times for full spectrum for a Read scan:
	The bidder shall confirm the minimum Read times for a Read scan for the equipment being offered.
Bidder Guidance	The bidder shall confirm the minimum Read times for full spectrum for a Read scan for the equipment being offered
	The bidder shall choose from the following options:
	• 10s – 25 Marks
	• <5s – 50 Marks
	• <1s – 100 Marks
Scoring	Selection Question
Criteria	
Answer	Maximum Marks – 10%
Type	

PROJ3.2	Read times for full spectrum for a Read scan:
	The bidder shall confirm the minimum0 Dynamic Range for a Read scan for the equipment being offered.
Bidder Guidance	The bidder shall confirm the minimum Dynamic Range for a Read scan for the equipment being offered
	The bidder shall choose from the following options:
	<ul> <li>&gt;6 order – 25 Marks</li> </ul>
	<ul><li>&gt;7 order – 50 Marks</li></ul>
	>8 order – 100 Marks
Scoring Criteria	Selection Question
Answer	Maximum Marks – 10%
Туре	