

PENSION ADMINISTRATION SERVICES AGREEMENT

SCHEDULE 8.6

BUSINESS CONTINUITY AND DISASTER RECOVERY

Version Control

VERSION	DATE	COMMENT
1.0	September 2017	Execution version

1 **DEFINITIONS**

1.1 In this Schedule, the following definitions shall apply:

“Business Continuity Plan”	has the meaning given in Paragraph 2.2(a)(ii);
“Business Continuity Services”	has the meaning given in Paragraph 4.2(b);
“Disaster”	the occurrence of one or more events which, either separately or cumulatively, mean that the Services, or a material part of the Services as may be specified in Annex 1 will be unavailable or which is reasonably anticipated will mean that the Services or a material part of the Services will be unavailable;
“Disaster Recovery Plan”	has the meaning given in Paragraph 2.2(a)(iii);
“Disaster Recovery Services”	the services embodied in the processes and procedures for restoring the Services following the occurrence of a Disaster;
“Disaster Recovery System”	the system identified by the Supplier in the Supplier Solution which shall be used for the purpose of delivering the Disaster Recovery Services;
“Related Service Provider”	any person who provides services to the Authority in relation to this Agreement from time to time.

2 **BCDR PLAN**

2.1 Prior to the Effective Date the Supplier shall prepare and deliver to the Authority for the Authority’s written approval a plan, which shall detail the processes and arrangements that the Supplier shall follow to:

- (a) ensure continuity of the business processes and operations supported by the Services following any failure or disruption of any element of the Services; and
- (b) the recovery of the Services in the event of a Disaster.

2.2 The BCDR Plan shall:

- (a) be divided into three parts:
 - (i) Part A which shall set out general principles applicable to the BCDR Plan;
 - (ii) Part B which shall relate to business continuity (the **“Business Continuity Plan”**); and
 - (iii) Part C which shall relate to disaster recovery (the **“Disaster Recovery Plan”**); and
- (b) unless otherwise required by the Authority in writing, be based upon and be consistent with the provisions of Paragraphs 3, 4 and 5.

2.3 Following receipt of the draft BCDR Plan from the Supplier, the Authority shall:

- (a) review and comment on the draft BCDR Plan as soon as reasonably practicable; and

- (b) notify the Supplier in writing that it approves or rejects the draft BCDR Plan no later than 20 Working Days after the date on which the draft BCDR Plan is first delivered to the Authority,

provided that in relation to any business continuity and disaster recovery services or arrangements proposed in the draft BCDR Plan that are provided to multiple customers of the Supplier in addition to the Authority, the Authority shall only have the right to approve or reject the principles of those aspects of the draft BCDR Plan.

2.4 If the Authority rejects the draft BCDR Plan:

- (a) the Authority shall inform the Supplier in writing of its reasons for its rejection; and
- (b) the Supplier shall then revise the draft BCDR Plan (taking reasonable account of the Authority's comments) and shall re-submit a revised draft BCDR Plan to the Authority for the Authority's approval within 20 Working Days of the date of the Authority's notice of rejection. The provisions of Paragraph 2.3 and this Paragraph 2.4 shall apply again to any resubmitted draft BCDR Plan, provided that either Party may refer any disputed matters for resolution by the Dispute Resolution Procedure at any time.

2.5 The Supplier shall ensure that its Sub-contractors' disaster recovery and business continuity plans are integrated with the BCDR Plan.

3 PART A OF THE BCDR PLAN AND GENERAL PRINCIPLES AND REQUIREMENTS

3.1 Part A of the BCDR Plan shall:

- (a) set out how the business continuity and disaster recovery elements of the Plan link to each other;
- (b) provide details of how the invocation of any element of the BCDR Plan may impact upon the operation of the Services and any services provided to the Authority by a Related Service Provider or Sub-contractors to the extent that the Supplier can reasonably be expected to foresee such impact;
- (c) contain an obligation upon the Supplier to liaise with the Authority and (at the Authority's request) any Related Service Provider with respect to issues concerning business continuity and disaster recovery where applicable;
- (d) detail how the BCDR Plan links and interoperates with any overarching and/or connected disaster recovery or business continuity plan of the Authority and any of its other Related Service Providers in each case as notified to the Supplier by the Authority from time to time;
- (e) contain a communication and escalation strategy including details of an incident and problem management service and advice and help desk facility which can be accessed via multi-channels (including but without limitation a web-site (with FAQs), e-mail, phone and fax) for both portable and desk top configurations, where required by the Authority;
- (f) contain a risk analysis, including:
 - (i) failure or disruption scenarios and assessments and estimates of frequency of occurrence;
 - (ii) identification of any single points of failure within the Services and processes for managing the risks arising therefrom;
 - (iii) identification of risks arising from the interaction of the Services with the

services provided by a Related Service Provider; and

- (iv) a business impact analysis (detailing the impact on business processes and operations) of different anticipated failures or disruptions;
- (g) provide for documentation of processes, including business processes, and procedures;
- (h) set out key contact details (including roles and responsibilities) for the Supplier (and any Sub-contractors) and for the Authority;
- (i) identify the procedures for reverting to “normal service”, being service in accordance with agreed specifications;
- (j) set out method(s) of recovering or updating data collected (or which ought to have been collected) during a failure or disruption to ensure that there is no data loss and to preserve data integrity;
- (k) identify the responsibilities (if any) that the Authority has agreed it will assume in the event of the invocation of the BCDR Plan; and
- (l) provide for the provision of technical advice and assistance to key contacts at the Authority as notified by the Authority from time to time to inform decisions in support of the Authority’s business continuity plans.

3.2 The BCDR Plan shall be designed so as to ensure that:

- (a) the Services are provided in accordance with this Agreement at all times during and after the invocation of the BCDR Plan;
- (b) the adverse impact of any Disaster, service failure, or disruption on the operations of the Authority is minimal as far as reasonably possible;
- (c) it complies with the relevant provisions of ISO/IEC 27002 and all other industry standards from time to time in force; and
- (d) there is a process for the management of disaster recovery testing detailed in the BCDR Plan.

3.3 The BCDR Plan shall be upgradeable and sufficiently flexible to support any changes to the Services or to the business processes facilitated by and the business operations supported by the Services.

3.4 The Supplier shall not be entitled to any relief from its obligations under the Performance Indicators or to any increase in the Charges to the extent that a Disaster occurs as a consequence of any breach by the Supplier of this Agreement.

4 BUSINESS CONTINUITY PLAN - PRINCIPLES AND CONTENTS

4.1 The Business Continuity Plan shall set out the arrangements that are to be invoked to ensure that the business processes and operations facilitated by the Services remain supported and to ensure continuity of the business operations supported by the Services including, unless the Authority expressly states otherwise in writing:

- (a) the alternative processes (including business processes), options and responsibilities that may be adopted in the event of a failure in or disruption to the Services; and
- (b) the steps to be taken by the Supplier upon resumption of the Services in order to address any prevailing effect of the failure or disruption including a root cause analysis

of the failure or disruption.

4.2 The Business Continuity Plan shall:

- (a) address the various possible levels of failures of or disruptions to the Services;
- (b) set out the services to be provided and the steps to be taken to remedy the different levels of failures of and disruption to the Services including the recovery time objectives set out in Annex 1 (such services and steps, the “**Business Continuity Services**”);
- (c) specify any applicable Performance Indicators with respect to the provision of the Business Continuity Services including the sequential prioritisation requirements in Annex 1 and details of any agreed relaxation to the Performance Indicators in respect of other Services during any period of invocation of the Business Continuity Plan; and
- (d) clearly set out the conditions and/or circumstances under which the Business Continuity Plan is invoked.

5 DISASTER RECOVERY PLAN - PRINCIPLES AND CONTENTS

5.1 The Disaster Recovery Plan shall be designed so as to ensure that upon the occurrence of a Disaster the Supplier ensures continuity of the business operations of the Authority supported by the Services following any Disaster or during any period of service failure or disruption with, as far as reasonably possible, minimal adverse impact.

5.2 The Disaster Recovery Plan shall be invoked only upon the occurrence of a Disaster.

5.3 The Disaster Recovery Plan shall include the following:

- (a) the technical design and build specification of the Disaster Recovery System;
- (b) details of the procedures and processes to be put in place by the Supplier and any Key Sub-contractor in relation to the Disaster Recovery System and the provision of the Disaster Recovery Services and any testing of the same including but not limited to the following:
 - (i) data centre and disaster recovery site audits;
 - (ii) backup methodology and details of the Supplier's approach to data back-up and data verification;
 - (iii) identification of all potential disaster scenarios;
 - (iv) risk analysis;
 - (v) documentation of processes and procedures;
 - (vi) hardware configuration details;
 - (vii) network planning including details of all relevant data networks and communication links;
 - (viii) invocation rules;
 - (ix) Service recovery procedures; and
 - (x) steps to be taken upon resumption of the Services to address any prevailing effect of the failure or disruption of the Services;

- (c) any applicable Performance Indicators with respect to the provision of the Disaster Recovery Services and details of any agreed relaxation to the Performance Indicators in respect of other Services during any period of invocation of the Disaster Recovery Plan;
- (d) details of how the Supplier shall ensure compliance with security standards ensuring that compliance is maintained for any period during which the Disaster Recovery Plan is invoked;
- (e) access controls to any disaster recovery sites used by the Supplier in relation to its obligations pursuant to this Schedule; and
- (f) testing and management arrangements.

6 REVIEW AND AMENDMENT OF THE BCDR PLAN

6.1 The Supplier shall review the BCDR Plan (and the risk analysis on which it is based):

- (a) on a regular basis and as a minimum once every 6 months;
- (b) within three calendar months of the BCDR Plan (or any part) having been invoked pursuant to Paragraph 8;
- (c) within one (1) month of a material change to the Services, introduced by the Supplier, the Authority or where external factors have an impact on the Services provided; and
- (d) where the Authority requests any additional reviews (over and above those provided for in Paragraphs 6.1(a), 6.1(b) and 6.1(c) by notifying the Supplier to such effect in writing, whereupon the Supplier shall conduct such reviews in accordance with the Authority's written requirements. Prior to starting its review, the Supplier shall provide an accurate written estimate of the total costs payable by the Authority for the Authority's approval. The costs of both Parties of any such additional reviews shall be met by the Authority except that the Supplier shall not be entitled to charge the Authority for any costs that it may incur above any estimate without the Authority's prior written approval.

6.2 Each review of the BCDR Plan pursuant to Paragraph 6.1 shall be a review of the procedures and methodologies set out in the BCDR Plan and shall assess their suitability having regard to any change to the Services or any underlying business processes and operations facilitated by or supported by the Services which have taken place since the later of the original approval of the BCDR Plan or the last review of the BCDR Plan and shall also have regard to any occurrence of any event since that date (or the likelihood of any such event taking place in the foreseeable future) which may increase the likelihood of the need to invoke the BCDR Plan. The review shall be completed by the Supplier within the period required by the BCDR Plan or, if no such period is required, within such period as the Authority shall reasonably require. The Supplier shall, within 20 Working Days of the conclusion of each such review of the BCDR Plan, provide to the Authority a report (a "**Review Report**") setting out:

- (a) the findings of the review;
- (b) any changes in the risk profile associated with the Services; and
- (c) the Supplier's proposals (the "**Supplier's Proposals**") for addressing any changes in the risk profile and its proposals for amendments to the BCDR Plan following the review detailing the impact (if any and to the extent that the Supplier can reasonably be expected to be aware of the same) that the implementation of such proposals may have on any services or systems provided by a third party.

6.3 Following receipt of the Review Report and the Supplier's Proposals, the Authority shall:

- (a) review and comment on the Review Report and the Supplier's Proposals as soon as reasonably practicable; and
- (b) notify the Supplier in writing that it approves or rejects the Review Report and the Supplier's Proposals no later than 20 Working Days after the date on which they are first delivered to the Authority.

6.4 If the Authority rejects the Review Report and/or the Supplier's Proposals:

- (a) the Authority shall inform the Supplier in writing of its reasons for its rejection; and
- (b) the Supplier shall then revise the Review Report and/or the Supplier's Proposals as the case may be (taking reasonable account of the Authority's comments and carrying out any necessary actions in connection with the revision) and shall re-submit a revised Review Report and/or revised Supplier's Proposals to the Authority for the Authority's approval within 20 Working Days of the date of the Authority's notice of rejection. The provisions of Paragraph 6.3 and this Paragraph 6.4 shall apply again to any resubmitted Review Report and Supplier's Proposals, provided that either Party may refer any disputed matters for resolution by the Dispute Resolution Procedure at any time.

6.5 The Supplier shall, as soon as is reasonably practicable after receiving the Authority's approval of the Supplier's Proposals, (having regard to the significance of any risks highlighted in the Review Report) effect any change in its practices or procedures necessary so as to give effect to the Supplier's Proposals. Any such change shall be at the Supplier's expense unless it can be reasonably shown that the changes are required because of a material change to the risk profile of the Services.

7 TESTING OF THE BCDR PLAN

7.1 The Supplier shall test the BCDR Plan on a regular basis (and in any event not less than once in every Contract Year). When a change has been made to the BCDR Plan which is, in the reasonable opinion of the Authority, a material change, then testing must also be carried out prior to Authority sign off to the change. Subject to Paragraph 7.2, the Authority may require the Supplier to conduct additional tests of some or all aspects of the BCDR Plan at any time where the Authority considers it necessary, including where there has been any change to the Services or any underlying business processes, or on the occurrence of any event which may increase the likelihood of the need to implement the BCDR Plan.

7.2 If the Authority requires an additional test of the BCDR Plan, it shall give the Supplier written notice and within 20 Working Days (or such longer period as the Supplier can **<REDACTED>**) the Supplier shall conduct the test in accordance with the Authority's requirements and the relevant provisions of the BCDR Plan. The Supplier's costs of the additional test shall be borne by the Authority unless the BCDR Plan fails the additional test in which case the Supplier's costs of that failed test shall be borne by the Supplier.

7.3 The Supplier shall undertake and manage testing of the BCDR Plan in full consultation with the Authority and shall liaise with the Authority in respect of the planning, performance, and review, of each test, and shall comply with the reasonable requirements of the Authority in this regard. Each test shall be carried out in collaboration the Authority or its nominee. The Authority shall have the option of observing all or part of the test.

7.4 The Supplier shall ensure that any use by it or any Sub-contractor of "live" data in such testing is first approved with the Authority. Copies of live test data used in any such testing shall be (if so required by the Authority) destroyed or returned to the Authority on completion of the test.

7.5 The Supplier shall, within 20 Working Days of the conclusion of each test, provide to the Authority a report setting out:

- (a) the outcome of the test;
- (b) any failures in the BCDR Plan (including the BCDR Plan's procedures) revealed by the test; and
- (c) the Supplier's proposals for remedying any such failures.

7.6 Following each test, the Supplier shall take all measures requested by the Authority, (including requests for the re-testing of the BCDR Plan) to remedy any failures in the BCDR Plan and such remedial activity and re-testing shall be completed by the Supplier, at no additional cost to the Authority, by the date reasonably required by the Authority and set out in such notice.

7.7 For the avoidance of doubt, the carrying out of a test of the BCDR Plan (including a test of the BCDR Plan's procedures) shall not relieve the Supplier of any of its obligations under this Agreement.

7.8 The Supplier shall also perform a test of the BCDR Plan in the event of any major reconfiguration of the Services or as otherwise reasonably requested by the Authority.

8 INVOCATION OF THE BCDR PLAN

8.1 In the event of a complete loss of service or in the event of a Disaster, the Supplier shall immediately invoke the BCDR Plan so as to ensure that each component of the Service is restored in accordance with the BCDR Plan by its corresponding recovery time objective as set out in Annex 1 (and shall inform the Authority promptly of such invocation and in any event no later than within an hour of invocation). In all other instances the Supplier shall invoke or test the BCDR Plan only with the prior consent of the Authority.

8.2 As part of its follow-up procedures within 20 Working Days after the complete loss of service, Disaster or other circumstance which lead to the invocation of the BCDR Plan has ceased, the Supplier shall assess the effectiveness of its invocation and implementation of the BCDR Plan and its impact on the recovery of the affected Services, and identify what (if any) changes should be made to the BCDR Plan to improve its effectiveness.

8.3 Following such assessment the Supplier shall provide a report to the Authority of the incident (for both a real or a test scenario) detailing why there was a need to invoke the BCDR plan, its effectiveness and any proposed changes for the Authority to approve.

Annex 1

Function	Service	Recovery Time Objective (Hours from occurrence of Disaster)
Communication	Automated message on voice services relating to incident and disruption to services	<REDACTED>
	Automated message on website nominated by the Authority relating to incident and disruption of services	<REDACTED>
	Notification to the Authority (Contract Manager) relating to the incident and disruption of services, and every four hours thereafter during the Working Day.	<REDACTED>
Helpline Services	Full helpline services	<REDACTED>
Pensioner Payroll	Payment of lump sums	<REDACTED>
	Processing the pensioner payroll (both new pensions and ongoing pensions)	<REDACTED>
Administration	Death in Service Notifications	<REDACTED>
Systems	Return to full functionality	<REDACTED>
Email	Return to full functionality	<REDACTED>
Other Services	Age Activations into Payment	<REDACTED>
	Incoming Mail Prioritisation	<REDACTED>
	Redundancy Estimates and Compensation Processing	<REDACTED>
	Death in Retirement and Widows	<REDACTED>
	Interface Processing	<REDACTED>
	Ill Health Cases	<REDACTED>
	Deferred Age Activations into payment	<REDACTED>
	Age Activations initial member contact/Correspondence	<REDACTED>
	Deferred Age Activations initial member contact / Correspondence	<REDACTED>
	Ad Hoc Payroll Payments (Rejected & Returned Payments)	<REDACTED>
	Payroll Standing Data Changes (critical)(i.e. Tax Codes, Bank Details)	<REDACTED>
	Death In Deferment	<REDACTED>
	Payroll Year End Reporting	<REDACTED>
	Cheques for Balance of Pension	<REDACTED>
	Daily Cheques Received Banking	<REDACTED>
	Court Orders Payroll	<REDACTED>
	Monthly Accounting, AVC Reconciliations and Contribution Monitoring	<REDACTED>
	Member Correspondence	<REDACTED>
	Death Nominations	<REDACTED>
	Revisions	<REDACTED>
	Activations – Initial Contact	<REDACTED>
Returned Mail and Suspension	<REDACTED>	
Any other Service not listed above	<REDACTED>	