

16 Hallstile Bank Hexham Northumberland NE46 3PQ Phone: 01434 601020 mail@doonanarchitects.co.uk

St Mary's Heritage Centre Repairs & Alterations

Scale April 2024 TS 1:50@A1 Drawing no Job no Rev 1555 01

For TWBPT

Drawing title

South Porch Existing and Proposed

Wire fall arrest system with eye bolts

parapets. Bolts drilled into the stone

secured to the stonework of the

joints and secured with resin.

New galvanised steel ladder

with safety hoops and central

harness clip system to be

New galvanised gantry with grid flooring and tubular handrails installed

installed up to the loft hatch.

Discrepancies, ambiguities and/or omissions between this drawing and information given elsewhere must be reported to the architect before proceeding. This drawing is copyright.

Dimensions must be checked on site. Do not scale off dimensions from this drawing.

New galvanised steel ladder with safety hoops and central

harness fall arrest system to

The gas fired air heater is to

be partially removed to allow

access for the ladder access

to be installed.

be installed.

Ladder fixings secured to the Scaffolding and temporary timber boards removed from Existing metal bell framework and support beams all Ladder fixings secured to the stonework. Fixings to be

Wire fall arrest system with eye bolts

parapets. Bolts drilled into the stone

stonework. Fixings to be

secured with a resin.

located at mortar joints, and

the bell frame.

located at mortar joints, and secured with a resin.


secured to the stonework of the

joints and secured with resin.


EXISTING PART TOWER SECTION LOOKING EAST 1:50

NOTE: The tower is not fully accessible due to the lack of safe ladder access and due to a build up of pigeon guano. The exact location of the bell frame is estimated from photographs taken from the first stage of the tower which has only limited access.

0m 0.5m 1m 1.5m 2m 2.5m



EXISTING PART TOWER SECTION LOOKING SOUTH 1:50



EXISTING PART TOWER SECTION LOOKING EAST 1:50

