

## Hardware Schedule

Laura Ayres	Date:	24 October 2019
Spiller AI Ltd	Quote No:	4945
1 Oxford Road	Quote Ref:	Contractor To Be Awarded
Pen Mill Trading Estate	Your Ref:	
Yeovil		
Somerset		
BA21 5HR	Estimator:	Laura Ayres
Re: Cheddar Parish Pavilion Ext	Rep:	Laura Ayres
Cheddar Parish Pavilion Ext		
Sharpham Road		
Cheddar		
Somerset		

---

Thank you for your recent enquiry regarding the supply of ironmongery for this contract, we have pleasure in enclosing herewith our quotation.

In preparing the quotation using drawing 488/071, we note the following points:

1. The Irving 2200 PAA range has been discontinued for some number of years, therefore we have allowed an alternative Polished Aluminium range.
2. We have included for internal doors only, assuming externals will be supplied complete by the door manufacturer.
3. We have included for doors D10-14, please advise if these are being supplied complete with ironmongery by Quadra doors and we will remove them from the quote.
4. Cylinders have been priced to operate under master key. Cylinder type, length, keying and key quantities will need to be confirmed prior to order. If you want these to match existing suiting we will require a key reference.
5. Kickplates have been quoted for in a nominal size. Exact dimensions to be confirmed by site prior to order.
6. We have included intumescent/smoke seals, intumescent hinge and lockcase liners, and fire signage to Fire rated doors.
7. To double doors we have included flush bolts to the slave leaf.
8. At this stage we have not included sundries items e.g. DOC M pack, doors tops and coat hooks - please advise if any of these are required and we will add them to the quote.

Should you have any queries or require additional information please do not hesitate to contact us as we look forward to being of further service to you with this and future projects.

Yours sincerely

Laura Ayres

Direct Dial: 01935 444676

Email: [laura.ayres@spillerai.co.uk](mailto:laura.ayres@spillerai.co.uk)  
Website: [www.spillerai.co.uk](http://www.spillerai.co.uk)

YEOVIL BRANCH: 1 Oxford Road, Pen Mill Trading Estate, Yeovil, Somerset, BA21 5HR

Terms

Delivery carriage paid on consignment value of £200 and over (U.K Mainland only)

Packing in door sets included

Subject to VAT

## Hardware Schedule

Re: Cheddar Parish  
Pavilion Ext



Hardware Set Ref: A      Lever / Lock  
Single Internal Door  
Assumed Fire Rating; FD30s  
Assumed Door Thickness; 44mm

Product	Description	Quantity	Unit
HB1568SS	Heavy duty stainless steel ball bearing butt hinge 100x75x3mm, type tested to EN1935, class 13 (heavy duty) and CE marked as approved for use on fire check and escape doors, c/w screws,	3	Each
XB8451XX	Intumescent hinge pads - pack of 6 to suit 3 hinges	1	Each
LB0216SS	Upright euro cylinder mortice sashlock, 60mm B/S, stainless steel forend & strike plate. CE.	1	Each
XB8465XX	Intumescent sleeve to suit DIN standard lockcase	1	Each
LF9638SC/MK	6 pin Euro profile cylinder and turn 35/35, comes with 2 keys, Satin Chrome plated To operate under Master Key system	1	Each
DB2207SE	Dorma TS71 Overhead door closer, adjustable power size EN3/4, with fixed backcheck, universal fixing, type tested to BSEN1154, CE marked and certifiere approved for use on fire check doors, Silver finish.	1	Each
FB4001PAA	19mm diameter return to door lever furniture, on round rose, Polished Aluminium.	1	Pair
FB4043PA	Polished aluminium Euro cylinder escutcheon, concealed fixing	2	Each
FB9090PA	Polished Aluminium kick plate, CUT TO DIMENSIONS ADVISED BY SITE, drilled and csk to screw fix Nominal size 800x150x1.5mm	2	Each
NB2401PA	FIRE DOOR KEEP SHUT sign, 75mm diameter, aluminium	2	Each
XB73310WE	Economy Intumescent/smoke seal 1050X15X4mm, White	1	Each
XB73321WE	Economy Intumescent/smoke seal 2100X15X4mm, White	2	Each

## Hardware Schedule

Re: Cheddar Parish  
Pavilion Ext



**SPILLER** YE OVIL  
ARCHITECTURAL IRONMONGERY

Product	Description	Quantity	Unit
		2	Doors

Door Ref	Door Description
D08	KITCHEN
D09	KITCHEN

## Hardware Schedule

Re: Cheddar Parish  
Pavilion Ext



Hardware Set Ref: B

Accessible WC  
Single Internal Door  
Assumed Fire Rating; NIL  
Assumed Door Thickness; 44mm

Product	Description	Quantity	Unit
HB1568SS	Heavy duty stainless steel ball bearing butt hinge 100x75x3mm, type tested to EN1935, class 13 (heavy duty) and CE marked as approved for use on fire check and escape doors, c/w screws,	3	Each
000A10603XX	Disabled Toilet Handle Set with indicator, lift to lock, Polished Aluminium	1	Set
FB9090PA	Polished Aluminium kick plate, CUT TO DIMENSIONS ADVISED BY SITE, drilled and csk to screw fix Nominal size 800x150x1.5mm	2	Each
NB2454PA	DISABLED silhouette sign, 75mm diameter, aluminium	1	Each
		<b>1 Doors</b>	

Door Ref	Door Description
D03	ACCESSIBLE WC

## Hardware Schedule

Re: Cheddar Parish  
Pavilion Ext



Hardware Set Ref: B1

WC Lobby Door  
Single Internal Door  
Assumed Fire Rating; NIL  
Assumed Door Thickness; 44mm

Product	Description	Quantity	Unit
HB1568SS	Heavy duty stainless steel ball bearing butt hinge 100x75x3mm, type tested to EN1935, class 13 (heavy duty) and CE marked as approved for use on fire check and escape doors, c/w screws,	3	Each
DB2207SE	Dorma TS71 Overhead door closer, adjustable power size EN3/4, with fixed backcheck, universal fixing, type tested to BSEN1154, CE marked and certifiere approved for use on fire check doors, Silver finish.	1	Each
000A10604XX	Pull handle, 300x19mm, bolt fix, Polished Aluminium	1	Each
FB1094PA	Polished aluminium finger plate, radiused corners, drilled and csk 330x100x1.5mm	1	Each
FB9090PA	Polished Aluminium kick plate, CUT TO DIMENSIONS ADVISED BY SITE, drilled and csk to screw fix Nominal size 800x150x1.5mm	2	Each
NB2450PA	MALE or FEMALE silhouette sign, 75mm diameter, aluminium	1	Each

**2 Doors**

Door Ref	Door Description
D01	FEMALE WCS
D02	MALE WCS

## Hardware Schedule

Re: Cheddar Parish  
Pavilion Ext



Hardware Set Ref: C

Store/Cellar  
Single Internal Door  
Assumed Fire Rating; NIL  
Assumed Door Thickness; 44mm

Product	Description	Quantity	Unit
HB1568SS	Heavy duty stainless steel ball bearing butt hinge 100x75x3mm, type tested to EN1935, class 13 (heavy duty) and CE marked as approved for use on fire check and escape doors, c/w screws,	3	Each
LB0236SS	Upright euro cylinder mortice deadlock, 60mm B/S, stainless steel forend & strike plate. CE	1	Each
LF9638SC/MK	6 pin Euro profile cylinder and turn 35/35, comes with 2 keys, Satin Chrome plated To operate under Master Key system	1	Each
000A10604XX	Pull handle, 300x19mm, bolt fix, Polished Aluminium	1	Each
FB4043PA	Polished aluminium Euro cylinder escutcheon, concealed fixing	2	Each
FB1094PA	Polished aluminium finger plate, radiused corners, drilled and csk 330x100x1.5mm	1	Each
FB9090PA	Polished Aluminium kick plate, CUT TO DIMENSIONS ADVISED BY SITE, drilled and csk to screw fix Nominal size 800x150x1.5mm	2	Each
		<b>1 Doors</b>	

Door Ref	Door Description
D04	STORE/CELLAR

## Hardware Schedule

Re: Cheddar Parish  
Pavilion Ext



Hardware Set Ref: C1

**DD Storage**  
**Double Internal Door**  
**Assumed Fire Rating; NIL**  
**Assumed Door Thickness; 44mm**

Product	Description	Quantity	Unit
HB1568SS	Heavy duty stainless steel ball bearing butt hinge 100x75x3mm, type tested to EN1935, class 13 (heavy duty) and CE marked as approved for use on fire check and escape doors, c/w screws,	6	Each
LB0236SS	Upright euro cylinder mortice deadlock, 60mm B/S, stainless steel forend & strike plate. CE	1	Each
LF9638SC/MK	6 pin Euro profile cylinder and turn 35/35, comes with 2 keys, Satin Chrome plated To operate under Master Key system	1	Each
000A10604XX	Pull handle, 300x19mm, bolt fix, Polished Aluminium	1	Each
FB4043PA	Polished aluminium Euro cylinder escutcheon, concealed fixing	2	Each
BB7008SS	Lever action flush bolt 203x20mm Satin Stainless Steel	2	Each
BB9313SC	Easy Clean Floor Socket Satin Chrome	1	Each
FB1094PA	Polished aluminium finger plate, radiused corners, drilled and csk 330x100x1.5mm	1	Each
FB9090PA	Polished Aluminium kick plate, CUT TO DIMENSIONS ADVISED BY SITE, drilled and csk to screw fix Nominal size 800x150x1.5mm	2	Each

### 5 Doors



## Hardware Schedule

**Re: Cheddar Parish  
Pavilion Ext**



---

Door Ref	Door Description
D10	STORAGE
D11	STORAGE
D12	STORAGE
D13	STORAGE
D14	STORAGE

---

## Hardware Schedule

Re: Cheddar Parish  
Pavilion Ext



Hardware Set Ref: D

**Double Internal Door**  
**Assumed Fire Rating; NIL**  
**Assumed Door Thickness; 44mm**

Product	Description	Quantity	Unit
HB1568SS	Heavy duty stainless steel ball bearing butt hinge 100x75x3mm, type tested to EN1935, class 13 (heavy duty) and CE marked as approved for use on fire check and escape doors, c/w screws,	6	Each
LB0236SS	Upright euro cylinder mortice deadlock, 60mm B/S, stainless steel forend & strike plate. CE	1	Each
LF9638SC/MK	6 pin Euro profile cylinder and turn 35/35, comes with 2 keys, Satin Chrome plated To operate under Master Key system	1	Each
DB2207SE	Dorma TS71 Overhead door closer, adjustable power size EN3/4, with fixed backcheck, universal fixing, type tested to BSEN1154, CE marked and certifiere approved for use on fire check doors, Silver finish.	1	Each
000A10604XX	Pull handle, 300x19mm, bolt fix, Polished Aluminium	1	Each
FB4043PA	Polished aluminium Euro cylinder escutcheon, concealed fixing	2	Each
BB7008SS	Lever action flush bolt 203x20mm Satin Stainless Steel	2	Each
BB9313SC	Easy Clean Floor Socket Satin Chrome	1	Each
FB1094PA	Polished aluminium finger plate, radiused corners, drilled and csk 330x100x1.5mm	1	Each
FB9090PA	Polished Aluminium kick plate, CUT TO DIMENSIONS ADVISED BY SITE, drilled and csk to screw fix Nominal size 800x150x1.5mm	4	Each

## 2 Doors

## Hardware Schedule

**Re: Cheddar Parish  
Pavilion Ext**



**S P I L L E R** Y E O V I L  
ARCHITECTURAL IRONMONGERY

---

Door Ref	Door Description
D05	CHANGING ROOMS
D07	HALL

---

## Hardware Schedule

Re: Cheddar Parish  
Pavilion Ext



Hardware Set Ref: D1

Bar  
Single Internal Door  
Assumed Fire Rating; NIL  
Assumed Door Thickness; 44mm

Product	Description	Quantity	Unit
HB1568SS	Heavy duty stainless steel ball bearing butt hinge 100x75x3mm, type tested to EN1935, class 13 (heavy duty) and CE marked as approved for use on fire check and escape doors, c/w screws,	3	Each
LB0236SS	Upright euro cylinder mortice deadlock, 60mm B/S, stainless steel forend & strike plate. CE	1	Each
LF9638SC/MK	6 pin Euro profile cylinder and turn 35/35, comes with 2 keys, Satin Chrome plated To operate under Master Key system	1	Each
DB2207SE	Dorma TS71 Overhead door closer, adjustable power size EN3/4, with fixed backcheck, universal fixing, type tested to BSEN1154, CE marked and certifiere approved for use on fire check doors, Silver finish.	1	Each
000A10604XX	Pull handle, 300x19mm, bolt fix, Polished Aluminium	1	Each
FB4043PA	Polished aluminium Euro cylinder escutcheon, concealed fixing	2	Each
FB1094PA	Polished aluminium finger plate, radiused corners, drilled and csk 330x100x1.5mm	1	Each
FB9090PA	Polished Aluminium kick plate, CUT TO DIMENSIONS ADVISED BY SITE, drilled and csk to screw fix Nominal size 800x150x1.5mm	2	Each

### 1 Doors

Door Ref	Door Description
D06	BAR

## Hardware Schedule

Re: Cheddar Parish  
Pavilion Ext



## Door Summary

Door Reference	Set Reference	Door Description
D01	B1	FEMALE WCS
D02	B1	MALE WCS
D03	B	ACCESSIBLE WC
D04	C	STORE/CELLAR
D05	D	CHANGING ROOMS
D06	D1	BAR
D07	D	HALL
D08	A	KITCHEN
D09	A	KITCHEN
D10	C1	STORAGE
D11	C1	STORAGE
D12	C1	STORAGE
D13	C1	STORAGE
D14	C1	STORAGE

## Hardware Schedule

Re: Cheddar Parish  
Pavilion Ext



## Set Summary

Set Ref.		Door Qty
A	Lever / Lock Single Internal Door Assumed Fire Rating; FD30s Assumed Door Thickness; 44mm	2
B	Accessible WC Single Internal Door Assumed Fire Rating; NIL Assumed Door Thickness; 44mm	1
B1	WC Lobby Door Single Internal Door Assumed Fire Rating; NIL Assumed Door Thickness; 44mm	2
C	Store/Cellar Single Internal Door Assumed Fire Rating; NIL Assumed Door Thickness; 44mm	1
C1	DD Storage Double Internal Door Assumed Fire Rating; NIL Assumed Door Thickness; 44mm	5
D	Double Internal Door Assumed Fire Rating; NIL Assumed Door Thickness; 44mm	2
D1	Bar Single Internal Door Assumed Fire Rating; NIL Assumed Door Thickness; 44mm	1
Total Doors:		14

## Hardware Schedule

Re: Cheddar Parish  
Pavilion Ext



## Product Summary

Product Code	Description	Qty	Unit
HB1568SS	Heavy duty stainless steel ball bearing butt hinge 100x75x3mm, type tested to EN1935, class 13 (heavy duty) and CE marked as approved for use on fire check and escape doors, c/w screws,	63	Each
XB8451XX	Intumescent hinge pads - pack of 6 to suit 3 hinges	2	Each
LB0216SS	Upright euro cylinder mortice sashlock, 60mm B/S, stainless steel forend & strike plate. CE.	2	Each
LB0236SS	Upright euro cylinder mortice deadlock, 60mm B/S, stainless steel forend & strike plate. CE	9	Each
XB8465XX	Intumescent sleeve to suit DIN standard lockcase	2	Each
LF9638SC/MK	6 pin Euro profile cylinder and turn 35/35, comes with 2 keys, Satin Chrome plated To operate under Master Key system	11	Each
DB2207SE	Dorma TS71 Overhead door closer, adjustable power size EN3/4, with fixed backcheck, universal fixing, type tested to BSEN1154, CE marked and certfire approved for use on fire check doors, Silver finish.	7	Each
000A10603XX	Disabled Toilet Handle Set with indicator, lift to lock, Polished Aluminium	1	Set
000A10604XX	Pull handle, 300x19mm, bolt fix, Polished Aluminium	11	Each
FB4001PAA	19mm diameter return to door lever furniture, on round rose, Polished Aluminium.	2	Pair
FB4043PA	Polished aluminium Euro cylinder escutcheon, concealed fixing	22	Each
BB7008SS	Lever action flush bolt 203x20mm Satin Stainless Steel	14	Each
BB9313SC	Easy Clean Floor Socket Satin Chrome	7	Each
FB1094PA	Polished aluminium finger plate, radiused corners, drilled and csk 330x100x1.5mm	11	Each
FB9090PA	Polished Aluminium kick plate, CUT TO DIMENSIONS ADVISED BY SITE, drilled and csk to screw fix      Nominal size 800x150x1.5mm	32	Each
NB2401PA	FIRE DOOR KEEP SHUT sign, 75mm diameter, aluminium	4	Each
NB2450PA	MALE or FEMALE silhouette sign, 75mm diameter, aluminium	2	Each
NB2454PA	DISABLED silhouette sign, 75mm diameter, aluminium	1	Each
XB73310WE	Economy Intumescent/smoke seal 1050X15X4mm, White	2	Each
XB73321WE	Economy Intumescent/smoke seal 2100X15X4mm, White	4	Each
Total Items:		209	

## Hardware Schedule

**Re: Cheddar Parish  
Pavilion Ext**



---

### Notes:

Spiller Architectural Ironmongery Limited ("Spiller")  
Standard Terms and Conditions

1. Acceptance of a quotation from Spiller by you, the customer, implies acceptance of the following terms and conditions.
2. Payment of invoices is required by the end of the month following date of invoice.
3. VAT is identified separately on all quotations and invoices.
4. This quotation is for the supply and delivery only of ironmongery to the customers' designated UK address. Carriage may apply, subject to para. 10 below.
5. Prices are fixed for 30 days from the date of the quotation, unless otherwise agreed by both parties. Spiller reserves the right to make pricing adjustments where, following the 30 day "fixed price" period, and before the customer places an order, we incur cost increases from our suppliers.
6. The quotation does not include the cost of site visits and/or customer training unless indicated in the quotation. We shall be pleased to quote separately for site visit(s) and training if/when required.
7. Title to the delivered goods supplied by Spiller passes to the purchaser only when payment in full is received by Spiller in respect of all goods supplied by Spiller to the purchaser.
8. Returns – the return of goods, which are stock items, will be accepted by prior agreement only, and will be subject to the goods being returned in saleable condition, and a minimum 25% re-stocking charge being applied.
9. Goods which are "special" orders (i.e. non stock items) at the request of the customer are non-returnable to Spiller. Outstanding amounts are required to be settled in full.
10. Carriage: There is no carriage charge for deliveries on our own vehicles within an approximate 40 mile radius of Yeovil. Deliveries by courier with an order value below £250 will be subject to a carriage charge, dependent upon weight.
11. No third party may rely on any term of the contract between Spiller and the purchaser under the Contracts (Rights of Third Parties) Act 1999.
12. These terms and the contract between Spiller and the purchaser shall be governed by English law and both parties submit to the exclusive jurisdiction of the English Courts.
13. Please refer to our website for our complete trading terms & conditions.