


DOOR TYPE:D01 D02-08 D09

INTERNAL DOORS TO BE SOLID CORE WITH PAINT FINISH
EXTERNAL DOORS: UPVC COMPOSITE TO MATCH EXTG WITH PAS 24:2016 SECURITY CERTIFIED

Door hardware selection schedule									
Project details		Adaptation	Schedule abbreviations						
Project name:		6 Hetley Road	Door leaf/frame type						
Project location:		Beeston							
Building description:		Adatation & Refurbishment							
Drawing references:		CW20-001	GC	Glazed composite upvc finish					
			SC	Solid core paint finish					
Door hardware requirements									
Manufacturer:		Nationwide for ext	Notes						
Hardware finish:		SS							
Lever/rose furniture series:		As extg	All terminology, abbreviations, ratings and classifications for the following items to AS 4145.1:						
Lever/plate furniture series - standard width:		N/A	Lock function, Keying, Durability rating, Keying security, Cylinder security, Physical security of locks,						
Pull handles		N/A	Physical security of door locksets and Corrosion classification.						
Push plates		N/A	Door handling to be designated by supplier by reference to drawings						
Hinges		1.5 102x 76mm Grade13	SS						
Kick plates		N/A	References						
			AS 4145-2008 Locksets and hardware for doors and windows. Part 1: Glossary of terms and rating system.						

Door number	New or Existing opening	Interior or exterior door	Door leaf type	Auto opening	Fire rating (FRL)	Hinges	Closer	Door seal type	Electronic control	Lock furniture type	Push &Kick plate	Physical security of locksets	Notes
D1	New 1000X2100mm	Ext	GC		n/a	Specialist	No	Double seal		Cranked lever + latch	n/a		
D2	New 1000X2100mm	Int	SC		30min	1.5 102x76	No	Intumescent		Cranked lever + latch	n/a		
D3	New 1000X2100mm	Int	SC		30min	1.5 102x76	No	Intumescent		Cranked lever + latch	n/a		
D4	Widened opening	Ext	GC		n/a	Specialist	No	Double seal		Cranked lever+lockset to AS4145-2008	n/a		
D5	New 1000X2100mm	Int	SC		30min	1.5 102x76	No	None		Cranked lever+batrm lock	n/a		
D6	New 1000X2100mm	Int	SC		30min	1.5 102x76	No	Intumescent		Cranked lever + latch	n/a		
D7	New 1000X2100mm	Int	SC		30min	1.5 102x76	No	Intumescent		Cranked lever + latch	n/a		
D8	New 1000X2100mm	Int	SC		30min	1.5 102x76	No	Intumescent		Cranked lever + latch	n/a		
D9	New 1000X2100mm	Int	SC		30min	1.5 102x76	No	None		Cranked lever+batrm lock	n/a		



Broxtowe
Borough
COUNCIL

Directorate of Housing, Leisure & Property Services
Council Offices
Foster Avenue
Beeston
Nottingham
NG9 1AB

Tel: (0115) 917 7777
Fax: (0115) 917 3600
Email: env@broxtowe.gov.uk

PROJECT: 6 Hetley Road
Beeston

TITLE: Door Schedule

SCALE: DATE: 10/06/2019

DRAWN: JB CHECK: XX CDM CHECK:

DWG No: CW19.004.110