



FRAMEWORK SCHEDULE 2: SPECIFICATION

PART A - SERVICES

SPECIFICATION FOR THE SUPPLY OF MEDALS AND INSIGNIA

Part 3 of 4 (Lots 37 to 46)

THE ROYAL VICTORIAN MEDAL

Lot 37 - HONORARY RVM - Gold (Lady)

General Description:

Medal consisting of

- (a) Top Ribbon Ring
- (b) Ring Mount
- (c) Medal

Ribbon

- (d) Bow

Case

- (e) Outer Case
- (f) Insert

MEDAL

(a) Top Ribbon Ring

<i>Material</i>	Hallmark Quality Sterling Silver Wire
<i>Diameter of Wire</i>	1.5mm
<i>Outside Diameter of Ring</i>	12.7mm
<i>Finish</i>	The Ring to be polished

(b) Ring Mount

<i>Design</i>	Wire fashioned into a combined ring and fixing pin
<i>Material</i>	Hallmark Quality Sterling Silver Wire
<i>Diameter of Wire</i>	1.5mm
<i>Outside Diameter of Ring</i>	5mm
<i>Length of Fixing Pin</i>	4mm
<i>Finish</i>	The Ring Mount to be polished

(c) Medal

<i>Design</i>	Round with Obverse showing the standard youthful effigy of Queen Elizabeth II with the wording ELIZABETH II DEI GRATIA REGINA F.D. The Reverse showing the Royal Cypher EIIR surrounded by a combination laurel wreath and ribbon with the wording ROYAL VICTORIAN MEDAL in a scroll beneath the Cypher. Obverse and Reverse to match Sealed Pattern.
<i>Material</i>	Hallmark Quality Sterling Silver
<i>Diameter</i>	28.45mm
<i>Thickness</i>	3.2mm (edge)
<i>Manufacture</i>	Fully struck with square edges and machines to remove sharp edges
<i>Finish</i>	Obverse and Reverse: Polished die finish with no marks or blemishes visible. Edge: Fully made, free from marks or blemishes.
<i>Assembly</i>	Fixing pin of Ring Mount (b) silver soldered into a hole drilled in the edge of the Medal (c) at the top dead centre so that the Ring is at right angles to the Medal. Top Ribbon Ring (a) to be fitted to the mount and silver soldered.
<i>Plating</i>	The whole assembled Medal to be gold plated to a thickness of 2.5 micron
<i>Weight of Assembled Medal</i>	25.0 grams

RIBBON

(d) Bow

<i>Colour</i>	Blue with a central white stripe 2mm wide. Red borders of 6mm with central white stripe of 2mm to form three equal stripes red, white, red
<i>Total Width</i>	32mm
<i>Finished Length of Bow</i>	83mm
<i>Fastening</i>	Fashioned into a Bow without tails and sewn to a gold plated steel brooch fitting, to match Sealed Pattern

CASE

(e) Outer Case

External Dimensions 110mm x 93mm x 30mm

Construction Wooden construction and covered with red vinyl. Hinged along the long edge. The lid to be gold blocked to match Sealed Pattern featuring a large crown with the wording ROYAL VICTORIAN MEDAL below and the word GOLD below that, all centrally positioned with the hinge at the top. A border enclosing the whole is gold blocked 10mm from the edge.

Lining The lid is lined with a white satin covered pad. The hinge is covered with a white satin cover.

(f) Insert

A base pad recessed to accept the medal and brooch, with a cream coloured velvet covering. The Bow to lie flat on the pad.



THE ROYAL VICTORIAN MEDAL

Lot 38 - HONORARY RVM - Gold (Gent)

General Description:

Medal consisting of

- (a) Top Ribbon Ring
- (b) Ring Mount
- (c) Medal

Ribbon

- (d) Medal Ribbon

Case

- (e) Outer Case
- (f) Insert

MEDAL

(a) Top Ribbon Ring

<i>Material</i>	Hallmark Quality Sterling Silver Wire
<i>Diameter of Wire</i>	1.5mm
<i>Outside Diameter of Ring</i>	12.7mm
<i>Finish</i>	The Ring to be polished

(b) Ring Mount

<i>Design</i>	Wire fashioned into a combined ring and fixing pin
<i>Material</i>	Hallmark Quality Sterling Silver Wire
<i>Diameter of Wire</i>	1.5mm
<i>Outside Diameter of Ring</i>	5mm
<i>Length of Fixing Pin</i>	4mm
<i>Finish</i>	The Ring Mount to be polished

(c) Medal

<i>Design</i>	Round with Obverse showing the standard youthful effigy of Queen Elizabeth II with the wording ELIZABETH II DEI GRATIA REGINA F.D. The Reverse showing the Royal Cypher EIIR surrounded by a combination laurel wreath and ribbon with the wording ROYAL VICTORIAN MEDAL in a scroll beneath the Cypher. Obverse and Reverse to match Sealed Pattern.
<i>Material</i>	Hallmark Quality Sterling Silver
<i>Diameter</i>	28.45mm
<i>Thickness</i>	3.2mm (edge)
<i>Manufacture</i>	Fully struck with square edges and machines to remove sharp edges
<i>Finish</i>	Obverse and Reverse: Polished die finish with no marks or blemishes visible. Edge: Fully made, free from marks or blemishes.
<i>Assembly</i>	Fixing pin of Ring Mount (b) silver soldered into a hole drilled in the edge of the Medal (c) at the top dead centre so that the Ring is at right angles to the Medal. Top Ribbon Ring (a) to be fitted to the mount and silver soldered.
<i>Plating</i>	The whole assembled Medal to be gold plated to a thickness of 2.5 micron
<i>Weight of Assembled Medal</i>	25.0 grams

RIBBON

(d) Bow

<i>Colour</i>	Blue with a central white stripe 2mm wide. Red borders of 6mm with central white stripe of 2mm to form three equal stripes red, white, red
<i>Total Width</i>	32mm
<i>Finished Length of Bow</i>	83mm
<i>Fastening</i>	Hung and sewn to a gold plated steel brooch fitting, to match Sealed Pattern

CASE

(e) Outer Case

External Dimensions 106mm x 66mm x 34mm

Construction Wooden construction and covered with red vinyl. Hinged along the long edge. The lid to be gold blocked to match Sealed Pattern featuring a large crown with the wording ROYAL VICTORIAN MEDAL below and the word GOLD below that, all centrally positioned with the hinge at the top. A border enclosing the whole is gold blocked 10mm from the edge.

Lining The lid is lined with a white satin covered pad. The hinge is covered with a white satin cover.

(f) Insert

A base pad recessed to accept the medal, ribbon and brooch, with a cream coloured velvet covering.



THE ROYAL VICTORIAN MEDAL

Lot 39 - HONORARY RVM - Silver (Lady)

General Description:

Medal consisting of

- (a) Top Ribbon Ring
- (b) Ring Mount
- (c) Medal

Ribbon

- (d) Bow

Case

- (e) Outer Case
- (f) Insert

MEDAL

(a) Top Ribbon Ring

<i>Material</i>	Hallmark Quality Sterling Silver Wire
<i>Diameter of Wire</i>	1.5mm
<i>Outside Diameter of Ring</i>	12.7mm
<i>Finish</i>	The Ring to be polished

(b) Ring Mount

<i>Design</i>	Wire fashioned into a combined ring and fixing pin
<i>Material</i>	Hallmark Quality Sterling Silver Wire
<i>Diameter of Wire</i>	1.5mm
<i>Outside Diameter of Ring</i>	5mm
<i>Length of Fixing Pin</i>	4mm
<i>Finish</i>	The Ring Mount to be polished

(c) Medal

<i>Design</i>	Round with Obverse showing the standard youthful effigy of Queen Elizabeth II with the wording ELIZABETH II DEI GRATIA REGINA F.D. The Reverse showing the Royal Cypher EIIR surrounded by a combination laurel wreath and ribbon with the wording ROYAL VICTORIAN MEDAL in a scroll beneath the Cypher. Obverse and Reverse to match Sealed Pattern.
<i>Material</i>	Hallmark Quality Sterling Silver
<i>Diameter</i>	28.45mm
<i>Thickness</i>	3.2mm (edge)
<i>Manufacture</i>	Fully struck with square edges and machines to remove sharp edges
<i>Finish</i>	Obverse and Reverse: Polished die finish with no marks or blemishes visible. Edge: Fully made, free from marks or blemishes.
<i>Assembly</i>	Fixing pin of Ring Mount (b) silver soldered into a hole drilled in the edge of the Medal (c) at the top dead centre so that the Ring is at right angles to the Medal. Top Ribbon Ring (a) to be fitted to the mount and silver soldered.
<i>Plating</i>	The whole assembled Medal to be gold plated to a thickness of 2.5 micron
<i>Weight of Assembled Medal</i>	25.0 grams

RIBBON

(d) Bow

<i>Colour</i>	Blue with a central white stripe 2mm wide. Red borders of 6mm with central white stripe of 2mm to form three equal stripes red, white, red
<i>Total Width</i>	32mm
<i>Finished Length of Bow</i>	83mm
<i>Fastening</i>	Fashioned into a Bow without tails and sewn to a gold plated steel brooch fitting, to match Sealed Pattern

CASE

(e) Outer Case

External Dimensions 110mm x 93mm x 30mm

Construction Wooden construction and covered with red vinyl. Hinged along the long edge. The lid to be gold blocked to match Sealed Pattern featuring a large crown with the wording ROYAL VICTORIAN MEDAL below and the word GOLD below that, all centrally positioned with the hinge at the top. A border enclosing the whole is gold blocked 10mm from the edge.

Lining The lid is lined with a white satin covered pad. The hinge is covered with a white satin cover.

(f) Insert

A base pad recessed to accept the medal and brooch, with a cream coloured velvet covering. The Bow to lie flat on the pad.



CabinetOffice

THE ROYAL VICTORIAN MEDAL

Lot 40 - HONORARY RVM - Silver (Gent)

General Description:

Medal consisting of

- (a) Top Ribbon Ring
- (b) Ring Mount
- (c) Medal

Ribbon

- (d) Medal Ribbon

Case

- (e) Outer Case
- (f) Insert

MEDAL

(a) Top Ribbon Ring

<i>Material</i>	Hallmark Quality Sterling Silver Wire
<i>Diameter of Wire</i>	1.5mm
<i>Outside Diameter of Ring</i>	12.7mm
<i>Finish</i>	The Ring to be polished

(b) Ring Mount

<i>Design</i>	Wire fashioned into a combined ring and fixing pin
<i>Material</i>	Hallmark Quality Sterling Silver Wire
<i>Diameter of Wire</i>	1.5mm
<i>Outside Diameter of Ring</i>	5mm
<i>Length of Fixing Pin</i>	4mm
<i>Finish</i>	The Ring Mount to be polished

(c) Medal

<i>Design</i>	Round with Obverse showing the standard youthful effigy of Queen Elizabeth II with the wording ELIZABETH II DEI GRATIA REGINA F.D. The Reverse showing the Royal Cypher EIIR surrounded by a combination laurel wreath and ribbon with the wording ROYAL VICTORIAN MEDAL in a scroll beneath the Cypher. Obverse and Reverse to match Sealed Pattern.
<i>Material</i>	Hallmark Quality Sterling Silver
<i>Diameter</i>	28.45mm
<i>Thickness</i>	3.2mm (edge)
<i>Manufacture</i>	Fully struck with square edges and machines to remove sharp edges
<i>Finish</i>	Obverse and Reverse: Polished die finish with no marks or blemishes visible. Edge: Fully made, free from marks or blemishes.
<i>Assembly</i>	Fixing pin of Ring Mount (b) silver soldered into a hole drilled in the edge of the Medal (c) at the top dead centre so that the Ring is at right angles to the Medal. Top Ribbon Ring (a) to be fitted to the mount and silver soldered.
<i>Plating</i>	The whole assembled Medal to be gold plated to a thickness of 2.5 micron
<i>Weight of Assembled Medal</i>	25.0 grams

RIBBON

(d) Bow

<i>Colour</i>	Blue with a central white stripe 2mm wide. Red borders of 6mm with central white stripe of 2mm to form three equal stripes red, white, red
<i>Total Width</i>	32mm
<i>Finished Length of Bow</i>	83mm
<i>Fastening</i>	Hung and sewn to a gold plated steel brooch fitting, to match Sealed Pattern

CASE

(e) Outer Case

External Dimensions 106mm x 66mm x 34mm

Construction Wooden construction and covered with red vinyl. Hinged along the long edge. The lid to be gold blocked to match Sealed Pattern featuring a large crown with the wording ROYAL VICTORIAN MEDAL below and the word GOLD below that, all centrally positioned with the hinge at the top. A border enclosing the whole is gold blocked 10mm from the edge.

Lining The lid is lined with a white satin covered pad. The hinge is covered with a white satin cover.

(f) Insert

A base pad recessed to accept the medal, ribbon and brooch, with a cream coloured velvet covering.



THE ROYAL VICTORIAN MEDAL

Lot 41 - Bar to Royal Victorian Medal (Silver)

General Description:

Bar consisting of

- (a) Obverse
- (b) Reverse

Ribbon

- (c) Ribbon Mount for Presentation

Box

- (d) Box

BAR

(a) Obverse

<i>Design</i>	Bar with plain textured surface surrounded by a raised border to match Sealed Pattern. The back to be left plain.
<i>Material</i>	Hallmark Quality Sterling silver
<i>Width</i>	5mm
<i>Length</i>	34mm
<i>Thickness</i>	1.5mm
<i>Manufacture</i>	Struck with a flat back and clipped to shape.
<i>Engraving</i>	The year of issue to be engraved dead centre at the time the order is placed
<i>Finish</i>	Scratchbrushed

(b) Reverse

<i>Design</i>	Plain with upturned ends. Ends recessed to accept Obverse (a). Two lugs on each end with holes to allow sewing to the Ribbon (c) to match Sealed Pattern
<i>Material</i>	Hallmark Standard Sterling Silver
<i>Length</i>	33mm
<i>Width</i>	5.2mm
<i>Thickness</i>	0.75mm
<i>Upturn Height</i>	3mm
<i>Holes</i>	1mm diameter
<i>Engraving</i>	The Cypher EIIR to be engraved dead centre
<i>Finish</i>	Scratchbrushed

Assembly The Obverse to be securely silver soldered to the Reverse. The whole Bar to be dressed to remove any excess solder and then scratchbrushed.

Total Weight 3.4 grams

RIBBON

(c) Ribbon Mount for Presentation

Colour Blue bordered in red and white to match Sealed Pattern

Total Width 32mm

Finished Length 70mm

Fastening Ribbon to be doubled over and threaded through assembled Bar. Bar to be positioned dead centre on folded ribbon and sewn into place using red thread

BOX

(d) Box The whole to be supplied in a small cardboard box sized to take the assembled Bar and Ribbon without folding.



THE ORDER OF THE BRITISH EMPIRE

Lot 42 - GBE Badge and Star (Gent) - Military

General Description:

Badge consisting of

- (a) Top Ribbon Ring
- (b) Crown
- (c) Cross consisting of
 - (i) Cross
 - (ii) Centre Mount 1
 - (iii) Centre Mount 2

Star consisting of

- (d) Body
- (e) Pin
- (f) Domed Plate
- (g) Centre Mount 1
- (h) Centre Mount 2

Ribbon

- (i) Full size Investiture Sash
- (j) Half size Evening Sash
- (k) Miniature width Neck Ribbon

Case

- (l) Outer Case
- (m) Insert

BADGE

- (a) **Top Ribbon Ring**
- | | |
|---------------------------------|---|
| <i>Material</i> | Hallmark quality sterling silver wire gilt |
| <i>Diameter of Wire</i> | 2.10mm |
| <i>Outside Diameter of ring</i> | 17.0 mm |
| <i>Finish</i> | Ends of ring to be soldered together and the whole polished so that the join appears as an integral part of the assembly. |
| <i>Manufacture</i> | Attached inside tube soldered to ornamental piece at the top of the Crown (b) |
- (b) **Crown**
- | | |
|--------------------|--|
| <i>Design</i> | Imperial Crown |
| <i>Material</i> | Hallmark quality sterling silver gilt |
| <i>Width</i> | 21.0 mm |
| <i>Height</i> | 22.0 mm |
| <i>Manufacture</i> | Stamped from a Die and pierced out to shape two hinged tubes soldered on to fit on to the top of the Cross |
| <i>Finish</i> | The whole polished and gilt. |
- (c)(i) **Cross**
- | | |
|--------------------|---|
| <i>Design</i> | Four armed Fleur de Lys Cross |
| <i>Material</i> | Hallmark Quality Sterling Silver, exposed areas gold plated to 1 micron |
| <i>Width</i> | 74.00mm |
| <i>Height</i> | 74.00mm |
| <i>Thickness</i> | 1.50mm |
| <i>Manufacture</i> | Stamped from two dies then soldered together, filed and buffed to shape on the obverse |
| <i>Obverse</i> | Centre of Cross to be recessed to provide seating for Centre Mounts 1 and 2. The four arms of the Cross to be vitreous enameled in transparent blue to match Sealed Pattern. Enamel surface to be convex and free of impurities. Silver background to the enamel to show clearly through the enamel as a fine textured surface to match Sealed Pattern. |
| <i>Reverse</i> | Depicts in the centre in relief a Crown and the Cypher of King George V within a rope outer circle. |
| <i>Finish</i> | All beveled edges of the Fleur de Lys should be dressed clean and free from file marks. The reverse, including beveled edges, to be finely sandblasted. |

(c)(ii) Centre Mount 1

<i>Design</i>	A gold coloured circle with a red vitreous enamel background with gold coloured lettering reading FOR GOD AND THE EMPIRE
<i>Material</i>	Gilding metal gold plated
<i>Thickness</i>	1.50 mm
<i>Diameter</i>	30.0 mm
<i>Manufacture</i>	Stamped from Die, enamelled in vitreous red enamel in gilding metal with lettering reading FOR GOD AND THE EMPIRE. The circle is fixed to the Cross by means of a bezel.
<i>Finish</i>	All parts polished.

(c)(iii) Centre Mount 2

<i>Design</i>	Solid gold disc centre to Centre Mount 1, depicting the crowned effigies of King George V and Queen Mary.
<i>Material</i>	Hallmark quality 9ct yellow gold
<i>Thickness</i>	1.50mm
<i>Diameter</i>	21.0 mm
<i>Manufacture</i>	Stamped from Die in 9ct yellow gold, solid centre . The disc is fixed to the centre of the Cross by means of a bezel.
<i>Finish</i>	All parts polished.
<i>Total weight of Assembled Badge</i>	72.50 grams.

STAR

(d) Star

<i>Design</i>	Eight pointed Star
<i>Material</i>	Hallmark Quality Sterling Silver
<i>Height</i>	100.00mm
<i>Width</i>	84.00mm
<i>Thickness</i>	2.50mm
<i>Manufacture</i>	The star is produced by means of a casting and then cleaned up by hand. All the facets are cut up by hand to leave bright as Sealed Pattern

(e) Pin

<i>Design</i>	Hinge, Pin and Safety Catch. As per Sealed Pattern
<i>Material</i>	Hallmark Quality 9ct yellow gold
<i>Dimensions</i>	As per Sealed Pattern

(f) Domed Plate

<i>Design</i>	As per Sealed Pattern
<i>Material</i>	Hallmark Quality Sterling Silver
<i>Dimensions</i>	As per Sealed Pattern

- (g) **Centre Mount 1**
- | | |
|--------------------|---|
| <i>Design</i> | A gold coloured circle with a red vitreous enamel background with gold coloured lettering reading FOR GOD AND THE EMPIRE |
| <i>Material</i> | Gilding metal gold plated |
| <i>Thickness</i> | 1.50 mm |
| <i>Diameter</i> | 30.0 mm |
| <i>Manufacture</i> | Stamped from Die, enamelled in vitreous red enamel in gilding metal with lettering reading FOR GOD AND THE EMPIRE. The circle is fixed to the Star by means of a bezel. |
| <i>Finish</i> | All parts polished. |
- (h) **Centre Mount 2**
- | | |
|---------------------------------------|---|
| <i>Design</i> | Solid gold disc centre to Centre Mount 1, depicting the crowned effigies of King George V and Queen Mary. |
| <i>Material</i> | Hallmark quality 9ct yellow gold |
| <i>Thickness</i> | 0.550mm |
| <i>Diameter</i> | 21.0 mm |
| <i>Manufacture</i> | Stamped from Die in 9ct yellow gold, solid centre . The disc is fixed to the centre of the Cross by means of a bezel. |
| <i>Finish</i> | All parts polished. |
| <i>Total weight of Assembled Star</i> | 90.00 grams. |

RIBBONS

- (i) **Full Size Investiture Sash**
- | | |
|---|---|
| <i>Colour</i> | Rose pink with pearl grey edges and a pearl grey central stripe to match Sealed Pattern |
| <i>Material</i> | Silk |
| <i>Width</i> | 100.0mm |
| <i>Width of grey edges & Stripe</i> | 7.0mm |
| <i>Finished Length</i> | 1657.0mm |
| <i>Construction</i> | Hook and eye on ends and swivel clip on bow to hold Badge |

- (j) **Half size Evening Sash**
- | | |
|---|--|
| <i>Colour</i> | Rose pink with pearl grey edges and a pearl grey central stripe to match Sealed Pattern |
| <i>Material</i> | Silk |
| <i>Width</i> | 100.0mm |
| <i>Width of grey edges & Stripe</i> | 7.0mm |
| <i>Finished Length</i> | As per Sealed Pattern |
| <i>Construction</i> | Swivel clip on bow to hold Badge. Buttonhole beneath bow. Top end finished with buttonholes and per Sealed Pattern. To be packed in Outer Case underneath Insert |

- (k) **Miniature width Neck Ribbon**
- | | |
|---|--|
| <i>Colour</i> | Rose pink with pearl grey edges and a pearl grey central stripe to match Sealed Pattern |
| <i>Material</i> | Silk |
| <i>Width</i> | As per Sealed Pattern |
| <i>Width of grey edges & Stripe</i> | As per Sealed Pattern |
| <i>Finished Length</i> | As per Sealed Pattern |
| <i>Fastening</i> | Hook and eye – one end with adjustable hooks. To be packed in Outer Case underneath Insert |

CASE

- (l) **Outer Case**
- | | |
|----------------------------|--|
| <i>External Dimensions</i> | 293.0mm x 155.0mm |
| <i>Construction</i> | Hardwood frame covered with black Rexene with creasing around the rim and top edge. Hinged side opening with two hinges with sprung push button catch at side. The letters G.B.E. MILY gold blocked Roman style in one line lengthways in the centre of the outside lid. Two wooden runners on the base to support Insert. |
| <i>Lining</i> | The inside of the lid to be padded covered in white satin. The inside of the base and runners to be covered in white leatherette |
- (m) **Insert**
- | | |
|---------------------|---|
| <i>Dimensions</i> | To fit inside Outer Case snugly on the runners |
| <i>Construction</i> | To be padded and covered with white cream velvet with indentations in the shape of the Badge and Star and slot above the indentations to accept ribbons folded beneath the block. |





THE ORDER OF THE BRITISH EMPIRE

Lot 43 - GBE Badge and Star (Lady) - Military

General Description:

Badge consisting of

- (a) Top Ribbon Ring
- (b) Crown
- (c) Cross consisting of
 - (i) Cross
 - (ii) Centre Mount 1
 - (iii) Centre Mount 2

Star consisting of

- (d) Body
- (e) Pin
- (f) Domed Plate
- (g) Centre Mount 1
- (h) Centre Mount 2

Ribbon

- (i) Full size Investiture Sash
- (j) Half size Evening Sash
- (k) Miniature width Neck Ribbon

Case

- (l) Outer Case
- (m) Insert

BADGE

- (a) **Top Ribbon Ring**
- | | |
|---------------------------------|---|
| <i>Material</i> | Hallmark quality sterling silver wire gilt |
| <i>Diameter of Wire</i> | 2.5mm |
| <i>Outside Diameter of ring</i> | 18.0 mm |
| <i>Finish</i> | Ends of ring to be soldered together and the whole polished so that the join appears as an integral part of the assembly. |
| <i>Manufacture</i> | Attached inside tube soldered to ornamental piece at the top of the Crown (b) |
- (b) **Crown**
- | | |
|--------------------|--|
| <i>Design</i> | Imperial Crown |
| <i>Material</i> | Hallmark quality sterling silver gilt |
| <i>Width</i> | 21.0 mm |
| <i>Height</i> | 22.0 mm |
| <i>Manufacture</i> | Stamped from a Die and pierced out to shape two hinged tubes soldered on to fit on to the top of the Cross |
| <i>Finish</i> | The whole polished and gilt. |
- (c)(i) **Cross**
- | | |
|--------------------|---|
| <i>Design</i> | Four armed Fleur de Lys Cross |
| <i>Material</i> | Hallmark Quality Sterling Silver, exposed areas gold plated to 1 micron |
| <i>Width</i> | 72.00mm |
| <i>Height</i> | 72.00mm |
| <i>Thickness</i> | 1.50mm |
| <i>Manufacture</i> | Stamped from two dies then soldered together, filed and buffed to shape on the obverse |
| <i>Obverse</i> | Centre of Cross to be recessed to provide seating for Centre Mounts 1 and 2. The four arms of the Cross to be vitreous enameled in transparent blue to match Sealed Pattern. Enamel surface to be convex and free of impurities. Silver background to the enamel to show clearly through the enamel as a fine textured surface to match Sealed Pattern. |
| <i>Reverse</i> | Depicts in the centre in relief a Crown and the Cypher of King George V within a rope outer circle. |
| <i>Finish</i> | All beveled edges of the Fleur de Lys should be dressed clean and free from file marks. The reverse, including beveled edges, to be finely sandblasted. |

(c)(ii) Centre Mount 1

<i>Design</i>	A gold coloured circle with a red vitreous enamel background with gold coloured lettering reading FOR GOD AND THE EMPIRE
<i>Material</i>	Gilding metal gold plated
<i>Thickness</i>	1.50 mm
<i>Diameter</i>	29.0 mm
<i>Manufacture</i>	Stamped from Die, enamelled in vitreous red enamel in gilding metal with lettering reading FOR GOD AND THE EMPIRE. The circle is fixed to the Cross by means of a bezel.
<i>Finish</i>	All parts polished.

(c)(iii) Centre Mount 2

<i>Design</i>	Solid gold disc centre to Centre Mount 1, depicting the crowned effigies of King George V and Queen Mary.
<i>Material</i>	Hallmark quality 9ct yellow gold
<i>Thickness</i>	1.50mm
<i>Diameter</i>	21.0 mm
<i>Manufacture</i>	Stamped from Die in 9ct yellow gold, solid centre . The disc is fixed to the centre of the Cross by means of a bezel.
<i>Finish</i>	All parts polished.
<i>Total weight of Assembled Badge</i>	72.50 grams.

STAR

(d) Star

<i>Design</i>	Eight pointed Star
<i>Material</i>	Hallmark Quality Sterling Silver
<i>Height</i>	84.00mm
<i>Width</i>	70.00mm
<i>Thickness</i>	2.50mm
<i>Manufacture</i>	The star is produced by stamping from a die and then being hand sawn and dressed. Holes using a 0.7mm drill are pierced between all facets, the reverse of the holes are punched with a diamond punch. All the facets are cut up by hand to leave bright as Sealed Pattern

(e) Pin

<i>Design</i>	Hinge, Pin and Safety Catch. As per Sealed Pattern
<i>Material</i>	Hallmark Quality hard sterling silver
<i>Dimensions</i>	As per Sealed Pattern

(f) Domed Plate

<i>Design</i>	As per Sealed Pattern
<i>Material</i>	Hallmark Quality Sterling Silver
<i>Dimensions</i>	As per Sealed Pattern

- (g) **Centre Mount 1**
- | | |
|--------------------|---|
| <i>Design</i> | A gold coloured circle with a red vitreous enamel background with gold coloured lettering reading FOR GOD AND THE EMPIRE |
| <i>Material</i> | Gilding metal gold plated |
| <i>Thickness</i> | 1.50 mm |
| <i>Diameter</i> | 24.0 mm |
| <i>Manufacture</i> | Stamped from Die, enamelled in vitreous red enamel in gilding metal with lettering reading FOR GOD AND THE EMPIRE. The circle is fixed to the Star by means of a bezel. |
| <i>Finish</i> | All parts polished. |
- (h) **Centre Mount 2**
- | | |
|---------------------------------------|---|
| <i>Design</i> | Solid gold disc centre to Centre Mount 1, depicting the crowned effigies of King George V and Queen Mary. |
| <i>Material</i> | Hallmark quality 9ct yellow gold |
| <i>Thickness</i> | 0.550mm |
| <i>Diameter</i> | 18.0 mm |
| <i>Manufacture</i> | Stamped from Die in 9ct yellow gold, solid centre . The disc is fixed to the centre of the Cross by means of a bezel. |
| <i>Finish</i> | All parts polished. |
| <i>Total weight of Assembled Star</i> | 90.00 grams. |

RIBBONS

- (i) **Full Size Investiture Sash**
- | | |
|---|---|
| <i>Colour</i> | Rose pink with pearl grey edges and a pearl grey central stripe (3.5mm) to match Sealed Pattern |
| <i>Material</i> | Silk |
| <i>Width</i> | 54.0mm |
| <i>Width of grey edges & Stripe</i> | 4.5mm |
| <i>Finished Length</i> | 1657.0mm |
| <i>Construction</i> | Hook and eye on ends and swivel clip on bow to hold Badge |

CASE

(j) Outer Case

External

Dimensions 275mm x 125mm

Construction

Hardwood frame covered with black Rexene with creasing around the rim and top edge. Hinged side opening with two hinges with sprung push button catch at side. The letters G.B.E. MILY gold blocked Roman style in one line lengthways in the centre of the outside lid. The additional letter 'L' in the bottom left corner of the lid. Two wooden runners on the base to support insert.

Lining

The inside of the lid to be padded covered in white satin. The inside of the base and runners to be covered in white leatherette

(k) Insert

Dimensions

To fit inside Outer Case snugly on the runners

Construction

To be padded and covered with white cream velvet with indentations in the shape of the Badge and Star and slot above the indentations to accept ribbons folded beneath the block.







THE ORDER OF THE BRITISH EMPIRE

Lot 44 - DBE Badge and Star - Military

General Description:

Badge consisting of

- (a) Top Ribbon Ring
- (b) Crown
- (c) Cross consisting of
 - (i) Cross
 - (ii) Centre Mount 1
 - (iii) Centre Mount 2

Star consisting of

- (d) Body
- (e) Pin
- (f) Domed Plate
- (g) Centre Mount 1
- (h) Centre Mount 2

Ribbon

- (i) Full size Bow
- (j) Miniature width Neck Ribbon

Case

- (k) Outer Case
- (l) Insert

BADGE

(a) Top Ribbon Ring

<i>Material</i>	Hallmark quality sterling silver wire gilt
<i>Diameter of Wire</i>	0.082"
<i>Outside Diameter of ring</i>	0.615"
<i>Finish</i>	Ends of ring to be soldered together and the whole polished so that the join appears as an integral part of the assembly.
<i>Manufacture</i>	Attached inside tube soldered to ornamental clip at the top of the Crown (b)

(b) Crown

<i>Design</i>	Imperial Crown
<i>Material</i>	Hallmark quality sterling silver gilt
<i>Width</i>	0.6875"
<i>Height</i>	0.750"
<i>Thickness</i>	0.120" +/- 0.005"
<i>Manufacture</i>	Stamped flat back and clipped to shape with two pierced holes above the cushion
<i>Finish</i>	Polished highlights on front, fine sandblast on back
<i>Fittings 1)</i>	Two hinge tubes in Hallmark Quality Sterling Silver gold plated outside diameter 0.085" x inside diameter 0.052" x length 0.178" with fine sandblast finish soldered at base of Crown on the reverse left and right sides on recess
<i>2)</i>	One clip to match Sealed Pattern soldered to top of Crown in Hallmark Quality Sterling Silver gold plated bright finish

(c)(i) Cross

<i>Design</i>	Four armed Fleur de Lys Cross
<i>Material</i>	Hallmark Quality Sterling Silver, exposed areas gold plated to 1 micron
<i>Width</i>	2.57"
<i>Height</i>	2.57"
<i>Thickness</i>	0.124" +/- 0.005"
<i>Manufacture</i>	Stamped in one double sided piece and cut to outer shape
<i>Fitting</i>	Single tube hinge soldered to top of Cross. Centre Mount 1 and 2 fixed into centre of obverse

<i>Obverse</i>	Centre of Cross to be recessed to provide seating for Centre Mounts 1 and 2. The four arms of the Cross to be vitreous enameled in transparent blue to match Sealed Pattern. Enamel surface to be convex and free of impurities. Silver background to the enamel to show clearly through the enamel as a fine textured surface to match Sealed Pattern.
<i>Reverse</i>	Depicts in the centre in relief a Crown and the Cypher of King George V within a rope outer circle.
<i>Finish</i>	All beveled edges of the Fleur de Lys should be dressed clean and free from file marks. The reverse, including beveled edges, to be finely sandblasted.
(c)(ii) Centre Mount 1	
<i>Design</i>	A gold coloured circle with a red vitreous enamel background with gold coloured lettering reading FOR GOD AND THE EMPIRE
<i>Material</i>	90/10 Gilding metal gold plated
<i>Border Width</i>	0.167" including inner and outer retaining lines which are 0.030" wide
<i>Diameter</i>	0.975"
<i>Manufacture</i>	Stamped from Die, enamelled in vitreous red enamel in gilding metal with lettering reading FOR GOD AND THE EMPIRE. The circle is fixed to the Cross by means of a bezel. Background to lettering to be finely stippled. Reverse of the Mount to be constructed to provide suitable location for fitting and fixing to the recess in the Cross and to accept Centre Mount 2
<i>Finish</i>	All parts polished.
(c)(iii) Centre Mount 2	
<i>Design</i>	Solid gold disc centre to Centre Mount 1, depicting the crowned effigies of King George V and Queen Mary.
<i>Material</i>	Hallmark quality 9ct yellow gold
<i>Thickness</i>	0.027"
<i>Diameter</i>	0.650" to fit assembly with Centre Mount 1
<i>Manufacture</i>	Stamped from Die in 9ct yellow gold, solid centre . The disc is fixed to the centre of the Cross by means of a bezel.
<i>Finish</i>	All parts polished.

STAR

- (d) **Star**
- | | |
|--------------------|--|
| <i>Design</i> | As per Sealed Pattern |
| <i>Material</i> | Hallmark Quality Sterling Silver |
| <i>Height</i> | 2.31" |
| <i>Width</i> | 2.31" |
| <i>Thickness</i> | 0.082" +/- 0.005" |
| <i>Manufacture</i> | Stamped flat back and pierced to shape, pierced hole at base of each square pyramid. Domed centre of Star routed to accept bezel of Centre Mount 1. Diamond pattern to rear of Star to correspond to pierced hold at base of each square on obverse. Facets of Star to be highlighted. |
| <i>Finish</i> | Highly polished natural silver |
- (e) **Pin**
- | | |
|----------------------|---|
| <i>Design</i> | Hinge, Pin and Safety Catch. As per Sealed Pattern |
| <i>Material</i> | Hallmark Quality Sterling Silver and 90/10 Gilding Metal for hinged pin |
| <i>Length</i> | 2" |
| <i>Width</i> | 0.25" shaped and tapered as per Sealed Pattern |
| <i>Jointing Tube</i> | 0.0827" +/- 0.005" |
| <i>Wire</i> | 0.082" +/- 0.005" |
| <i>Manufacture</i> | Pierced formed to shape as per Sealed Pattern and work hardened |
- (f) **Domed Plate**
- | | |
|-------------------|----------------------------------|
| <i>Design</i> | As per Sealed Pattern |
| <i>Material</i> | Hallmark Quality Sterling Silver |
| <i>Dimensions</i> | As per Sealed Pattern |
- (g) **Centre Mount 1**
- | | |
|--------------------|--|
| <i>Design</i> | A gold coloured circle with a red vitreous enamel background with gold coloured lettering reading FOR GOD AND THE EMPIRE |
| <i>Material</i> | 90/10 Gilding metal gold plated |
| <i>Thickness</i> | 0.060" +/- 0.005" |
| <i>Diameter</i> | 0.975" enamelling border width 0.030" |
| <i>Manufacture</i> | Stamped and clipped with wording on the border FOR GOD AND THE EMPIRE background to lettering transparent red vitreous enamel to match Sealed Pattern. Enamel surface to be full, level and free of impurities. Background to lettering to be finely stippled. Reverse of the mount to be constructed to provide suitable location for fitting and fixing to recess in Star and to accept Centre Mount 2 |
| <i>Finish</i> | Polished edges front and highlights hard gold plated |

(h) Centre Mount 2

<i>Design</i>	Solid gold disc centre to Centre Mount 1, depicting the crowned effigies of King George V and Queen Mary.
<i>Material</i>	Hallmark quality 9ct yellow gold
<i>Thickness</i>	0.027" +/- 0.005"
<i>Diameter</i>	0.650"
<i>Manufacture</i>	Stamped clipped and assembled to Centre Mount 1 and fixed to the location in the centre recess of the obverse of the Star.
<i>Finish</i>	All parts polished.

RIBBONS

(i) Full Size Bow

<i>Colour</i>	Rose pink with pearl grey edges and central pink stripe to match Sealed Pattern
<i>Material</i>	Silk
<i>Width</i>	As per Sealed Pattern
<i>Width of grey edges</i>	As per Sealed Pattern
<i>Finished Length</i>	As per Sealed Pattern
<i>Construction</i>	Formed into bow and tails as per Sealed Pattern with a gold coloured brooch fitting

(j) Miniature width Neck Ribbon

<i>Colour</i>	Rose pink with pearl grey edges to match Sealed Pattern
<i>Material</i>	Silk
<i>Width</i>	As per Sealed Pattern
<i>Width of grey edges</i>	As per Sealed Pattern
<i>Finished Length</i>	As per Sealed Pattern
<i>Fastening</i>	Hook and eye – one end with adjustable hooks. Gold fitting to allow clip to slot onto ribbon To be packed in Outer Case underneath Insert.

CASE

(k) Outer Case

<i>External Dimensions</i>	w 240.0mm x d 127.0mm x h 45.0mm
<i>Construction</i>	Hardwood frame covered with black Rexene with creasing around the rim and top edge. Hinged side opening with two hinges with sprung push button catch at side. The letters D.B.E. (Mily) gold blocked Roman style in one line lengthways in the centre of the outside lid. Two wooden runners on the base to support Insert.
<i>Lining</i>	The inside of the lid to be padded covered in white satin. The inside of the base and runners to be covered in white leatherette

(l)	Insert	To fit inside Outer Case snugly on the runners
	<i>Dimensions</i>	To be padded and covered with white cream velvet with
	<i>Construction</i>	indentations in the shape of the brooch fitting, Badge and Star

THE ORDER OF THE BRITISH EMPIRE

Lot 45 - KBE Badge & Star - Military

General Description:

Badge consisting of

- (a) Top Ribbon Ring
- (b) Crown
- (c) Cross consisting of
 - (i) Cross
 - (ii) Centre Mount 1
 - (iii) Centre Mount 2

Star consisting of

- (d) Body
- (e) Pin
- (f) Domed Plate
- (g) Centre Mount 1
- (h) Centre Mount 2

Ribbon

- (i) Full size Investiture Ribbon
- (j) Miniature width Neck Ribbon

Case

- (k) Outer Case
- (l) Insert

BADGE

(a) Top Ribbon Ring

<i>Material</i>	Hallmark quality sterling silver wire gilt
<i>Diameter of Wire</i>	0.082"
<i>Outside Diameter of ring</i>	0.615"
<i>Finish</i>	Ends of ring to be soldered together and the whole polished so that the join appears as an integral part of the assembly.
<i>Manufacture</i>	Attached inside tube soldered to ornamental piece at the top of the Crown (b)

(b) Crown

<i>Design</i>	Imperial Crown
<i>Material</i>	Hallmark quality sterling silver gilt
<i>Width</i>	0.6875"
<i>Height</i>	0.750"
<i>Thickness</i>	0.120" +/- 0.005"
<i>Manufacture</i>	Stamped flat back and clipped to shape with two pierced holes above the cushion
<i>Finish</i>	Polished highlights on front, fine sandblast on back
<i>Fittings 1)</i>	Two hinge tubes in Hallmark Quality Sterling Silver gold plated outside diameter 0.085" x inside diameter 0.052" x length 0.178" with fine sandblast finish soldered at base of Crown on the reverse left and right sides on recess
<i>2)</i>	One tube soldered at 90° to top of Crown in Hallmark Quality Sterling Silver gold plated outside diameter 0.220" x inside diameter 0.156" x length 0.156" with bright finish

(c)(i) Cross

<i>Design</i>	Four armed Fleur de Lys Cross
<i>Material</i>	Hallmark Quality Sterling Silver, exposed areas gold plated to 1 micron
<i>Width</i>	2.57"
<i>Height</i>	2.57"
<i>Thickness</i>	0.124" +/- 0.005"
<i>Manufacture</i>	Stamped in one double sided piece and cut to outer shape
<i>Fitting</i>	Single tube hinge soldered to top of Cross. Centre Mount 1 and 2 fixed into centre of obverse

<i>Obverse</i>	Centre of Cross to be recessed to provide seating for Centre Mounts 1 and 2. The four arms of the Cross to be vitreous enameled in transparent blue to match Sealed Pattern. Enamel surface to be convex and free of impurities. Silver background to the enamel to show clearly through the enamel as a fine textured surface to match Sealed Pattern.
<i>Reverse</i>	Depicts in the centre in relief a Crown and the Cypher of King George V within a rope outer circle.
<i>Finish</i>	All beveled edges of the Fleur de Lys should be dressed clean and free from file marks. The reverse, including beveled edges, to be finely sandblasted.
(c)(ii) Centre Mount 1	
<i>Design</i>	A gold coloured circle with a red vitreous enamel background with gold coloured lettering reading FOR GOD AND THE EMPIRE
<i>Material</i>	90/10 Gilding metal gold plated
<i>Border Width</i>	0.167" including inner and outer retaining lines which are 0.030" wide
<i>Diameter</i>	0.975"
<i>Manufacture</i>	Stamped from Die, enamelled in vitreous red enamel in gilding metal with lettering reading FOR GOD AND THE EMPIRE. The circle is fixed to the Cross by means of a bezel. Background to lettering to be finely stippled. Reverse of the Mount to be constructed to provide suitable location for fitting and fixing to the recess in the Cross and to accept Centre Mount 2
<i>Finish</i>	All parts polished.
(c)(iii) Centre Mount 2	
<i>Design</i>	Solid gold disc centre to Centre Mount 1, depicting the crowned effigies of King George V and Queen Mary.
<i>Material</i>	Hallmark quality 9ct yellow gold
<i>Thickness</i>	0.027"
<i>Diameter</i>	0.650" to fit assembly with Centre Mount 1
<i>Manufacture</i>	Stamped from Die in 9ct yellow gold, solid centre . The disc is fixed to the centre of the Cross by means of a bezel.
<i>Finish</i>	All parts polished.

STAR

- (d) **Star**
- | | |
|--------------------|--|
| <i>Design</i> | As per Sealed Pattern |
| <i>Material</i> | Hallmark Quality Sterling Silver |
| <i>Height</i> | 2.31" |
| <i>Width</i> | 2.31" |
| <i>Thickness</i> | 0.082" +/- 0.005" |
| <i>Manufacture</i> | Stamped flat back and pierced to shape, pierced hole at base of each square pyramid. Domed centre of Star routed to accept bezel of Centre Mount 1. Diamond pattern to rear of Star to correspond to pierced hold at base of each square on obverse. Facets of Star to be highlighted. |
| <i>Finish</i> | Highly polished natural silver |
- (e) **Pin**
- | | |
|----------------------|---|
| <i>Design</i> | Hinge, Pin and Safety Catch. As per Sealed Pattern |
| <i>Material</i> | Hallmark Quality Sterling Silver and 90/10 Gilding Metal for hinged pin |
| <i>Length</i> | 2" |
| <i>Width</i> | 0.25" shaped and tapered as per Sealed Pattern |
| <i>Jointing Tube</i> | 0.0827" +/- 0.005" |
| <i>Wire</i> | 0.082" +/- 0.005" |
| <i>Manufacture</i> | Pierced formed to shape as per Sealed Pattern and work hardened |
- (f) **Domed Plate**
- | | |
|-------------------|----------------------------------|
| <i>Design</i> | As per Sealed Pattern |
| <i>Material</i> | Hallmark Quality Sterling Silver |
| <i>Dimensions</i> | As per Sealed Pattern |
- (g) **Centre Mount 1**
- | | |
|--------------------|--|
| <i>Design</i> | A gold coloured circle with a red vitreous enamel background with gold coloured lettering reading FOR GOD AND THE EMPIRE |
| <i>Material</i> | 90/10 Gilding metal gold plated |
| <i>Thickness</i> | 0.060" +/- 0.005" |
| <i>Diameter</i> | 0.975" enamelling border width 0.030" |
| <i>Manufacture</i> | Stamped and clipped with wording on the border FOR GOD AND THE EMPIRE background to lettering transparent red vitreous enamel to match Sealed Pattern. Enamel surface to be full, level and free of impurities. Background to lettering to be finely stippled. Reverse of the mount to be constructed to provide suitable location for fitting and fixing to recess in Star and to accept Centre Mount 2 |
| <i>Finish</i> | Polished edges front and highlights hard gold plated |

(h) Centre Mount 2	
<i>Design</i>	Solid gold disc centre to Centre Mount 1, depicting the crowned effigies of King George V and Queen Mary.
<i>Material</i>	Hallmark quality 9ct yellow gold
<i>Thickness</i>	0.027" +/- 0.005"
<i>Diameter</i>	0.650"
<i>Manufacture</i>	Stamped clipped and assembled to Centre Mount 1 and fixed to the location in the centre recess of the obverse of the Star.
<i>Finish</i>	All parts polished.

RIBBONS

(i) Full Size Investiture Ribbon	
<i>Colour</i>	Rose pink with pearl grey edges and a pearl grey central stripe to match Sealed Pattern
<i>Material</i>	Silk
<i>Width</i>	As per Sealed Pattern
<i>Width of grey edges & Stripe</i>	As per Sealed Pattern
<i>Finished Length</i>	As per Sealed Pattern
<i>Construction</i>	Hook and eye on ends as per Sealed Pattern
(j) Miniature width Neck Ribbon	
<i>Colour</i>	Rose pink with pearl grey edges and a pearl grey central stripe to match Sealed Pattern
<i>Material</i>	Silk
<i>Width</i>	As per Sealed Pattern
<i>Width of grey edges & Stripe</i>	As per Sealed Pattern
<i>Finished Length</i>	As per Sealed Pattern
<i>Fastening</i>	Hook and eye – one end with adjustable hooks. To be packed in Outer Case underneath Insert

CASE

(k) Outer Case	
<i>External Dimensions</i>	w 240.0mm x d 127.0mm x h 45.0mm
<i>Construction</i>	Hardwood frame covered with black Rexene with creasing around the rim and top edge. Hinged side opening with two hinges with sprung push button catch at side. The letters K.B.E. MILY gold blocked Roman style in one line lengthways in the centre of the outside lid. Two wooden runners on the base to support Insert.
<i>Lining</i>	The inside of the lid to be padded covered in white satin. The inside of the base and runners to be covered in white leatherette

- (l) **Insert**
Dimensions
Construction
- To fit inside Outer Case snugly on the runners
 To be padded and covered with white cream velvet with indentations in the shape of the Badge and Star and slot above the indentations to accept ribbon folded beneath the block.





THE ORDER OF THE BRITISH EMPIRE

Lot 46 - CBE Badge (Lady) - Military

General Description:

Badge consisting of

- (a) Top Ribbon Ring
- (b) Crown
- (c) Cross consisting of
 - (i) Cross
 - (ii) Centre Mount 1
 - (iii) Centre Mount 2

Ribbon

- (d) Full size Bow
- (e) Miniature width Neck Ribbon

Case

- (f) Outer Case
- (g) Insert

BADGE

- (a) **Top Ribbon Ring**
- | | |
|---------------------------------|---|
| <i>Material</i> | Hallmark quality sterling silver wire gilt |
| <i>Diameter of Wire</i> | 0.082" |
| <i>Outside Diameter of ring</i> | 0.615" |
| <i>Finish</i> | Ends of ring to be soldered together and the whole polished so that the join appears as an integral part of the assembly. |
| <i>Manufacture</i> | Attached inside tube soldered to ornamental clip at the top of the Crown (b) |
- (b) **Crown**
- | | |
|--------------------|---|
| <i>Design</i> | Imperial Crown |
| <i>Material</i> | Hallmark quality sterling silver gilt |
| <i>Width</i> | 0.6875" |
| <i>Height</i> | 0.750" |
| <i>Thickness</i> | 0.120" +/- 0.005" |
| <i>Manufacture</i> | Stamped flat back and clipped to shape with two pierced holes above the cushion |
| <i>Finish</i> | Polished highlights on front, fine sandblast on back |
| <i>Fittings 1)</i> | Two hinge tubes in Hallmark Quality Sterling Silver gold plated outside diameter 0.085" x inside diameter 0.052" x length 0.178" with fine sandblast finish soldered at base of Crown on the reverse left and right sides on recess |
| 2) | One clip to match Sealed Pattern soldered to top of Crown in Hallmark Quality Sterling Silver gold plated bright finish |
- (c)(i) **Cross**
- | | |
|--------------------|---|
| <i>Design</i> | Four armed Fleur de Lys Cross |
| <i>Material</i> | Hallmark Quality Sterling Silver, exposed areas gold plated to 1 micron |
| <i>Width</i> | 2.5" |
| <i>Height</i> | 2.5" |
| <i>Thickness</i> | 0.124" +/- 0.005" |
| <i>Manufacture</i> | Stamped in one double sided piece and cut to outer shape |
| <i>Fitting</i> | Single tube hinge soldered to top of Cross. Centre Mount 1 and 2 fixed into centre of obverse |

<i>Obverse</i>	Centre of Cross to be recessed to provide seating for Centre Mounts 1 and 2. The four arms of the Cross to be vitreous enameled in transparent blue to match Sealed Pattern. Enamel surface to be convex and free of impurities. Silver background to the enamel to show clearly through the enamel as a fine textured surface to match Sealed Pattern.
<i>Reverse</i>	Depicts in the centre in relief a Crown and the Cypher of King George V within a rope outer circle.
<i>Finish</i>	All beveled edges of the Fleur de Lys should be dressed clean and free from file marks. The reverse, including beveled edges, to be finely sandblasted.
(c)(ii) Centre Mount 1	
<i>Design</i>	A gold coloured circle with a red vitreous enamel background with gold coloured lettering reading FOR GOD AND THE EMPIRE
<i>Material</i>	90/10 Gilding metal gold plated
<i>Border Width</i>	0.167" including inner and outer retaining lines which are 0.030" wide
<i>Diameter</i>	0.975"
<i>Manufacture</i>	Stamped from Die, enamelled in vitreous red enamel in gilding metal with lettering reading FOR GOD AND THE EMPIRE. The circle is fixed to the Cross by means of a bezel. Background to lettering to be finely stippled. Reverse of the Mount to be constructed to provide suitable location for fitting and fixing to the recess in the Cross and to accept Centre Mount 2
<i>Finish</i>	All parts polished.
(c)(iii) Centre Mount 2	
<i>Design</i>	Solid gold disc centre to Centre Mount 1, depicting the crowned effigies of King George V and Queen Mary.
<i>Material</i>	Hallmark quality 9ct yellow gold
<i>Thickness</i>	0.027"
<i>Diameter</i>	0.650" to fit assembly with Centre Mount 1
<i>Manufacture</i>	Stamped from Die in 9ct yellow gold, solid centre . The disc is fixed to the centre of the Cross by means of a bezel.
<i>Finish</i>	All parts polished.

RIBBONS

(d) Full Size Investiture Bow

<i>Colour</i>	Rose pink with pearl grey edges and a pearl grey central stripe to match Sealed Pattern
<i>Material</i>	Silk
<i>Width</i>	As per Sealed Pattern
<i>Width of grey edges & Stripe</i>	As per Sealed Pattern
<i>Finished Length</i>	As per Sealed Pattern
<i>Construction</i>	Formed into bow and tails as per Sealed Pattern with a gold coloured brooch fitting

(e) Miniature width Neck Ribbon

<i>Colour</i>	Rose pink with pearl grey edges and a pearl grey central stripe to match Sealed Pattern
<i>Material</i>	Silk
<i>Width</i>	As per Sealed Pattern
<i>Width of grey edges & Stripe</i>	As per Sealed Pattern
<i>Finished Length</i>	As per Sealed Pattern
<i>Fastening</i>	Hook and eye – one end with adjustable hooks. Gold fitting to allow clip to slot onto ribbon. To be packed in Outer Case underneath Insert

CASE

(f) Outer Case

<i>External Dimensions</i>	w 155.0mm x d 105.0mm x h 45.0mm
<i>Construction</i>	Hardwood frame covered with black Rexene with creasing around the rim and top edge. Hinged side opening with two hinges with sprung push button catch at side. The letters C.B.E. MILY gold blocked Roman style in one line lengthways in the centre of the outside lid. Two wooden runners on the base to support Insert.
<i>Lining</i>	The inside of the lid to be padded covered in white satin. The inside of the base and runners to be covered in white leatherette

(g) Insert

<i>Dimensions</i>	To fit inside Outer Case snugly on the runners	
<i>Construction</i>	To be padded and covered with white cream indentation in the shape of the Badge and slot above the indentation to accept brooch fitting	velvet with



