



Our ref:  
Your ref:

REDACTED  
Supply-Chain – NHS (via email)

Highways England  
The Cube  
199 Wharfside Street  
Birmingham  
B1 1RN

<http://highwaysengland.co.uk/>  
Direct Line: REDACTED  
Fax:

18 February 2020

**For the attention of REDACTED**

**NHS Framework – Request for Quotation**

Dear REDACTED,

On behalf of Highways England, I would like to request a quotation for the supply and delivery of REDACTED Automated External Defibrillator (AED's) via the NHS Framework.

A breakdown of the total order is provided in appendix 1 & 2 (including delivery addresses) This order will also include the supply of a 'Rescue Ready Kit' and Adult-sized electrodes (including spares) where specified.

Following from a previous order placed, Highways England has already identified a suitable AED device, that fulfils our requirements which is the 'Powerheart G5' (semi-automatic). This product has not only been trialled and recommended for use by West Midlands Ambulance Service, but is also currently in use by several of our key partner agencies.

Should you have any queries with this request, please do not hesitate to contact me.

Yours sincerely

**REDACTED**  
**Procurement Delivery Officer – National**  
**Operations Email:**  
[REDACTED@highwaysengland.co.uk](mailto:REDACTED@highwaysengland.co.uk)

## Appendix 1 – Summary of Requirements.

Summary of Requirements		
Item	Number Required	Description
1 x AED Device (to include 1 set of 'adult sized' pads)	REDACTED	Supply of Powerheart G5 (Semi-Automatic) with an 8-year warranty
Spare Electrodes (Pads)	REDACTED	Pair of Spare Electrodes (Adult Size)
Rescue Ready Kit	REDACTED	Rescue Ready Kit (to include): a reusable face mask, alcohol free wipes, foil blanket, disposable razor, powder free nitrile gloves and clothing cutters
Carriage costs	REDACTED	Delivery of each order as specified to named contacts as per Appendix 2

## Appendix 2 – Breakdown of Requirements (including Delivery Addresses)

Breakdown of Requirements				
Site Address	Number of AED Units (per site)	Number of Rescue Ready Kits (per site)	Number of 'spare' electrodes (per site)	Site Contact (Mail To)
The Cube, 199 Wharfside Street, Birmingham, B1 2RN		REDACTED		
Temple Quay House, 2 The Square, Temple Quay, Bristol BS1 6HA		REDACTED		
Woodlands, Manton Lane, Manton Lane Industrial Estate, Bedford, MK41 7LW		REDACTED		
Stirling House, Lakeside Court, Osier Drive, Sherwood Business Park, Nottingham, NG15 0DS		REDACTED		
Piccadilly Gate, Store Street, Manchester, M1 2WD		REDACTED		
Lateral, 8 City Walk, Leeds, LS11 9AT		REDACTED		
Bridge House, Walnut Tree Close, Guildford, Surrey, GU1 4GA		REDACTED		

Ash House, Falcon Road, Sowton Industrial Estate, Exeter, EX2 7LB		REDACTED		
Newlands, Unit 1A, Brewery Lane, Penrith New Squares, Penrith, CA11 7FN		REDACTED		
Falcon House, Ground Floor, Unit 1, Fulwood Park, Caxton Road, Fulwood, Preston, PR2 9NZ		REDACTED		
North East RCC, Kestral House, Calder Business Park, Dale Road, Denby, Wakefield, WF2 7UA		REDACTED		
North West RCC, Rob Lane, Cheshire, Warrington, WA12 0DR		REDACTED		
West Midlands RCC, Building 1, Quinton Business Park, 1 Ridgeway, Quinton, B32 1AF		REDACTED		
East RCC, St Albans Road, South Mimms, Potters Bar, Hertfordshire EN6 3NP		REDACTED		
South West RCC, St Brendan's Court, Avonmouth, Bristol, BS11 9FB		REDACTED		
South East RCC, Fosterdown, Godstone, Surrey, RH9 8BQ		REDACTED		
National Traffic Control Centre, Building 3, Quinton Business Park, 3 Ridgeway, Quinton, B32 1AF		REDACTED		
National Roadside Telecommunications Office, Building 6 Quinton Business Park, 6 Ridgeway, Quinton, B32 1AF		REDACTED		
<b>Total</b>		REDACTED		