Construction Work Schedules

PROJECT NAME:	QEII Playing Fields, Dodington, Yate
	Exercise Path Project
SITE LOCATION:	QEII Playing Fields, Dodington, Yate, South Gloucestershire, Closest post code to entrance BS378SY, off Kelston Close
DESCRIPTION OF WORKS:	Installation of new stone dust path through an existing public park. Anticipated duration of works on site, 6-8 weeks.
SITE ACCESS	It is anticipated that site vehicle access will be via the Kelston Close entrance in the Southwest of the Park. Site materials can be stored within the park, on grass, which will need to be made good on

completion.

Item	Description	Measure	Unit	Unit Price	Total Cost
1.1	Preliminaries / temporary works Provide for compliance with the terms and method of working stated and inferred in the, Form of Tender, Form of Contract, Contract Conditions, Preliminaries, Specification, Work Schedules and Contract drawings.	-	item		
	Injury, Damage and Insurance: Make allowance for indemnifying the Parish Council against any expense, liability, loss or claim in respect to personal injury or death, damage to the works or property. Make allowance for insuring the works and site from taking possession at the start of works, through to practical completion.	_	item		
	Make full allowance for preparation works and provide adequate site facilities including: Preparation of method statements & programme	-	Item		
				I	



www.southglos.gov.uk

Item	Description	Measure	Unit	Unit Price	Total Cost
1.1	Pre start photographic record of conditions	-	Item		
	Health and safety	-	Item		
	Management and Staff	-	Item		
	Adequate security and protection of the work and public, (Heras fencing etc. submit proposals with tender)	-	ltem		
	Underground services investigation	-	Item		
	Welfare facilities, accommodation	-	Item		
	Site skips (general waste disposal) and waste management	-	Item		
	Mechanical plant	-	Item		
	Small Plant and Tools	-	Item		
	Signage, Temporary water supply/services	-	ltem		
	Marking out Protection of roads and pathways - keep clean, Making good on completion	-	ltem		
Page 1 and 2 Total - carried to collection page					

Construction for protecting surrounding grassed s/soft landscaping: make good aged areas upon completion ride path; oving topsoil: average depth 150mm: D20.168 & D20.220: for re-use on Spec D20.225 are existing ground: remove humps harp projections: fill hollows: lay extile membrane: spec D20.550 and 170	indicative the full ext	only and the tent and qu rings and s	he contracto	ties listed are or is to ascertain works from the s and price	
aged areas upon completion ide path; oving topsoil: average depth 150mm: D20.168 & D20.220: for re-use on Spec D20.225 are existing ground: remove humps harp projections: fill hollows: lay extile membrane: spec D20.550 and 170	98				
oving topsoil: average depth 150mm: D20.168 & D20.220: for re-use on Spec D20.225 are existing ground: remove humps harp projections: fill hollows: lay extile membrane: spec D20.550 and 170		m3			
harp projections: fill hollows: lay extile membrane: spec D20.550 and 170	650				
		m2			
rted granular material: Filling to up levels 150mm deep: Spec 210 to 230 and 250	98	m3			
ce: Limestone 3mm to dust: 20 to ick: compacting: Spec Q23.140	650	m2			
er edging: 150 x 30 treated softwood g: 50 x 50 x 450 long treated vood pegs: Spec Q23.310	650	m			
wide path; oving topsoil: average depth 150mm: D20.168 & D20.220: for re-use on Spec D20.225	52	m3			
are existing ground: remove humps harp projections: fill hollows: lay extile membrane: spec D20.550 and 170	345	m2			
rted granular material: Filling to up levels 150mm deep: Spec 210 to 230 and 250	52	m3			
ce: Limestone 3mm to dust: 20 to ick: compacting: Spec Q23.140	345	m2			
er edging: 150 x 30 treated softwood	460	m			
rg: 50 x 50 x 450 long treated rood pegs: Spec Q23.310	Page 3 Total - carried to collection page				
	re existing ground: remove humps harp projections: fill hollows: lay extile membrane: spec D20.550 and .70 ted granular material: Filling to up levels 150mm deep: Spec 210 to 230 and 250 ce: Limestone 3mm to dust: 20 to ck: compacting: Spec Q23.140 er edging: 150 x 30 treated softwood g: 50 x 50 x 450 long treated bod pegs: Spec Q23.310	re existing ground: remove humps harp projections: fill hollows: lay extile membrane: spec D20.550 and .70 ted granular material: Filling to up levels 150mm deep: Spec 210 to 230 and 250 ce: Limestone 3mm to dust: 20 to ck: compacting: Spec Q23.140 er edging: 150 x 30 treated softwood g: 50 x 50 x 450 long treated bod pegs: Spec Q23.310	re existing ground: remove humps harp projections: fill hollows: lay extile membrane: spec D20.550 and .70 ted granular material: Filling to up levels 150mm deep: Spec 210 to 230 and 250 ce: Limestone 3mm to dust: 20 to ck: compacting: Spec Q23.140 er edging: 150 x 30 treated softwood g: 50 x 50 x 450 long treated bod pegs: Spec Q23.310	re existing ground: remove humps harp projections: fill hollows: lay extile membrane: spec D20.550 and .70 ted granular material: Filling to up levels 150mm deep: Spec 210 to 230 and 250 ce: Limestone 3mm to dust: 20 to ck: compacting: Spec Q23.140 er edging: 150 x 30 treated softwood g: 50 x 50 x 450 long treated bod pegs: Spec Q23.310	

Item	Description	Measure	Unit	Unit Price	Total Cost
1.4.1	Cell web path construction 1.5m wide, path sections A to B, C and D on drawing LA247 M02 Rev G; Prepare existing ground surface: remove humps and sharp projections: fill hollows: Geotextile membrane: spec D20.550 and Q20.170	510	m2		
1.4.2	Cellular Confinement System (TRP) Geocells - Tree root protection (TRP): 75 thick: fixing with carbon steel J pins: Spec D20.571	510	m2		
1.4.3	Imported granular material: Filling to make up levels 100mm thick: to Cellweb: Spec Q20.210 to 230 and 250	51	m3		
1.4.4	Surface: Limestone 3mm to dust: 20 to 25 thick: compacting: Spec Q23.140	510	m2		
1.4.5	Timber edging: 150 x 30 treated softwood edging: 50 x 50 x 450 long treated softwood pegs: Spec Q23.310	680	m		
1.4.6	Cell web path construction 2m wide, section E on drawing LA247 M02 Rev G;				
	Prepare existing ground surface: remove humps and sharp projections: fill hollows: Geotextile membrane: spec D20.550 and Q20.170	24	m2		
1.4.7	Cellular Confinement System (TRP) Geocells - Tree root protection (TRP): 75 thick: fixing with carbon steel J pins: Spec D20.571	24	m2		
1.4.8	Imported granular material: Filling to make up levels 100mm thick: to Cellweb: Spec Q20.210 to 230 and 250	2.4	m3		
1.4.9	Surface: Limestone 3mm to dust: 20 to 25 thick: compacting: Spec Q23.140	24	m2		
1.4.10	Timber edging: 150 x 30 treated softwood edging: 50 x 50 x 450 long treated softwood pegs: Spec Q23.310	24	m		
Page 4 Total - carried to collection page					

Item	Description	Measure	Unit	Unit Price	Total Cost	
1.5.1	Cultivate topsoil to reinstate path edges: Spec Q28.718	1800	m2			
1.5.2	Grass seeding: general purpose amenity grass seed mix: application 20 to 35g/m2: Spec Q30.310 and 330	1800	m2			
1.5.3	Allow for re-cultivate / reseeding during defects period: spec Q30.610	900	m2			
1.5.4	Allow for removal of small 30cm dia, birch tree, roots and stump in line of path; Spec D20	1	ltem			
1.5.5	Minor vegetation clearance; Allow for removal of low hanging tree branches along line of path, approximately 10 number, small diameter; Spec D20	1	ltem			
1.5.6	Supply and install, Oak waymarking posts for exercise path: Spec Q50.190	6	No.			
	Page 5 Total - carried to collection page					

		Total Cost
COLLECTION		
	Page 1 & 2	£
	Page 3	£
	Page 4	£
	Page 5	£
SUB TOTAL		£
CONTINGENCY 10%		£
TOTAL – TO FORM OF TENDER		£

FORM OF TENDER

FOR: QEII PLAYING FIELDS EXERCISE PATH PROJECT

To: Dodington Parish Council,

Dodington Parish Hall,

Finch Road,

Chipping Sodbury,

Bristol,

BS37 6JZ

- 1. We have examined the Invitation to Tender Documents including the following:-
- (a) JCT Minor Works Contract Preliminaries & Designers Risk Assessment
- (b) The Specification & Drawings
- (c) The Schedule of Works

And confirm that this Tender has been completed in the knowledge of that examination.

- 2. We acknowledge that this offer together with the Order from Dodington Parish Council in relation hereto will constitute a binding contract.
- 3. We offer to carry out the works for the above in accordance with the invitation to Tender Documents, for the Lump sum Fee of :-

TOTAL FEE (in figures) £.....

TOTAL FEE (in words)

- 4. I/we agree that should obvious pricing errors in arithmetic be discovered before acceptance of this offer we will be given the opportunity to confirm or amend the offer.
- 5. This tender remains open for consideration for three months from the submission date.
- 6. We will commence work within 30 days of our resulting tender being accepted and complete the whole of the Works in conformity with the Conditions of Contract, Specification and Schedule of Works at the prices inserted in the Schedule of Works.

The *Partner/Director responsible will be:

Full Name (Capitals)

7 We acknowledge that Dodington Parish Council is not bound to accept the lowest or any tender.

8 We also acknowledge that if this offer is unsuccessful then we will be notified in writing by the Council of the successful firm and the accepted lump sum fee, and further acknowledge that telephone enquiries to the Council prior to acceptance or notification may invalidate this offer.

9	Full N	lame (Capitals)	
		Signed	
		Date	
		In the capacity of *Partner/Dire	ector authorised to sign for and on behalf of:
		Company name	
		Address	
		Telephone	
		Fax	
			······

* Delete as necessary

ANTI-COLLUSION CERTIFICATE

- 1. We certify that this tender is made in good faith, and that we have not fixed or adjusted the amount of the tender by or under or in accordance with any agreement or arrangement with any other person. We also certify that we have not and we undertake that we will not before the award of any contract for the work:-
 - (i) (a) communicate to any person other than the person calling for those tenders the amount or approximate amount of the tender or proposed tender, except where the disclosure, in confidence, of the approximate amount of the tender was necessary to obtain insurance premium quotations required for the preparation of the tender;
 (b) enter into any agreement or arrangement with any person that they shall refrain from tendering, that they shall withdraw any tender once offered or vary the amount of any tender to be submitted;
 - (ii) pay, give or offer to pay or give any sum of money or other valuable consideration directly or indirectly to any person for doing or having done or causing or having caused to be done in relation to any other tender or proposed tender for the work, any act or thing of the sort described at (i) (a) or (b) above.
- 2. We further certify that the principles described in paragraphs 1(i) and (ii) above have been, or will be, brought to the attention of all sub-contractors, suppliers and associated companies providing services or materials connected with the tender and any contract entered into with such sub-contractors, suppliers or associated companies will be made on the basis of compliance with the above principles by all parties.
- 3. In this certificate, the word 'person' includes any persons and anybody or association, corporate or unincorporated; 'any agreement or arrangement' includes any transaction, formal or informal, and whether legally binding or not; and 'the work' means the work in relation to which this tender is made.

EQUALITIES DECLARATION We agree:-

- that no applicant for a job with or employee of this company will receive any less favourable treatment on the grounds of disablement, sex, sexual orientation, marital status, race, colour, nationality, age, political and religious beliefs, or Trade Union activities;
- (ii) that no such job applicant or employee will be placed at a disadvantage by conditions or requirements which cannot be shown to be justifiable;
- (iii) that the requirements in (i) and (ii) will be brought to the attention of all subcontractors, suppliers and associated companies providing services or materials connected with the tender and any contract entered into with such sub-contractors, suppliers or associated companies will be made on the basis of compliance with the above requirements by all parties.

CLIMATE AND NATURE DECLARATION

We certify, that our organisation has considered and responded to the aims and ambitions of the Dodington Parish Council Climate and Nature Emergency Declaration (Appendix A), to minimise adverse impact on the environment, to the best of our ability, in the design and specification of works for this project.

Dated thisday of	20
Signature	
in capacity of	
Duly authorised to sign tenders and acknowledge the contents of the Anti-Collusion	
Certificate, the Equalities Declaration and Climate and Nature Declaration for and on be	half of:-
(in BLOCK CAPITALS)	
Postal Address	
Telephone No	