add additional tenderers as required.

Tender Scoring Matrix - Fire Alarms and Associated Systems Maintenance Contract 2024					Tenderer 1				Tenderer 2			Tenderer 3		
Category	Category Percentage	Subcategory	% of category %	Overall % available	Total cost /	%	Notes	Total cost /	%	Notes	Total cost /	%	Notes	
Cost	30%	Contract Cost (Inverse Proportion): Cheapest quote gets 100% of the overall available. Remaining proposals get a proportion of the 30% available based on comparison to cheapest proposal.	100%	30.0%	£50.00	30.00%		£60.00	25.00%		£70.00	21.43%		
Commercial aspects	20%	Pirbright T&C Acceptance 0- No Acceptance Statement or not accepted 1- Acceptance Integripation changes 2- Acceptant with misor changes 2- Acceptant with misor changes 1- Acceptant with misor changes	20%	4.0%	3.00	4.00%		2.00	2.67%		1.00	1.33%		
		Pithight Confidentiality Statement Acceptance  On Nacesprone attentions or not accepted  1. Accepted with Suprificant changes  2. Accepted with minor changes  3. Fully Accepted	10%	2.0%	3.00	2.00%		2.00	1.33%		1.00	0.67%		
		Contract Price Breakdown:  - Nest offered.  - Significant emissions  - Subject of the State of t	20%	4.0%	3.00	4.00%		2.00	2.67%		1.00	1.33%		
		Payment terms:  O Ned exceptable.  1- Acceptable in part but some amendments required.  2- Acceptable but not as envisinged in 1'T document.  2- Acceptable but not as envisinged in 1'T document.	15%	3.0%	3.00	3.00%		2.00	2.00%		1.00	1.00%		
		insurance requirements at acceptable levels (Public, Employers, Contractors AR Risks etc) - no acreais - no acreais - no decease - no acreais	15%	3.0%	3.00	3.00%		2.00	2.00%		1.00	1.00%		
		Hourly rates & mark ups for works outside of contract :  3- Nov. 2- Average 3- Low	20%	4.0%	3.00	4.00%		2.00	2.67%		1.00			
Technical / Quality aspects	50%	Quality of Proposal (how specification will be met):  See "Quality of Proposal" Tab	30%	15.0%	3.00	15.00%		2.00	10.00%		1.00	5.00%		
		Team Details, Training Records & contact details  - No dess affered.  - Limited details given.  2- Full details given, but experience not fully relevant.  3- Full details given, but experience they relevant.	10%	5.0%	3.00	5.00%		2.00	3.33%		1.00	1.67%		
		ISO9001 Accreditation:  - Nove in Actificate  - Alternative system but not fully relevant  - Alternative system but not fully relevant  - Co-0000 but not fully relevant or fully relevant alternative system  - Action2016 fully relevant	10%	5.0%	3.00	5.00%		2.00	3.33%		1.00	1.67%		
		ISO14001 Accreditation [Environment]:  0 Nove / not offered / detension uptern mort fully relevant 1 - Alternative system of the product 2 - BOS 9401 but not fully relevant of fully relevant alternative system 3 - BOS 9401 but not fully relevant or fully relevant alternative system 3 - BOS 9400 fully relevant	10%	5.0%	3.00	5.00%		2.00	3.33%		1.00	1.67%		
		ISO45001 / BS18001 Accreditation (Sofety):  0 Nove / not offered / attenuitie system and fully invitant 1 - Attenuities system but and fully invitant 2 - BO14001 but not fully relevant 2 - BO14001 but not fully relevant 3 - BO14001 but not fully relevant 4 - BO14001 but not fully relevant 5 - BO14001 but not fully relevant	10%	5.0%	3.00	5.00%		2.00	3.33%		1.00	1.67%		
		Industry Specific Accreditations:  - No other corontations offered.  2. Not related to the state of the state	10%	5.0%	3.00	5.00%		2.00	3.33%		1.00			
		Example Test Report Formats for all systems involved  - Nex officed.  - Poor  - Acceptable  - Good	10%	5.0%	3.00	5.00%		2.00	3.33%		1.00	1.67%		
		Example RAMS  - Nes offerod.  1- Poor  2- Acceptable  3- Good	10%	5.0%	3.00	5.00%		2.00	3.33%		1.00	1.67%		
100.0%						100.00%			71.67%			44.76%		