


PROPOSED SPORTS PAVILION - HADDENHAM PARISH COUNCIL









Graded backfill

material or

DROP KERB CONSTRUCTION DETAIL

HB2 HALF BATTERED KERB DETAIL 1/10






40mm of thin surfacing material with 6mm nominal size aggregate with 50 pen binder to Clause 12.04. 60mm +/- 5mm of Hot Rolled Asphalt 50/14 reg/bin designation to BS 13108-4 and PD6691. it shall be laid and thoroughly compacted all in accordance with BS594987: 2007. Binder to be 40-60 pen. 120mm +/- 5mm Hot Rolled Asphalt 60/20 bin/base designation to BS EN 13108-4 and PD6691. To be placed in two layers and thoroughly compacted, all in accordance with BS 594987:2007. Binder to be 40-60 pen. 260mm Clause 803 Granular Sub-base Material Type 1

125mm x 255mm half battered

bullnose kerb as applicable

keb or 125mm x 255mm concrete

VEHICULAR ACCESS DETAIL



TIMBER KNEE RAIL BARRIER 1/10

All timber to be preserved in accordance with BS8417 to provide a 15 year lifespan. All timber shall be planed and sanded PPT softwood. Timber components shall be tanalised timber free from splits and twists.

Date.				
Rev. Description.				
Rev.				

1) 2) 4) 5) 5)

Subject.	1	Paper Size.
PLANNING APPLICATION		~
SITE ACCESS DETAILS AS PROPOSED	OSED	_
Scale. 1/10, 1/200	Drawing No.	Rev.
Date. SEPT 2022	705 - PL04	

