




ED01, ED16




W12, W17




W18




W02, W06, W07, W08, W09, W10, W11,




W13, W14



ED05



W03, W04



ED15

NOTE  
ALL DIMENSIONS ARE SHOWN AS STRUCTURAL OPENINGS

ALL GLASS IN WINDOWS UP TO A HEIGHT OF 800mm ABOVE FLOOR LEVEL & ALL DOORS UP TO A HEIGHT OF 1500mm HEIGHT ABOVE FLOOR LEVEL TO BE TOUGHENED OR LAMINATED SAFETY GLASS TO BS6206

FOR FULL WINDOW SPECIFICATION SEE NBS CLAUSE L10

WINDOWS TO CHANGING ROOMS, WC'S AND SHOWERS TO INCLUDE OBSCURE GLAZING

ALL WINDOWS TO ACHIEVE A U-VALUE OF 1.67W/m<sup>2</sup>K OR BETTER

WINDOWS TO INCLUDE TRICKLE VENTS

WINDOWS TO COMPLY WITH BUILDING REGULATIONS PART L2A AND PART M

ALL GLAZING TO BE HERMETICALLY SEALED DOUBLE-GLAZED 28mm UNITS. 6.4mm LAMINATED LOW-E CLEAR GLASS INNER PANE, WARM EDGED ARGON FILLED CAVITY, 4mm TOUGHENED CLEAR GLASS EXTERNALLY.

A - OBSCURE GLAZING

Client  
**PROPOSED EXTENSION**

VICTORY PARK  
CHURCH ROAD  
STROUD  
GLOS. GL5 4JE

CAINSCROSS PARISH COUNCIL

Title  
**WINDOW SCHEDULE  
AS PROPOSED**

**CHURCH**  
ARCHITECTURAL

Rory Brock  
M: 07712 259378

April Church  
M: 07979 541397

The Cube, Bath Road, Stroud, GL5 4RJ  
E-mail - aprilandory@icloud.com

Drawn	RWB
Scale	1:25 @ A3
Date	DEC 2016

Drawing Number  
**22**

Revisions	A				
-----------	---	--	--	--	--