


NOTE

All to be read in conjunction with plans, details and NBS specification.

Refer to M&E and SE drawing and specification for further information.

proposed u-Values (as supplied by Ty Mawr, based on build-up as highlighted in detail drawing 3300–3308 and NBS)

Roof 01 (new lead cover to flat roof, [pitched slate cheeks to remain as existing]) = 0.21 W/m2k
Roof 18 (double pitched roof: new slate cover) = 0.24 W/m2k
Roof 19 (double pitched roof: new slate cover) = 0.24 W/m2k
Roof 20 ('mansard'-type roof: new slate cover to pitched cheeks) = 0.16 W/m2k
Roof 20 ('mansard'-type roof: new zinc cover to flat top) = 0.24 W/m2k
Roof 22 ('mansard'-type roof: new zinc cover to pitched cheeks) = 0.2 W/m2k
Roof 22 ('mansard'-type roof: new zinc cover to flat top) = 0.24 W/m2k
Roof 24 (new zinc cover to flat roof, [existing aluminum secondary glazing to cheeks retained]) = 0.25 W/m2k



Notes	1. Any dwg format drawing is to be read in conjunction with and at the scale of the accompanying pdf.	Drawing Status											
	2. Where colours other than black or grey are used, the drawing must be plotted in colour.	F Feasibility											
	3. For status 'C' (Construction) drawings all dimensions are to be checked on site by the contractor, scaling is for Local Authority purposes only.	S Sketch Design											
	4. Unless otherwise indicated, all dimensions are in millimeters.	P Planning											
	5. All information on this drawing is to be read in conjunction with the relevant Donald Insall Associates specification and trade contractors' drawings and information by specialists.	B Building Control											
6. In the event of any discrepancy, please contact us immediately.		D Developed Design											
7. This drawing may contain survey information by others and is to be used solely for the purposes for which it was issued.		M Measurement											
8. These are uncontrolled documents issued for information purposes only. If you have any queries regarding the drawings, please contact DIA immediately.		T Tender											
9. Please note DIA cannot be held responsible for any errors arising from changes made to an uncontrolled dwg file.		C Construction											
		R Record											
© 2017 DONALD INSALL ASSOCIATES LTD		Rev	Date	Dwn	Auth	Revision	Rev	Date	Dwn	Auth	Revision		
							7	17-09-20	FXS	MTO	u-values added, annotations updated		
							6	04-09-20	FXS	MTO	zinc roof profile updated following technical development		
							5	21-08-20	FXS	MTO	reference markers added, for costing and coordination		
							4	24-06-20	HXD	EJ	Amended to survey information		
							3	12-06-20	HXD	EJ	Void area updated following coordination meeting with MF and Roscoe		
							2	03-06-20	HXD	EJ	Initial Issue		
							1	01-05-20	HXD	EJ	Initial Issue		
							0	24-04-20	HXD	EJ	Initial Issue		

Donald Insall Associates Chartered Architects and Historic Building Consultants		Y Becws, Pool Lane Conwy LL32 8PZ (+44) 01492 592 378 conwy@insall-architects.co.uk	
		Walker Art Gallery, Liverpool	
Section through Gallery Room 01 & 02 As Proposed		Project WAGL.01	No 2300
		Scale (A1) 1:50	Status D Revision 7