

P1a -	IWS-211 100mm thick 'C' Stud 60 minute fire rating max span 3150mm non acoustic
P1b -	IWS-242 100mm thick 'C' Stud wall (no fire rating required) max span 3300mm non acoustic
P1c -	IWS-287 100mm thick 'C' Stud wall (no fire rating required) max span 3150mm 40dB Rw
P2 -	IWS-215 100mm thick 'I' Stud Shaftwall 120 minute fire rating max span 4650mm non acoustic
P3 -	IWS-216 87mm thick 'I' Stud Shaftwall (no fire rating required) max span 3300mm non acoustic moisture resistant
P4 -	IWS-230 124 mm thick 'I' Stud Shaftwall 120 minute fire rating max span 4650mm 45dB Rw
P5 -	IWS-234 102mm thick 'I' Stud Shaftwall max span 3300mm 45dB Rw
P6 -	IWS-232 122mm thick 'C' Stud wall 30 minute fire rating max span 4650mm 45dB Rw
P7a -	IWS-223 122mm thick 'C' Stud wall 120 minute fire rating max span 4650mm non acoustic
P7b -	IWS-243 122mm thick 'C' Stud wall (no fire rating required) moisture resistant non acoustic max span 4650mm
P8 -	IWS-250 100mm thick 'C' Stud wall (no fire rating required) max span 3150mm 50dB Rw moisture resistant
P9 -	IWS-288 122mm thick 'C' Stud wall (no fire rating required) max span 3150mm 55dB Rw
P10 -	IWS-289 122mm thick 'C' Stud wall (no fire rating required) max span 4650mm 40dB Rw
P11 -	IWS-290 120min fire rating max span 4650mm 53dB Rw
P20 -	IWS-286 230mm thick 'Quiet Wall' (no fire rating required) max span 4800mm 65dB Rw
L1 -	IWS-301 non acoustic 30mm Insulation
L2 -	IWS-305 non acoustic moisture resistant
L3 -	IWS-309 97mm thick 'I' Stud max span 3150mm (Lining to external wall levels 1-5)
L4 -	IWS-313 117mm thick 'I' Stud max span 4500mm (Ground floor only)
L5 -	Gyprose 60/70 'I' Stud 2 layers 12.5mm MR Plasterboard
M1 -	140 mm Fair faced blockwork 120 min fire rating
M2 -	215 mm English bond brickwork to UKPN specification
M3 -	215 mm Fair faced blockwork
M4 -	380mm Fair faced blockwork cavity wall
M5 -	455mm cavity wall to substation

Drawing Original Size			
A1			
Notes			
Unless indicated, this drawing is for information only and should not be used for construction. Do not scale, use figured dimensions only. All dimensions to be checked on site. This drawing should be printed and read at the original size, as stated above. Cartwright Pickard Architects accepts no responsibility for errors that occur as a result of reviewing this drawing at any other size.			
Cartwright Pickard Architects prepared this drawing using Revit Architecture 2015 and does not accept liability for any loss or degradation of that information held in the drawing resulting from the translation from the original file format to any other file format or from the recipients reading of it in any other programme or an earlier version of the programme referred to above. Cartwright Pickard Architects accepts no liability for use of the drawing by parties other than the party for whom it was prepared or for purposes other than those for which it was prepared.			
DWG Issues			
When this drawing is issued in DWG format it is an uncontrolled version and is provided to enable the recipient to prepare its own documents/drawings for which it is solely responsible. It is based on background information current at the time of issue.			
Cartwright Pickard Architects accepts no liability for any alterations to, additions to or discrepancies arising out of changes back to background information which occur after it has been issued by Cartwright Pickard Architects.			
Patressing Note Patress CH - for coat rack patressing refer to drawing 5500 for details Patress AV - A 1200mm wide centred on wall. 2440mm high Patress AV - B 1800mm wide centred on wall. 2440mm high			
 GOP			
 Floor Box			
Drawing Revisions			
Date:	Rev:	Note:	Check:
08.10.15	-	First Issue	CD
13.10.15	A	Partition legend updated, partition colour amended, partitions annotated and dimensions added. Draft Stage 4 Issues	CD
09.12.16	B	Revised door types and numbers. Partition types updated. Issued for S3 Internal Review & Comment	DR
16.02.17	C	Type P11 added on GF. S4 Construction	DR
23.05.17	D	L3 lining highlighted to external walls. Tags added.	DR
04.07.17	E	Patressing requirements added.	DR
16.08.17	F	Floor Box and GOP setting out dimensions added.	DR
29.09.17	G	Location of door in glazed screen updated	DR
31.10.17	H	Patressing locations updated	DR
21.02.18	J	Final Construction Issue	DR
04.05.18	K	Areas added to enclosed rooms	DR

CARTWRIGHT
PICKARD

Client
MUSE DEVELOPMENTS

Project
682N LAMBETH CIVIC CENTRE

Building Name
CIVIC OFFICE

Drawing Title
Fourth Floor CAT B Fit Out Plan

Scale As indicated @ A1	Drawing Created Oct 2015
-----------------------------------	------------------------------------

Drawing Status	Revision
Final Construction Issue	K

Drawing No.
682N-CPA-CO-04-DR-A-2104

London Office
1 Canal Side Studios
8-14 St Pancras Way
London NW1 0QG
Tel 020 7554 3830

cartwrightpickard.com
© Cartwright Pickard Architects Ltd.