

APPENDIX B

NOTES FOR CONTRACTORS:																	
Please read in conjunction with spec sheets and elevations referenced			Please highlight any discrepancies in the spec with graphic designer			Prepared by: Mal Clarke	Please note requirement to sample all process and substrate combination prior to production for approval			AW complete and issued for production		BATCH 1:	BATCH 2:	BATCH 3:	BATCH 4:	BATCH 5:	BATCH 6:
ITEMS IN YELLOW to COORDINATE WITH 3D contractor			NAM: Foe to Friend: The British Army in Germany since 1945														
			Date:170220	Version:		2 TENDER: FOR COSTING ONLY											
Item / Final name																	
Location	Graphic reference code	Wall reference / Case no.	Item description	Dims (WxHxD) mm	Substrate	Production process	Finishing	Fixing	Quantity	FILE NAME	AW PRINT SCALE %	AW PRIORITY INSTALL	TEXT ASSIGNED	IMAGE ASSIGNED	Additional information	ESTIMATE BY 2D CONTRACTOR	
XX OUTSIDE EXHIBITION THRESHOLD																	
XX ENTRANCE	VYN1-4	W_	Exhibition door vinyl sets (double-sided prints)	485 x 1220	SAV vinyl	HI-RES DTM REVERSE-PRINTED TO OPTICALLY CLEAR VINYL BACKED-UP WITH BLOCKOUT MATTE WHITE VINYL. TO BE FACE MOUNTED TO INSIDE OF DOOR GLASS (double-sided print)	Trim to size	Apply to inside face of glass	4		100 (1:1 AW)				AW to be applied to 2no sets of double doors. 1no set, around the entrance to be aligned perfectly to the entrance wall graphic to continue the line. Follow slug area of AW for order.		
XX CAFÉ	WP1	W_XX	Entrance Wallpaper Graphics (around door area)	6150 x 2830 (minus door area of 4.15msq)	SAV phototek wallpaper	HI-RES UV ink print to SAV phototek or similar canvas temporary wallpaper in drops approx 1.3m wide	Install, register print between breaks in roll width, splice together or butt-join to be seamless when viewing	SAV Phototek applied directly to wall	1		1000 (1:10 AW)				NOTE WALL PAPER BREAKS AS SPECIFIED IN AW LAYER AT 1.3M ROLL WIDTH.		
XX ENTRANCE COLUMN	WP2	ATTRIUM	WP Wallpaper Atrium column	1345 x 2110	SAV phototek wallpaper	HI-RES UV ink print to SAV phototek or similar canvas temporary wallpaper in one drop of 1.35m	Trim to size, one drop	SAV Photoek applied directly to wall	1		100 (1:1 AW)				Wallpaper applied around column NOTE WALL PAPER BREAKS AROUND RETURN. TO BE PRINTED IN ONE DROP AND INSTALLED AROUND COLUMN.		
XX ENTRANCE	BAN	EXTERIOR	Vinyl Banner	1200 x 4780	PVC double-sided banner	DTM to Blockout PVC (Double sided) with 125mm flat pockets top and bottom and hems left and right for tension wires. Supply tension wires approx 3mm /ferretter/	125mm flat pockets top and bottom and hems left and right for tension wires. Supply tension wires approx 3mm /ferretter/	Supply new tension wires and	1		100 (1:1 AW)						
XX ENTRANCE	MONO	W_	Monolith backlit prints	694 x 1330	SAV Backlit vinyl	UV Digital print to white sav vinyl backlit (Printed double strike) -	anti-graffiti gloss seal.	Apply to face of lightbox	2		100 (1:1 AW)						
00 SECTION / BIOG																	
00 SECTION / INTRO	IN1-2	W_000	Intro panels	1200 x 2200 x 9	spray painted white mdf, matt dulux seal and two coats of paint	HI-RES UV INK SPOT WHITE + CMYK OVERPRINT	Overprint cmyk to spot white	Ali-split batten to networks	2		100 (1:1 AW)				MDF split-batten to wall vertically either side of dibond lenticular treatment structure on intro wall w000		
00 SECTION / INTRO	ET1-15	W_000	Exhibition Title Lenticular treatment	200 x 2200 x 3	Digital White Dibond 3mm	HI-RES UV INK CMYK OVERPRINT	V-groove to back and fold to 38 degree shape, Overprint cmyk	Bond bent v-grooved dibond to 18mm MDF structure cut to shape with cross struts for support (see drawings)	15		100 (1:1 AW)				Bent dibond pieces to lenticular mdf structure underneath. See ET SPEC SHEET drawing		
00 SECTION / INTRO	AV	W_001	AV caption	150 x 170	1200micron Colour Mount 472 Solid Black stock	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	VHB tape to wall	1		100 (1:1 AW)				Applied once objects are in place		
00 SECTION / INTRO	WP1	W_001	Wallpaper Graphics	2720 x 2400	SAV phototek wallpaper	HI-RES UV ink print to SAV phototek or similar canvas temporary wallpaper in drops approx 1.3m wide	Install, register print between breaks in roll width, splice together or butt-join to be seamless when viewing	SAV Phototek applied directly to wall	1		1000 (1:10 AW)				NOTE WALL PAPER BREAKS AS SPECIFIED IN AW LAYER AT 1.3M ROLL WIDTH.		
00 SECTION / INTRO	WP2	W_003	Wallpaper Graphics	1920 x 2400	SAV phototek wallpaper	HI-RES UV ink print to SAV phototek or similar canvas temporary wallpaper in drops approx 1.3m wide	Install, register print between breaks in roll width, splice together or butt-join to be seamless when viewing	SAV Phototek applied directly to wall	1		1000 (1:10 AW)				NOTE WALL PAPER BREAKS AS SPECIFIED IN AW LAYER AT 1.3M ROLL WIDTH.		
01 SECTION / WINNING THE PEACE																	
01 SECTION / WINNING THE PEACE	PP	W_101	Primary Panel	600 x 1800	3mm Digital White-finish Dibond	HI-RES UV INK print to CMYK+SPOT WHITE	5mm radiused edged corners to ensure no sharp edges	Aluminium split-batten (supply only and fixed to setwork by 3D contractor on site)	1		100 (1:1 AW)				3D contractor to split batten in place on-site / BW2		
01 SECTION / WINNING THE PEACE	SP1-3	W_103	Secondary panel	400 x 600	3mm Digital White-finish Dibond	HI-RES UV INK print to CMYK+SPOT WHITE	5mm radiused edged corners to ensure no sharp edges with 5mm forex spacer off wall	Aluminium split-batten to wall	3		100 (1:1 AW)						
01 SECTION / WINNING THE PEACE	HP1-3	W_	Highlight panel	150 x 250	3mm Digital White-finish Dibond	HI-RES UV INK print to CMYK+SPOT WHITE	5mm radiused edged corners to ensure no sharp edges	Aluminium split-batten to wall	3		100 (1:1 AW)						
01 SECTION / WINNING THE PEACE	WP1	W_102	Wallpaper Graphics	1920 x 2400	SAV phototek wallpaper	HI-RES UV ink print to SAV phototek or similar canvas temporary wallpaper in drops approx 1.3m wide	Install, register print between breaks in roll width, splice together or butt-join to be seamless when viewing	SAV Phototek applied directly to wall	1		1000 (1:10 AW)				NOTE WALL PAPER BREAKS AS SPECIFIED IN AW LAYER AT 1.3M ROLL WIDTH.		
01 SECTION / WINNING THE PEACE	WP2	W_104	Wallpaper Graphics	3410 x 2400	SAV phototek wallpaper	HI-RES UV ink print to SAV phototek or similar canvas temporary wallpaper in drops approx 1.3m wide	Install, register print between breaks in roll width, splice together or butt-join to be seamless when viewing	SAV Phototek applied directly to wall	1		1000 (1:10 AW)				NOTE WALL PAPER BREAKS AS SPECIFIED IN AW LAYER AT 1.3M ROLL WIDTH.		
01 SECTION / WINNING THE PEACE	IP1	W_103	Map graphic of territories	750 x 1300	1200micron Colour Mount 472 Solid Black stock	HI-RES UV INK SPOT WHITE	Bonded to 5mm black forex	Forex split-batten to wall and VHB tape to wall	1		100 (1:1 AW)				Applied once objects are in place		
01 SECTION / WINNING THE PEACE	IP2-12	W_106	Latham slides	450 x 300	188gsm Hahnenmumle Phototrag	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	Forex split-batten to wall and VHB tape to wall	11		100 (1:1 AW)				Applied once objects are in place		
01 SECTION / WINNING THE PEACE	AV	W_001	AV caption	150 x 170	1200micron Colour Mount 472 Solid Black stock	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	VHB tape to wall	1		100 (1:1 AW)				Applied once objects are in place		
01 SECTION / WINNING THE PEACE	OL	W_103	OL caption	150 x 170	1200micron Colour Mount 472 Solid Black stock	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	VHB tape to wall	10		100 (1:1 AW)				Applied once objects are in place		
01 SECTION / WINNING THE PEACE	OLR1-4	Showcases	Object label rail (incase)	850 x 170	1200micron Colour Mount 472 Solid Black stock	HI-RES UV INK SPOT WHITE	Bonded to setwork rail in case Bonded to 3mm black forex	TESA tape or other ODDY approved	4		100 (1:1 AW)				Applied inside of case		
01 SECTION / WINNING THE PEACE	MFO_F	W_105	MFO FRONT	600 x 600	4mm plywood (supplied by others)	HI-RES UV INK print to CMYK+SPOT WHITE	Bonded to MFO box (by others)	3D contractor to assemble	1		100 (1:1 AW)				Coordinate with 3D contractor: Substrate, delivery and fixing by 3D contractor / MFO box A		
01 SECTION / WINNING THE PEACE	MFO_CAP	W_105	MFO caption	450 x 170	1200micron Colour Mount 472 Solid Black stock	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	VHB tape to wall	1		100 (1:1 AW)				Applied once objects are in place		
01 SECTION / WINNING THE PEACE	QU1-2	W_105	Quote	1200 x 350	MACTAC vinyl graphics	CNC matt cast vinyl	Supply of transfer paper	APPLIED TO SETWORK	2		100 (1:1 AW)						
02 SECTION / WALLS AND WIRE																	
02 SECTION / WINNING THE PEACE	PP	PLINTH	Primary Panel	600 x 1800	3mm Digital White-finish Dibond	HI-RES UV INK print to CMYK+SPOT WHITE	5mm radiused edged corners to ensure no sharp edges	VHB bond in place (setwork and frame provided by 3D contractor) inset panel on site	1		100 (1:1 AW)				Frame / edge detail provided by 3D contractor / 2D contractor to VHB bond in place on-site		
02 SECTION / WALLS AND WIRE	SP1-4	W_103	Secondary panel	400 x 600	3mm Digital White-finish Dibond	HI-RES UV INK print to CMYK+SPOT WHITE	Matt liquid spray seal to surface / floor lacquer / 3mm radiused edges	Aluminium split-batten to wall	4		100 (1:1 AW)						
02 SECTION / WALLS AND WIRE	HP1-2	W_	Highlight panel	150 x 250	3mm Digital White-finish Dibond	HI-RES UV INK print to CMYK+SPOT WHITE	Matt liquid spray seal to surface / floor lacquer / 3mm radiused edges	VHB bond in place (setwork and frame provided by 3D contractor) inset panel on site	2		100 (1:1 AW)						
02 SECTION / WALLS AND WIRE	OL	W_	Object label	150 x 170	1200micron Colour Mount 472 Solid Black stock	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	VHB tape to wall	10		100 (1:1 AW)				Applied once objects are in place		

02 SECTION / WALLS AND WIRE	OLR1-3	Showcases	Object label rail (incase)	850 x 170	1200micron Colour Mount 472 Solid Black stock	HI-RES UV INK SPOT WHITE	Bonded to setwork rail in case Bonded to 3mm black forex	TESA tape or other ODDY approved	3	100 (1:1 AW)	Applied inside of case
02 SECTION / WALLS AND WIRE	WP1	W_202	Wallpaper Graphics	8080 x 2830	SAV phototek wallpaper	HI-RES UV ink print to SAV phototek or similar canvas temporary wallpaper in drops approx 1.3m wide	Install, register print between breaks in roll width, splice together or butt-join to be seamless when viewing	SAV Phototek applied directly to wall	1	1000 (1:10 AW)	NOTE WALL PAPER BREAKS AS SPECIFIED IN AW LAYER AT 1.3M ROLL WIDTH.
02 SECTION / WALLS AND WIRE	IP1-4	W_202	Berlin images	450 x 300	188gsm Hahnenmumle Photorag	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	Forex split-batten to wall and VHB tape to wall	4	100 (1:1 AW)	Applied over the top of the wallpaper
02 SECTION / WALLS AND WIRE	MFO	W_202	MFO FRONT	600 x 600	4mm plywood (supplied by others)	HI-RES UV INK print to CMYK+SPOT WHITE	Bonded to MFO box (by others)	3D contractor to assemble	1	100 (1:1 AW)	Coordinate with 3D contractor: Substrate, delivery and fixing by 3D contractor
02 SECTION / WALLS AND WIRE	MFO	W_103	MFO caption	450 x 170	1200micron Colour Mount 472 Solid Black stock	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	VHB tape to wall	1	100 (1:1 AW)	Applied once objects are in place
02 SECTION / WALLS AND WIRE	QU1-2	W_203	Quote	1200 x 350	MACTAC vinyl graphics	CNC matt cast vinyl	Supply of transfer paper	APPLIED TO SETWORK	2	100 (1:1 AW)	
02 SECTION / WALLS AND WIRE	QU3	W_203	BRIXMIS quote	1200 x 1200	MACTAC vinyl graphics	CNC matt cast vinyl	Supply of transfer paper	APPLIED TO SETWORK	1	100 (1:1 AW)	
02 SECTION / WALLS AND WIRE	FLIP1	BE10	BRIXMIS REPORTS	210 x 297 x 10no panels (20pp)	Matt white SAV vinyl, backed up with Matt white vinyl	HI-RES UV INK SPOT WHITE AND CMYK OVERPRINT	Sandwich mount each page to 1mm AR clear perspex to laminate pages (double-sided) with ring-bolt holes CNC cut	VHB tape to inset into setwork plinth (coordinate with 3D contractor)	1	100 (1:1 AW)	Coordinated with 3D contractor drawing: BE10 READER RAIL
02 SECTION / WALLS AND WIRE	FLIP2	BE10	BRIXMIS REPORTS	210 x 297 x 10no panels (20pp)	Matt white SAV vinyl, backed up with Matt white vinyl	HI-RES UV INK SPOT WHITE AND CMYK OVERPRINT	Sandwich mount each page to 1mm AR clear perspex to laminate pages (double-sided) with ring-bolt holes CNC cut	VHB tape to inset into setwork plinth (coordinate with 3D contractor)	1	100 (1:1 AW)	Coordinated with 3D contractor drawing: BE10 READER RAIL
02 SECTION / WALLS AND WIRE	BRIX_1	BE10	BRIXMIS reader rail for flipbook	1180 x 300	3mm Digital White-finish Dibond	HI-RES UV INK SPOT WHITE AND CMYK PRINT	Square trim with drill holes as specified by 3D contractor	VHB tape to inset into setwork plinth (coordinate with 3D contractor)	1	100 (1:1 AW)	Coordinated with 3D contractor drawing: BE10 READER RAIL
02 SECTION / WALLS AND WIRE	BRIX_2-3	BE11/BE12	BRIXMIS reader rail	1180 x 300	3mm Digital White-finish Dibond	HI-RES UV INK SPOT WHITE AND CMYK PRINT	Square trim	VHB tape to inset into setwork plinth (coordinate with 3D contractor)	2	100 (1:1 AW)	Coordinated with 3D contractor drawing: BE10 READER RAIL
03 SECTION / ACTIVE EDGE											
03 SECTION / ACTIVE EDGE	PP	w301	Primary Panel	600 x 1800	3mm Digital White-finish Dibond	HI-RES UV INK print to CMYK+SPOT WHITE	5mm radiused edged corners to ensure no sharp edges	Aluminium split-batten to wall with forex spacers	1	100 (1:1 AW)	Edges free of burr with radiused corners
03 SECTION / ACTIVE EDGE	SP1-3	W_303/304/308	Secondary panel	400 x 600	3mm Digital White-finish Dibond	HI-RES UV INK print to CMYK+SPOT WHITE	5mm radiused edged corners to ensure no sharp edges with 5mm forex spacer off wall	Aluminium split-batten to wall	3	100 (1:1 AW)	
03 SECTION / ACTIVE EDGE	HP1-4	W_	Highlight panel	150 x 250	3mm Digital White-finish Dibond	HI-RES UV INK print to CMYK+SPOT WHITE	Matt liquid spray seal to surface / floor lacquer / 3mm radiused edges	VHB bond in place (setwork and frame provided by 3D contractor) inset panel on site	4	100 (1:1 AW)	
03 SECTION / ACTIVE EDGE	QU1-3	W_301	Quote	1200 x 350	MACTAC vinyl graphics	CNC matt cast vinyl	Supply of transfer paper	APPLIED TO SETWORK	3	100 (1:1 AW)	
03 SECTION / ACTIVE EDGE	OLR1-5	Showcases	Object label rail (incase)	850 x 170	1200micron Colour Mount 472 Solid Black stock	HI-RES UV INK SPOT WHITE	Bonded to setwork rail in case Bonded to 3mm black forex	TESA tape or other ODDY approved	5	100 (1:1 AW)	Applied inside of case
03 SECTION / ACTIVE EDGE	OL	W_	Object label	150 x 170	1200micron Colour Mount 472 Solid Black stock	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	VHB tape to wall	12	100 (1:1 AW)	Applied once objects are in place
03 SECTION / ACTIVE EDGE	WP1	W_303	Wallpaper Graphics	3370 x 2830	SAV phototek wallpaper	HI-RES UV ink print to SAV phototek or similar canvas temporary wallpaper in drops approx 1.3m wide	Install, register print between breaks in roll width, splice together or butt-join to be seamless when viewing	SAV Phototek applied directly to wall	1	1000 (1:10 AW)	NOTE WALL PAPER BREAKS AS SPECIFIED IN AW LAYER AT 1.3M ROLL WIDTH.
03 SECTION / ACTIVE EDGE	WP2	W_304	Wallpaper Graphics	3250 x 2830	SAV phototek wallpaper	HI-RES UV ink print to SAV phototek or similar canvas temporary wallpaper in drops approx 1.3m wide	Install, register print between breaks in roll width, splice together or butt-join to be seamless when viewing	SAV Phototek applied directly to wall	1	1000 (1:10 AW)	NOTE WALL PAPER BREAKS AS SPECIFIED IN AW LAYER AT 1.3M ROLL WIDTH.
03 SECTION / ACTIVE EDGE	MFO_OL1-2	W_103	MFO caption	450 x 170	1200micron Colour Mount 472 Solid Black stock	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	VHB tape to wall	2	100 (1:1 AW)	Applied once objects are in place
03 SECTION / ACTIVE EDGE	LG1	BW4 / W_308	WOLFGANG'S VAN Hatch	1940 x 830	10MM WHITE FOREX	HI-RES UV INK print to CMYK	Bonded to setwork by others / supply only	VHB tbc / 3D contractor to assemble	1	100 (1:1 AW)	Applied on site / coordinate with 3D contractor BW4
03 SECTION / ACTIVE EDGE	LG2-3	BW4 / W_308	WOLFGANG'S VAN Hatch	600 x 830	10MM BLACK FOREX	HI-RES UV INK SPOT WHITE AND CMYK PRINT	Bonded to setwork by others / supply only	VHB tbc / 3D contractor to assemble	2	100 (1:1 AW)	Applied on site / coordinate with 3D contractor BW4
03 SECTION / ACTIVE EDGE	LG2-3	BW4 / W_308	WOLFGANG'S VAN Hatch	600 x 830	10MM BLACK FOREX	HI-RES UV INK SPOT WHITE AND CMYK PRINT	Bonded to setwork by others / supply only	VHB tbc / 3D contractor to assemble	2	100 (1:1 AW)	Applied on site / coordinate with 3D contractor BW4
03 SECTION / ACTIVE EDGE	LG4	BW4 / W_308	WOLFGANG'S VAN COUNTER	1940 x 600	10MM PAINTED MDF (SUPPLIED BY 3D CONTRACTOR)	HI-RES UV INK SPOT WHITE AND CMYK PRINT	Matt liquid spray seal to surface / floor lacquer by others	TBC 3D contractor to assemble	1	100 (1:1 AW)	COST FOR PRINT ONLY, SUBSTRATE SEAL AND FIXING BY OTHERS
03 SECTION / ACTIVE EDGE	WP1	W_402	WOLFGANG'S VAN REVERSE	6000 x 2500	SAV phototek wallpaper	HI-RES UV ink print to SAV phototek or similar canvas temporary wallpaper	Install, register print between breaks in roll width, splice together or butt-join to be seamless when viewing	SAV Photoek applied directly to setworks	1	100 (1:1 AW)	
03 SECTION / ACTIVE EDGE	MFOF1-2	W_307	MFO FRONT	600 x 600	4mm plywood (supplied by others)	HI-RES UV INK print to CMYK+SPOT WHITE	Bonded to MFO box (by others)	3D contractor to assemble	2	100 (1:1 AW)	MFO box drawing Coordinate with 3D contractor: Substrate, delivery and fixing by 3D contractor / BW4
03 SECTION / ACTIVE EDGE	MFOL1-2	W_307	MFO LID	613 x 613	4mm plywood	HI-RES UV INK print to CMYK+SPOT WHITE	Bonded to MFO box (by others)	supply to 3D contractor	2	100 (1:1 AW)	MFO box drawing Coordinate with 3D contractor: Substrate, deliver and fix / BW4
03 SECTION / ACTIVE EDGE	VYL 1	BW4 / W_308	WOLFGANG VINYL	2135 x 660	CNC CAST VINYL	CNC CUT GLOSS WHITE VINYL	Supply on transfer paper	Apply direct to setworks on site	1	100 (1:1 AW)	COST FOR PRINT ONLY, SUBSTRATE SEAL AND FIXING BY OTHERS / BW4
03 SECTION / ACTIVE EDGE	INT	w305	Vehicle RECOG / panel	800 x 250	3mm Digital White-finish Dibond	HI-RES UV INK SPOT WHITE AND CMYK PRINT	Square trim edges, route out CNC holes and slots as per 3D drawing (to be supplied by contractor)	VHB tape to setwork (coordinate with 3D contractor)	1	100 (1:1 AW)	Coordinated with 3D contractor drawing: NAM_FTF_W305_SPEC_SHEET_v2.pdf
04 SECTION / DEPLOYMENTS											
04 SECTION / DEPLOYMENTS	PP	w401	Primary Panel	600 x 1800	3mm Digital White-finish Dibond	HI-RES UV INK print to CMYK+SPOT WHITE	5mm radiused edged corners to ensure no sharp edges	Aluminium split-batten to wall with forex spacers	1	100 (1:1 AW)	Edges free of burr with radiused corners
04 SECTION / DEPLOYMENTS	SP1-3	W_404/407	Secondary panel	400 x 600	3mm Digital White-finish Dibond	HI-RES UV INK print to CMYK+SPOT WHITE	5mm radiused edged corners to ensure no sharp edges with 5mm forex spacer off wall	Aluminium split-batten to wall	3	100 (1:1 AW)	
04 SECTION / DEPLOYMENTS	HP1-2	W_	Highlight panel	150 x 250	3mm Digital White-finish Dibond	HI-RES UV INK print to CMYK+SPOT WHITE	5mm radiused edged corners to ensure no sharp edges	Aluminium split-batten to wall	2	100 (1:1 AW)	
04 SECTION / DEPLOYMENTS	QU1-2	W_403/407	Quote	1200 x 350	MACTAC vinyl graphics	CNC matt cast vinyl	Supply of transfer paper	APPLIED TO SETWORK	2	100 (1:1 AW)	
04 SECTION / DEPLOYMENTS	OL1-16	W_	Object label	150 x 170	1200micron Colour Mount 472 Solid Black stock	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	VHB tape to wall	10	100 (1:1 AW)	Applied once objects are in place

04 SECTION / DEPLOYMENTS	OLR1-4	Showcases	Object label rail (incase)	850 x 170	1200micron Colour Mount 472 Solid Black stock	HI-RES UV INK SPOT WHITE	Bonded to setwork rail in case Bonded to 3mm black forex	TESA tape or other ODDY approved	4	100 (1:1 AW)	Applied inside of case
04 SECTION / DEPLOYMENTS	WP1	W_401	Wallpaper Graphics	1200 x 2400	SAV phototek wallpaper	HI-RES UV ink print to SAV phototek or similar canvas temporary wallpaper in drops approx 1.3m wide	Install, register print between breaks in roll width, splice together or butt-join to be seamless when viewing	SAV Phototek applied directly to wall	1	1000 (1:10 AW)	NOTE WALL PAPER BREAKS AS SPECIFIED IN AW LAYER AT 1.3M ROLL WIDTH.
04 SECTION / DEPLOYMENTS	WP2	W_402	Wallpaper Graphics	5995 x 2500	SAV phototek wallpaper	HI-RES UV ink print to SAV phototek or similar canvas temporary wallpaper in drops approx 1.3m wide	Install, register print between breaks in roll width, splice together or butt-join to be seamless when viewing	SAV Phototek applied directly to wall	1	1000 (1:10 AW)	NOTE WALL PAPER BREAKS AS SPECIFIED IN AW LAYER AT 1.3M ROLL WIDTH.
04 SECTION / DEPLOYMENTS	WP3	W_404	Wallpaper Graphics	13270 x 2830	SAV phototek wallpaper	HI-RES UV ink print to SAV phototek or similar canvas temporary wallpaper in drops approx 1.3m wide	Install, register print between breaks in roll width, splice together or butt-join to be seamless when viewing	SAV Phototek applied directly to wall	1	1000 (1:10 AW)	NOTE WALL PAPER BREAKS AS SPECIFIED IN AW LAYER AT 1.3M ROLL WIDTH.
04 SECTION / DEPLOYMENTS	WP4	W_405	Wallpaper Graphics	1200 x 2400	SAV phototek wallpaper	HI-RES UV ink print to SAV phototek or similar canvas temporary wallpaper in drops approx 1.3m wide	Install, register print between breaks in roll width, splice together or butt-join to be seamless when viewing	SAV Phototek applied directly to wall	1	1000 (1:10 AW)	NOTE WALL PAPER BREAKS AS SPECIFIED IN AW LAYER AT 1.3M ROLL WIDTH.
04 SECTION / DEPLOYMENTS	WP5	W_406	Wallpaper Graphics	1200 x 2400	SAV phototek wallpaper	HI-RES UV ink print to SAV phototek or similar canvas temporary wallpaper in drops approx 1.3m wide	Install, register print between breaks in roll width, splice together or butt-join to be seamless when viewing	SAV Phototek applied directly to wall	1	1000 (1:10 AW)	NOTE WALL PAPER BREAKS AS SPECIFIED IN AW LAYER AT 1.3M ROLL WIDTH.
04 SECTION / DEPLOYMENTS	MFOF	W_402	MFO FRONT	600 x 600	4mm plywood (supplied by others)	HI-RES UV INK print to CMYK+SPOT WHITE	Bonded to MFO box (by others)	3D contractor to assemble	1	100 (1:1 AW)	Coordinate with 3D contractor: Substrate, delivery and fixing by 3D contractor
04 SECTION / DEPLOYMENTS	MFOL	W_103	MFO caption	450 x 170	1200micron Colour Mount 472 Solid Black stock	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	VHB tape to wall	1	100 (1:1 AW)	Applied once objects are in place
05 SECTION / LEGACY											
05 SECTION / LEGACY	PP	W_505	Primary Panel	600 x 1800	3mm Digital White-finish Dibond	HI-RES UV INK print to CMYK+SPOT WHITE	5mm radiused edged corners to ensure no sharp edges	Aluminium split-batten to wall with forex spacers	1	100 (1:1 AW)	Edges free of burr with radiused corners
05 SECTION / LEGACY	SP1-4	W_506/504/508	Secondary panel	400 x 600	3mm Digital White-finish Dibond	HI-RES UV INK print to CMYK+SPOT WHITE	5mm radiused edged corners to ensure no sharp edges with 5mm forex spacer off wall	Aluminium split-batten to wall	4	100 (1:1 AW)	
05 SECTION / LEGACY	HP1	W_505	Highlight panel	150 x 250	3mm Digital White-finish Dibond	HI-RES UV INK print to CMYK+SPOT WHITE	5mm radiused edged corners to ensure no sharp edges	Aluminium split-batten to wall	1	100 (1:1 AW)	
05 SECTION / LEGACY	QU1-3	W_504/508	Quote	1200 x 350	MACTAC vinyl graphics	CNC matt cast vinyl	Supply of transfer paper	APPLIED TO SETWORK	3	100 (1:1 AW)	
05 SECTION / LEGACY	OL1-10	W_	Object label	150 x 170	1200micron Colour Mount 472 Solid Black stock	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	VHB tape to wall	10	100 (1:1 AW)	Applied once objects are in place
05 SECTION / LEGACY	OLR1-2	Showcases	Object label rail (incase)	850 x 170	1200micron Colour Mount 472 Solid Black stock	HI-RES UV INK SPOT WHITE	Bonded to setwork rail in case Bonded to 3mm black forex	TESA tape or other ODDY approved	2	100 (1:1 AW)	Applied inside of case
05 SECTION / LEGACY	IP1-16	W_504	Tobius Photographs	450 x 300	188gsm Hahnenmumlie Photorag	HI-RES UV INK print to CMYK	Bonded to 3mm black forex	Forex split-batten to wall and VHB tape to wall	16	100 (1:1 AW)	Applied once objects are in place
05 SECTION / LEGACY	MFO_F	W_507	MFO FRONT	600 x 600	4mm plywood (supplied by others)	HI-RES UV INK print to CMYK+SPOT WHITE	Bonded to MFO box (by others)	3D contractor to assemble	1	100 (1:1 AW)	Coordinate with 3D contractor: Substrate, delivery and fixing by 3D contractor / BOX A
05 SECTION / LEGACY	MFO_L	W_507	MFO LID	613 x 613	4mm plywood	HI-RES UV INK print to CMYK+SPOT WHITE	Bonded to MFO box (by others)	supply to 3D contractor	1	100 (1:1 AW)	Coordinate with 3D contractor: Substrate, deliver and fix / BOX A
05 SECTION / LEGACY	MFO	W_103	MFO caption	450 x 170	1200micron Colour Mount 472 Solid Black stock	HI-RES UV INK SPOT WHITE	Bonded to 3mm black forex	VHB tape to wall	1	100 (1:1 AW)	Applied once objects are in place
05 SECTION / LEGACY	WP1	W_504	Wallpaper infographic	8720 x 2830	SAV phototek wallpaper	HI-RES UV ink print to SAV phototek or similar canvas temporary wallpaper	Trim	SAV Phototek applied directly to desk	1	100 (1:1 AW)	Applied once objects are in place
05 SECTION / LEGACY	INS	W_508	INS vinyl text FEEDBACK	1200 x 350	MACTAC vinyl graphics	CNC matt cast vinyl	Supply of transfer paper	APPLIED TO SETWORK	1	100 (1:1 AW)	Applied to feedback networks
06 SECTION / LEGACY / END											
05 SECTION / LEGACY	ACK	W_508	Acknowledgments panel	420 x 600	1200micron Colour Mount 472 Solid Black stock	HI-RES UV INK SPOT WHITE	Bonded to 5mm black forex	5mm black forex spacer, forex split baton to wall with velco	1	100 (1:1 AW)	Split batton with forex spacer and velco to secure
07 SAMPLING											
1no Sample of each type of panel and process is requested for approval prior to production.									10		TBC with contractor.