

NOTES

This drawing to be read in accordance with the specification/Bills of Quantities and related drawings.

No Dimensions to be scaled from this drawing. All stated dimensions to be verified on site and the Architect notified of any discrepancies.

Scale bar 100mm at 1:1

ALARM SYSTEM REQUIREMENT TO BE CONFIRMED WITH CLIENT IN ACCORDANCE WITH SPECIALIST

## NOTE:

TO BE READ IN CONJUNCTION WITH ROOM DATA SCHEETS FOR PRODUCT INFORMATION.

EXISTING EXTERNAL FLOODLIGHTS TO BE RETAINED.

EMERGENCY LIGHT FITTINGS REQUIRED. LCOATIONS TO BE CONFIRMED BY SPECIALIST.

SERVICES LEGEND One gang, one way switch. TV/FM point. Master Telephone point (BT point) One gang, two way switch. One gang, three way switch. Media Plate(Refer to Telecoms Legend) MEDIA PLATE Low energy bulb only pendant Sky Plus light fitting assembly. Ventilation: Low energy Batten light Extract fan - ceiling mounted fitting assembly. Extract fan - wall mounted Low energy downlighter Water & Heating: Low energy external light fitting. Low energy bulkhead external light fitting Low energy surface mounted light fitting Flourescent with diffuser Wall Unit Lighting Blanking plate - for light fittings. Single unswitched socket outlet. Single switch socket outlet. Fibre optic distribution box Double switch socket outlet. Double switch socket outlet with double USB points. USB Double external switch socket outlet. 13amp Switched Socket Outlet Above Worktop (Double) Shaver socket. 13amp Switched Socket Outlet Above Worktop (Single) Low/High level isolating switch fused spur. Low level socket with fused Socket Outlet connected to high spur above worktop. Immersion heater switch. Switches and sockets in habitable rooms be between 450mm & 1200mm from FFL as set out in approved document Part M1.

Double switch socket outlet Low level socket with fused sp Low level socket with fused spur above worktop Space Heating: Grid switch above worktop for Hob, Hood, Fridge/Freezer, Washing machine and Towel rail. Radiator. 45amp DP Cooker Switch with neon indicator and separate 45amp Cooker Cable Outlets for Oven and electric Hob connections. Plumbing: External tap. Gas point. Above Worktop, see note for Gas Fire Detection: Carbon Monoxide Detector Heat Detector DMEV Extract Fan - Ceiling Mounted Electric cables must not be covered by the floor insulation unless cable rated accordingly.

A	17.05.19	MINOR CHANGES MADE TO OFFICIALS CHANGING LIGHTING TO SUIT AMENDED LAYOUT & SHOWER LIGHTING, LOFT HATCH MOVED TO EXTERNAL STORE & ADDITION OF LIGHT IN EXTERNAL STORE	JDP	
FOR TENDER				
REV	DATE	NOTE	ВҮ	

## Proj

LEMSFORD VILLAGE HALL BROCKET ROAD WELWYN GARDEN CITY HERTFORDSHIRE

## Titl

PROPOSED EXTENSION & ALTERATION WORKS PROPOSED ELECTRICAL LAYOUT PLAN

Drawing Number 8067_116	Revision <b>A</b>		
Drawn RG	Checked AG		
Scale 1:50 @A1	Date MAY 19		

## Saunders

Architecture + Urban Design

saundersarchitects.com | 01707 385300 | London | Manchester | Bristol | Welwyn