

Product Specifications for Turboforce® Junior MKII Hand
Dryer (white)

Energy Consumption	Electrical Supply Voltage	220-240 Volts
	Electrical Supply Frequency	50/60 Hz
Performance	Expected Motor Life	600 Hours
	Dry Time (max setting)	15 Seconds
	Dry Time Notes	As yet not in house tested to verify
	Universal Brush Motor	
	Motor Speed (max setting)	25000 RPM
	Air Speed (max setting)	223 MPH
	Air Volume (max setting)	82 CFM
	Operating Temperature Range	(At room temperature 25°C) = 40 °C
	Heater Element Power	850 Watts
	Motor Cutoff Time	60 Seconds
	Motor Class	Class 1
Rated Power	Rated Power (max settings)	1350 Watts
	Rated Power (min settings)	500 Watts

	Rated Power Notes	Has internal switch for warm and cold air settings
	Energy Per Dry (max setting)	5.63 Watt-hours (Wh)
	Energy Per Dry (min setting)	2.08 Watt-hours (Wh)
	Energy Per Dry Notes	Has internal switch for warm and cold air settings
Noise	Operating Sound Level (max setting)	70 (manufacturer stated) dB
	Sound Level Notes	As yet not independently tested to verify dB
Sensor	Sensor type	IR (5-15cm range)
Guarantee	1 Year	
Construction	Materials	Stainless Steel
	Net Weight	3 kg
	Packed Weight	3.75 kg
Finishes	White Steel	
	Brushed Stainless Steel	
	Other Finishes	Black
Electrical & Safety	IP rating	IPX1

Dimensions	Product Height	255 mm
	Product Width	173 mm
	Product Depth	150 mm
	Packaging Height	450 mm
	Packaging Width	340 mm
	Packaging Depth	420 mm
Mounting Instructions	Men	1170 mm
	Women	1120 mm
	Children 4-7 Years	810 mm
	Children 7-10 Years	910 mm
	Children 10-13 Years	1020 mm
	Children 13-17 Years	1120 mm
	Disabled	940 mm
Certification	CE	
	UL	
Replaceable Features	General Filter	