



K e y F	Revision Date	Description	Notes		Níall McLaugh	hlin Architects
	- Nov 202	20 Issued for Records	 DO NOT SCALE FROM THESE DRAWINGS, USE FIGURED DIMENSIONS ONLY. ALL CO-ORDINATES, LEVELS, DIMENSIONS AND DISCREPANCIES ARE TO BE REPORTED TO THE ARCHITECT IMMEDIATELY. ALL DRAWINGS TO BE READ IN CONJUNCTION WITH ARCHITECTURAL SPECIFICATION. REFER TO A LIST OF ARCHITECTURAL CONTRACTOR DESIGN ELEMENTS CONTAINED WITHIN THE NBS SPECIFICATION. DETAILS SUBJECT TO CHANGE UPON RECEIPT OF SUB-CONTRACTOR DESIGN, DETAILS AND SPECIFICATION. ALL BOARD AND MEMBRANE JOINTS TO BE FULLY TAPED, LAPPED AND SEALED AS PER DETAILS AND IN LINE WITH MANUFACTURERS RECOMMENDATIONS. JUNCTIONS BETWEEN DIFFERING MATERIALS TO BE FULLY TAPED AND SEALED TO PRESERVE AN AIRTIGHT LINE. ALL STRUCTURAL ELEMENTS ARE TO BE DESIGNED BY THE STRUCTURAL ENGINEER. UNDERGROUND DRAINAGE DESIGNED BY OTHERS. REFER TO STRUCTURAL ENGINEER. UNDERGROUND DRAINAGE DESIGNED BY OTHERS. TREE LOCATIONS AND SIZES ARE INDICATIVE ONLY. ALL EXISTING BUILDING INFORMATION AND SITE LEVELS ARE TAKEN FROM SITE SURVEY CARRIED OUT BY PREMIER DESIGN SURVEYS LTD. SURVEYS DATED NOVEMBER 2013 AND PROVIDED BY THE CLIENT U-VALUES TO ACHIEVE A MINIMUM OF: EXTERNAL WALLS - 0.20 W/m2K; GROUND BEARING FLOOR - 0.12 W/m2K; ROOF - 0.12 W/m2K; GLAZING - 1.1 W/m2K; DOORS - 2.2 W/m2K FOR AIR TIGHTNESS: CONSTRUCTION TO ACHIEVE AN AIR TIGHTNESS VALUE OF 3m3/h.m2 	JOB: CLIENT: SCALE: DATE FIRST ISSUED: DRAWING: REFERENCE: REVISION: STATUS:	1305-Auckland Castle-Scotland Wing Extension ACT 1:75 (A1); 1:150 (A3) 08.04.16 Section BB NMLA-1305-00-211 - RECORD	Bedford House 125-133 Camden High Street London NW1 7JR T: +44 (0) 20 7485 9170 F: +44 (0) 20 7485 9171 E: info@niallmclaughlin.com W: www.niallmclaughlin.com







Кеу	Revision	Date	Description	Notes	Níall McLaughlin Architects		
WT Internal Wall Type, refer to drawings NMLA-1305-22-600 to 603 FT Floor Type, refer to drawings NMLA-1305-33-600 to 601 CT Ceiling Type, refer to drawing NMLA-1305-35-600	-	Nov 2020	Issued for Records	-DO NOT SCALE FROM THESE DRAWINGS, USE FIGURED DIMENSIONS ONLY -ALL CO-ORDINATES, LEVELS, DIMENSIONS AND DISCREPANCIES ARE TO BE REPORTED TO THE ARCHITECT MIMEDIATES. -ALL DRAWINGS TO BE READ IN CONJUNCTION WITH ARCHITECTURAL SPECIFICATION. -REPER TO ALL STO F ARCHITECTURAL CONTRACTOR DESIONE DELEMENTS CONTAINED WITHIN THE NBS SPECIFICATION. -REPER TO ALL STO F ARCHITECTURAL CONTRACTOR DESIONE DELEMENTS CONTAINED WITHIN THE NBS SPECIFICATION. -REPER TO ALL STO F ARCHITECTURAL CONTRACTOR DESIONE DELEMENTS CONTAINED WITHING PROSPONI -ALL BOARD AND MEMBRANE JOINTS TO BE FULLY TAPED LAPPED AND SEALED AS PER DETALS AND IN LINE WITH -MANUFACTURAL ELEMENTS ARE TO BE DESIONED BY THE STRUCTURAL ENGINEER -ALL STRUCTURAL ELEMENTS ARE TO BE DESIONED BY OTHERS. REFER TO STRUCTURAL ENGINEER -NIDERRAROUND DRAMAGE DESIGNED BY OTHERS. REFER TO STRUCTURAL ENGINEER -NIDERRAROUND DRAMAGE DESIGNED BY OTHERS. REFER TO STRUCTURAL ENGINEER -NIDERRAROUND DRAMAGE DESIGNED BY OTHERS. REFER TO STRUCTURAL ENGINEER -NIDERRAROUND DRAMAGE DESIGNED BY OTHERS. REFER TO STRUCTURAL ENGINEER -NIDERRAROUND DRAMAGE DESIGNED BY OTHERS. REFER TO STRUCTURAL ENGINEER -NIDERRAROUND DRAMAGE DESIGNED BY OTHERS. REFER TO STRUCTURAL ENGINEER -NIDERRAROUND DRAMAGE DESIGNED BY OTHERS. REFER TO STRUCTURAL ENGINEER -NIDERRAROUND DRAMAGE DESIGNED BY OTHERS. REFER TO STRUCTURAL ENGINEER -NIDERRAROUND DRAMAGE DESIGNED BY OTHERS. REFER TO STRUCTURAL ENGINEER -NIDERRAROUND DRAMAGE DESIGNED BY OTHERS. REFER TO STRUCTURAL ENGINEER -NIDERRAROUND DRAMAGE DESIGNED BY OTHERS. REFER TO STRUCTURAL ENGINEER -NIDERRAROUND DRAMAGE DESIGNED BY OTHERS. REFER TO STRUCTURAL ENGINEER -NIDERRAROUND DRAMAGE DESIGNED BY OTHERS. REFER TO STRUCTURAL ENGINEER -NIDERRAROUND DRAMAGE DESIGNED BY OTHERS. REFER DASTRUCTURAL ENGINEER -NIDERRAROUND DRAMAGE DESIGNED BY OTHERS. REFER DASTRUCTURAL ENGINEER -NILL EXISTING DASTRUCTURAL AND REX. REFORM DES DER AND S AND REFOR TES DASTRUCTURAL -	JOB: CLIENT: SCALE: DATE FIRST ISSUED: DRAWING: REFERENCE: REVISION: STATUS:	1305-Auckland Castle-Scotland Wing Extension ACT 1:75 (A3) 09.12.2016 T Room Layouts First Floor Mezzanine Reflected Ceiling Plan - Gallery (4)E NMLA-1305-10-312 W - RECORD	Bedford House 125-133 Camden High Street London NW1 7JR : +44 (0) 20 7485 9170 : +44 (0) 20 7485 9171 : +44 (0) 20 7485 9171 : info@niallmclaughlin.com www.niallmclaughlin.com



Кеу	Revision	Date	Description	Notes	
WTInternal Wall Type, refer to drawings NMLA-1305-22-600 to 603FTFloor Type, refer to drawings NMLA-1305-33-600 to 601CTCeiling Type, refer to drawing NMLA-1305-35-600	-	Nov 2020	Issued for Records	OD NOT SCALE FROM THESE DRAWINGS, USE FIGURED DIMENSIONS ONLY. ALL CO-ORDINATES, LEVELS, DIMENSIONS AND DISCREPANCIES ARE TO BE EXPORTED TO THE ARCHITECT MANDATELY DRAWINGS TO FEAD TO CONJUNCTION WITH ARCHITECTURAL SPECIFICATION. ALL DRAWINGS TO FEAD TO CONJUNCTION WITH ARCHITECTURAL SPECIFICATION. ALL DRAWINGS TO FEAD TO CONJUNCTION WITH ARCHITECTURAL SPECIFICATION. ALL DRAWINGS TO FEAD TO CONJUNCTION WITH ARCHITECTURAL SPECIFICATION. ALL DRAWINGS TO FEAD TO CONJUNCTION TO SUBJOCT THE ARCHITECT ALL DRAWINGS TO FEAD TO CONJUNCTION WITH ARCHITECTURAL SPECIFICATION. ALL DRAWINGS TO FEAD TO CONJUNCTION WITH ARCHITECTURAL SPECIFICATION. ALL DOARD AND MEMBRANE JOINTS TO BE FULLY TAPED, LAPPED AND SEALED AS FER DETAILS AND N LINE WITH MANUFACTURAL ELEMENTS ARE(TO CONJUNCTIONS ENTREMO THEFERING MATERIALS TO BE FULLY TAPED AND SEALED TO PRESERVE AN ARTIGHT LINE. ALL STRUCTURAL ELEMENTS ARE TO BE DESIGNED BY THE STRUCTURAL ENGINEER. ALL STRUCTURAL ELEMENTS ARE ONE DE DESIGNED BY THE STRUCTURAL ENGINEERS OR AWAYS FOR DETAILS. SOFT LANDSCAPING DESIGNED BY OTHERS: THEE LOCATIONS AND SIZES ARE INDICATIVE ONLY. ALL STRUCTURAL ELEMENTS ARE TO DE DESIGNED BY THE STRUCTURAL REMOVERS OR AWAYS FOR DETAILS. SOFT LANDSCAPING DESIGNED BY OTHERS: THEE LOCATIONS AND SIZES ARE INDICATIVE ONLY. ALL STRUCTURAL ELEMENTS TO ARE UNLY THAN AND AVOIDED BY THE CLENT DESIGN SURVEYS DATED NOVEMBER 2013 AND PROVIDED BY THE CLENT DUVALUES TO CAREWARY FLOOR - 0.12 WIM2K, GLAZING - 0.12 WIM2K, GLAZING - FOR AIR TIGHTHESS.CONSTRUCTION TO ACHIEVE AN ART FLOOR - 0.12 WIM2K, GLAZING - FOR AIR TIGHTHESS.CONSTRUCTION TO ACHIEVE AN ART FLOOR - 0.12 WIM2K, GLAZING - FOR AIR TIGHTHESS.CONSTRUCTION TO ACHIEVE AN ART FLOOR - 0.12 WIM2K, GLAZING - FOR AIR TIGHTHESS.CONSTRUCTION TO ACHIEVE AN ART FLOOR - 0.12 WIM2K, GLAZING - FOR AIR TIGHTHESS.CONSTRUCTION TO ACHIEVE AN AIR TIGHTHESS VALUE OF 3m3h.m2	



RECORD

Кеу	Revision	Date	Description	Notes	
WT Internal Wall Type, refer to drawings NMLA-1305-22-600 to 603 FT Floor Type, refer to drawings NMLA-1305-33-600 to 601 CT Ceiling Type, refer to drawing NMLA-1305-35-600	-	Nov 2020	Issued for Records	OD NOT SCALE FROM THESE DRAWINGS, USE FIGURED DIMENSIONS ONLY. *ALL CO-ORDINATES, LEVELS, DIMENSIONS AND DISCREPANCIES ARE TO BE REPORTED TO THE ARCHITECT MIMEDIATELY. *ALL DRAWINGS TO BE READ IN CONJUNCTION WITH ARCHITECTURAL SPECIFICATION. REFER TO AL SIST OF ARCHITECTURAL CONTRACTOR DESIGN ELEWISTS CONTAINED WITHIN SPECIFICATION. *ALL DOARD AND MEMBRANE, CONTS TO BE FULLY TAPED LAPPED AND SEALED AS PER DETAILS AND IN LINE WITH MANUFACTURERS RECOMMENDATIONS. JUNCTIONS BETWEED INFERIMENT AND THAT ALL STO BEFULLY TAPED TO PRESERVE AN ARTIGHT LINE. *UND THAT ARCHITECTURAL CONTRACTIONS BETWEED INFERIMENT AND THAT AND ADD AND SEALED TO PRESERVE AN ARTIGHT LINE. *UND THAT ALL SEALED AS THE INFERIMENT AND THAT AND ADD AND SEALED TO PRESERVE AN ARTIGHT LINE. *UND THAT ALL SEALED AS THE INFERIMENT ANTERIALS TO BEFULLY TAPED LAPPED AND SEALED TO PRESERVE AN ARTIGHT LINE. *UND THAT ALL SEALED AS THE INFERIMENT ANTERIALS TO BEFULLY TAPED. TO PRESERVE AN ARTIGHT LINE. *UND THAT ALL SEALED AS THE INFERIMENT ANTERIALS TO BEFULLY TAPED AND SEALED TO PRESERVE AN ARTIGHT LINE. *UND THAT ALL SEALED AS THE INFERIMENT ANTERIALS TO BEFULLY TAPED. TO PRESERVE AN ARTIGHT LINE. *UND THAT ALL SEALED AS THE INFERIMENT ANTERIALS TO BEFULLY TAPED. TO PRESERVE AN ARTIGHT LINE. *UND THAT ALL SEALED AS THE INFERIMENT ANTERIALS TO BEFULLY TAPED AND SEALED TO PRESERVE AN ARTIGHT LINE. *UND THAT ALL SEALED AS THE INFERIMENT ANTERIALS TO BEFULLY TAPED THE STRUCTURAL BELINERS FOR DETAILS. *UND THAT ALL SEALED AND THE LEVELS ARE THATEN FROM THE STRUCTURAL BELINGER TO A STRUCTURAL BELINGER FOR THE STRUCTURAL BELINGER FOR THE STRUCTURAL BELINGER FOR THE STRUCTURAL BELING FOR THE STRUCTURAL BELING FOR THE STRUCTURAL BELING FOR THE STRUCTURAL BELING FOR THE STRUCTURAL STRUCT	JOB: CLIENT: SCALE: DATE FIF DRAWING REFEREI REVISION STATUS:

