| | | | | | | NAM Mount schedule | i | | | |
|-----|--------------|----------------|--------------------|------------------------------|------------------|--|--------------------------|--|--|---|
| ase | Type code | Object acc no | Object description | Display angle | Location in case | Туре | Material | Dimensions | Finish | Notes |
| 1 | | | | | | | | | | |
| | G | 1998-01-14-1 | sword | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | Back of sword =200mm from back panel | Steel spray painted dark blue - ref: RAL 290 20 35 | Hilt at bottom |
| | G | 1998-01-15-1 | dirk | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | Back of dirk =200mm from back panel | Steel spray painted dark blue - ref: RAL 290 20 35 | Hilt at bottom |
| | G | 1974-03-130-1 | musket | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | Back of dirk =125mm from back panel | Steel spray painted dark blue - ref: RAL 290 20 35 | Stock at bottom |
| | G | 1987-08-10-1 | bayonet | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | Back of bayonet =60mm from back panel | Steel spray painted dark blue - ref: RAL 290 20 35 | |
| | | 1961-07-180-1 | boat model | Horizontal | Plinth | | | | | |
| | G | 1991-10-138-1 | gorget | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | Back of gorget =175mm from back panel | Steel spray painted dark blue - ref: RAL 290 20 35 | |
| | K | 1991-07-165-1 | helmet | Horizontal | Back panel | L shaped bracket back to back panel | Steel | Back of helmet =90mm from back panel | Steel spray painted dark blue - ref: RAL 290 20 35 | |
| | В | 1979-07-140-1 | medal | 45' | Plinth | Clear acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. | Steel + clear acrylic | medal =44mm diam | Steel spray painted dark blue - ref: RAL 290 20 35 | Acrylic cut to same size as medal |
| | Н | 1971-02-33-474 | engraving | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + clear acrylic | Engraving = 600 w x 360h. Back of engraving 50mm from back panel | Steel spray painted dark blue - ref: RAL 290 20 35 | |
| | В | 1960-07-48-1 | miniature | 45' | Plinth | Metal claws or rings fixed into horizontal rod. Rod screw fixes into a base plate. | Steel | | Steel spray painted dark blue - ref: RAL 290 20 35 | |
| | A | 1969-07-17-1 | poster | Vertical 90' | Plinth | Clear acrylic plate with acrylic fin supports | Clear acrylic | poster = 217w x 280h. Back of poster 50mm from back panel | Clear acrylic | |
| | | 2005-09-158-1 | candlestick | Vertical 90' Freestanding | Plinth | | | | | |
| | | 2006-08-7-1 | figure | Vertical 90' Freestanding | Plinth | | | | | May need support conservation to advise |
| | Н | 2006-12-87-1 | engraving | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + clear acrylic | engraving = 445w x 670h. Back of engraving 30mm from back panel | Steel spray painted dark blue - ref: RAL 290 20 35 | |
| | Н | 1971-12-3-1 | commission | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + clear acrylic | commission = 315w x 248h. Back of commission 50mm from back panel | Steel spray painted dark blue - ref: RAL 290 20 35 | |
| | Н | 2012-03-25-1 | engraving | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + clear acrylic | engraving = 191w x 253h. Back of engraving 80mm from back panel | Steel spray painted dark blue - ref: RAL 290 20 35 | |

| | | | | | | NAM Mount schedu | le | | | |
|------|-----------|--|--------------------|--------------------------------|------------------|--|----------------------------|--|---|---------------------------------|
| Case | Type code | Object acc no | Object description | Display angle | Location in case | Туре | Material | Dimensions | Finish | Notes |
| 2 | | | | | | | | | | |
| | G | 1998-07-34-1 | pistol | 40' and angling into case back | Back panel | Metal claws/rings fixed into two support rods that screw fix into case back panel | Steel | 50mm from back of pistol to case back panel at nearest point, 65mm at deepest | Steel spray painted dark blue - ref: RAL 290 20 35 | |
| | G | 1988-05-58-1 | rifle | 40' and angling into case back | Back panel | Metal claws/rings fixed into two support rods that screw fix into case back panel | Steel | 25mm from back of rifle to case back panel at nearest point 100mm at deepest | Steel spray painted dark blue - ref: RAL 290 20 35 | |
| | В | 1963-10-202-1 | horn, powder | Horizontal | Plinth | Metal claws/rings fixed into two support rods that screw fix into a base plate. | Steel | Highest support rod to the right is 75mm to u/s of horn | Steel spray painted dark blue - ref: RAL 290 20 35 | |
| | Н | 2001-08-859-1 1988-03-31-1 H 1963-01-149-1 | medals x 3 | Vertical 90' | Back panel | Frosted acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + frosted acrylic | 250w x 145h mm | Steel spray painted dark blue - ref: RAL 290 20 35 | |
| | Н | 1971-02-33-329 | aquatint | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + clear acrylic | 490w x 330h | Steel spray painted dark blue - ref: RAL 290 20 35 | Acrylic cut to size of aquatint |
| | | 2014-01-21-1 | statuette | Vertical 90' | Plinth | Freestanding | | | | |

| | | | | | NAI | M Mount schedule | | | | |
|-----|-----------|--------------------------------|--------------------------------------|------------------|------------------|---|----------------------------|--|---|-------|
| ase | Type code | Object accession no | Object description | Display angle | Location in case | Туре | Material | Dimensions | Finish | Notes |
| 3 | | | | | | | | | | |
| | J | 2004-07-18-269 | Certificate mounted onto board | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + clear acrylic | 107mm from panel to case back | Spray painted dark blue - ref: RAL 290 20 35 | |
| | J | 2007-05-79-1 | Watercolour mounted onto board | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + clear acrylic | 142mm from panel to case back | Spray painted dark blue - ref: RAL 290 20 35 | |
| | G | 1984-06-163-1 | Gorget | Vertical 90' | Back panel | Armatures connected back to a horizontal rod and screw fixed into case back panel | Steel | Check object list | Spray painted dark blue - ref: RAL 290 20 35 | |
| | J | 1985-01-45-10 | Shako badge | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixed into case back panel | Steel + clear acrylic | 60mm long from cradle to case back | Spray painted dark blue - ref: RAL 290 20 35 | |
| | Н | 1976-03-10-1 | War medal | Vertical 90' | Back panel | Frosted acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixed into case back panel | Steel + frosted acrylic | Acrylic plate= 70w x 95h. 72mm long from plate to case back | Steel spray painted dark blue - ref: RAL 290 20 35 | |
| | G | 1983-03-59-1 | shoulder belt plate | Vertical 90' | Back panel | Armatures connected back to a horizontal rod and screw fixed into case back panel | Steel | 80mm long to case back | Spray painted dark blue - ref: RAL 290 20 35 | |
| | Α | 1975-08-55-3 | Papers mounted onto board | 70' | Plinth | Book mount sitting on plinth with fin supports | Clear acrylic | Check object list | Clear acrylic | |
| | | 1992-09-240-1 1992-09-240-2 | Coffee cup Coffee saucer | Standing | On plinth top | | | | | |
| | K | 1974-02-117-1 | Jacket | Vertical 90' | Back wall | Bracket to case back panel | Steel | 175mm bracket to centre of jacket | Spray painted dark blue - ref: RAL 290 20 35 | |
| | | 1974-02-117-2 | wing | | On jacket | | | | | |
| | | 1974-02-117-3 | shoulder belt plate | | On jacket | | | | | |
| | | 1974-02-117-4 | pouch belt | | On jacket | | | | | |
| | | 1974-02-117-5 | pouch | | On jacket | | | | | |
| | | 1977-01-26-8 | Lamp | Standing | On plinth top | | | | | |

| | | | | | NA | AM Mount schedule | | | | |
|------|--------------|---------------|--------------------|--------------------------------------|------------------|--|----------|---------------------------|--|--|
| Case | Type code | Object acc no | Object description | '. ' | Location in case | Туре | Material | Dimensions | Finish | Notes |
| 4 | | | | | | | | | | |
| | | 1966-09-70-1 | colour (badge) | Flat | Plinth | Clear acrylic mount board | | Colour = 1900w x 1270h | | |
| | | 2002-01-179 | medical kit | Flat | Plinth | | | 240w x 125 w | | |
| | | 1961-12-47 | bilge valve | Vertical | Plinth | | | 210 w x 140 d | | |
| | В | 1963-10-263 | watch | Open facing up. slight angle forward | Plinth | Metal cradle fixed into 20mm h vertical rod. screw fixed into base plate | Steel | 45mm diam | Steel spray painted dark blue - ref: RAL 290 20 35 | |
| | В | 1995-04-4-2 | shako cover | Vertical | Plinth | Metal hat cradle fixed into vertical rod, screw fixed into base plate | Steel | 197w x 360 d x 260h | Steel spray painted dark blue - ref: RAL 290 20 35 | Will need to be mounted at an angled to fit into case |

| | - | | la | D: 1 | | NAM Mount schedule | | . | - | I |
|------|--------------|---|-----------------------|---------------|------------------------------------|---|----------------------------|--|---|---|
| Case | Type code | Object acc no | Object description | Display angle | Location in case | Туре | Material | Dimensions | Finish | Notes |
| 5 | | | | | | | | | | |
| | G | 1952-05-7-1 | staff, goad | Vertical 90' | Back panel | Armatures connected back to a horizontal rod and screw fixed into case back panel | Steel | 50mm from panel to case back | Spray painted dark blue - ref: RAL 290 20 35 | Detailed end displayed at the top |
| | | 1961-10-6-1 | shot, case | Standing | Plinth | | | | | No mount required |
| | G | 1981-07-24-1 | musket | Vertical 90' | Back panel | Armatures connected back to a horizontal rod and screw fixed into case back panel | Steel | 100mm from panel to case back | Spray painted dark blue - ref: RAL 290 20 35 | Stock at the bottom |
| | G | 1999-12-5-1 | miniature on ivory | Vertical 90' | Back panel | Armatures connected back to a horizontal rod and screw fixed into case back panel | | 350mm long from cradle to case back | Spray painted dark blue - ref: RAL 290 20 35 | |
| | L | 1970-08-4-1 | dhal | Vertical 90' | Back panel | Armature framework connected back to a horizontal rod and screw fixed into case back panel | Steel | Approx 395 diam | Spray painted dark blue - ref: RAL 290 20 35 | Fixed closely to back panel (no depth or internal details given for this object) |
| | M | 1971-07-3-1 | helmet | Vertical 90' | Plinth | Internal support to hat with vertical rod screw fixing into base plate | Steel | object is 750h | | Floats just above the plinth |
| | G | 1984-11-236-1 | sword, tulwar | Vertical 90' | Back panel | Armatures connected back to a horizontal rod and screw fixed into case back panel | Steel | object is 830h | Spray painted dark blue - ref: RAL 290 20 35 | Fixed closely to back panel (no depth given for this object). Hilt at bottom. |
| | G | 1970-03-18-1 | knife, pesh-kabz | Vertical 90' | Back panel | Armatures connected back to a horizontal rod and screw fixed into case back panel | Steel | 100mm to case back | Spray painted dark blue - ref: RAL 290 20 35 | Handle at bottom |
| | | 1956-2-1 | statuette | Standing | On plinth top | | | | | May need support - conservation to advise |
| | J | 1986-04-88-1 | commission (paper) | Vertical 90' | Back panel | Acrylic book mount with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel/clear acrylic | 85mm from back panel | Spray painted dark blue - ref: RAL 290 20 35 | |
| | K | 1964-08-43-1 | jacket, frogged | Vertical 90' | Back wall | Bracket to case back panel | Steel | 288mm bracket to centre of jacket | Spray painted dark blue - ref: RAL 290 20 35 | |
| | K | 1952-06-4-1 | helmet | Vertical 90' | Above jacket | Mannequin head or bracket back to back panel | | | | |
| | A | 1996-12-40-1 + 1980-02-82-1 + 1975-09-74-1 | medals x 3 | 75' | Sitting on a support on plinth top | Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. | Steel + frosted acrylic | Acrylic plate = 225mm w x 95mm h. Bottom of plate to plinth =218mm | Frosted acrylic. Steel Spray painted dark blue - ref: RAL 290 20 35 | 3 medals together |
| | A | 1979-03-94-1 + 1962-09-35-12 + 1989-01-59-1 | medals x 3 | 75' | Sitting on a support on plinth top | Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. | Steel + frosted acrylic | Acrylic plate = 225mm w x 150mm h. Bottom of plate to plinth = 310mm | Frosted acrylic. Steel Spray painted dark blue - ref: RAL 290 20 35 | 3 medals together |
| | J | 1982-08-145-1 | mezzotint | Vertical 90' | Back panel | Acrylic book mount with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel/clear acrylic | 20mm from panel to case back | | |
| | J | 1997-05-36-1 | aquatint | Vertical 90' | Back panel | Acrylic book mount with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel/clear acrylic | 20mm from panel to case back | | |
| | | 1960-04-122-1 1960-04-122-2 | cannon ball + stand | Standing | Plinth | | | | | |
| | К | 1997-06-1-2 | shako (hat) | Vertical 90' | | Internal hat mount with bracket to fix back to case panel | Steel | Centre of shako projects 210mm from back panel | | |
| | J | 1978-08-23 | aquatint | Vertical 90' | Back panel | Acrylic book mount with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel/clear acrylic | 85mm from panel to case back | | |
| | | 2009-10-1-1 | statuette | Standing | On plinth top | | | 285mm h | | May need support - conservation to advise |
| | G | 1961-10-9-1 | miniature on ivory | Vertical 90' | Back panel | Metal claws fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | 350mm long from cradle to case back | Spray painted dark blue - ref: RAL 290 20 35 | |
| | G | 1961-10-9-7 | miniature on ivory | Vertical 90' | Back panel | Metal claws fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | 350mm long from cradle to case back | Spray painted dark blue - ref: RAL 290 20 35 | |

| Case | Type | Object acc no | Object | Display | Location in | NAM Mount schedule | Material | Dimensions/distance | Finish | Notes |
|------|--------------|---|---------------------|--------------|---------------|--|-------------------------------------|---|---|---|
| Case | Type code | Object acc no | description | angle | case | Туре | Iviaterial | Dimensions/distance | Fillisii | Notes |
| 6 | | | | | | | | | | |
| | В | 1963-12-251-194 | musket | Vertical 90' | On plinth top | Metal claws fixed into two support rods that screw fix into a base plate | Steel | 50mm to plinth from base of musket | Spray painted dark blue - ref: RAL 290 20 35 | Stock at bottom |
| | G | 1966-09-98-1 | waterbottle | Vertical 90' | Back panel | Cradle fixed to rod, rod screw fixed into case back panel | Steel | 150mm from panel to case back | Spray painted dark blue - ref: RAL 290 20 35 | |
| | G | 1967-05-41-1 | key | Horizontal | Back panel | Cradle fixed to rod, rod screw fixed into case back panel | Steel | 150mm from panel to case back | Spray painted dark blue - ref: RAL 290 20 35 | Handle displayed on left |
| | | 1995-07-54-1 | carriage gun | Standing | On plinth top | | | | | Faces right |
| | В | 1963-10-173-1 | sword | Vertical 90' | On plinth top | Metal claws fixed into two support rods that screw fix into a base plate | Steel | 50mm to plinth from base of sword | Spray painted dark blue - ref: RAL 290 20 35 | Hilt at bottom |
| | Н | 2002-08-30-1 + 2002-08-30-2 | medals x2 | 70' | Back panel | Frosted acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Frosted acrylic, brass, steel | Acrylic plate = 120mm w x 160mm h. Distance from middle of plate to case back =200mm | Steel spray painted dark blue - ref: RAL 290 20 35 | 2 medals together |
| | J | 1971-02-33-501-1 6 | aquatint | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + acrylic | 100mm from panel to case back | Steel spray painted dark blue - ref: RAL 290 20 35 | |
| | J | 1971-02-33-14-1 | line engraving | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + acrylic | 50mm from panel to case back | Steel spray painted dark blue - ref: RAL 290 20 35 | |
| | J | 1971-02-33-398-1 | etching | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + acrylic | 100mm from panel to case back | Steel spray painted dark blue - ref: RAL 290 20 35 | |
| | Н | 1957-04-30-77 | photograph | 70' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + acrylic | 200mm long from plate to case back | Steel spray painted dark blue - ref: RAL 290 20 35 | |
| | G | 2005-12-39-1 | sword | Vertical 90' | Back panel | Ring or claws fixed into horizontal rod. Rod screw fixes into case back panel | Steel | 25mm from back panel | Spray painted dark blue - ref: RAL 290 20 35 | |
| | G | 2006-08-9-1 | mug | Vertical 90' | Back panel | Ring or claws fixed into horizontal rod. Rod screw fixes into case back panel | Steel | 150mm from back panel | Spray painted dark blue - ref: RAL 290 20 35 | |
| | G | 2006-08-41-1 + 2006-08-41-2 | coffee cup + saucer | 45' | Back panel | Ring or claws fixed into horizontal rod. Rod screw fixes into case back panel | Steel | 150mm from back panel | Spray painted dark blue - ref: RAL 290 20 35 | Cup sits on saucer |
| | J | 1982-04-51-1 | watercolour | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + acrylic | 100mm from plate to case back | Steel spray painted dark blue - ref: RAL 290 20 35 | |
| | В | 1959-07-150-1 | finial | Standing | On plinth top | Requires free-standing cradle support | Steel | Object is 240mm h | Steel spray painted dark blue - ref: RAL 290 20 35 | |
| | Н | 2014-08-7-71 | photograph | 70' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + acrylic | 200mm long from cradle to case back | Steel spray painted dark blue - ref: RAL 290 20 35 | |
| | Н | 2016-12-14-1 +2016-12-14-2 +2016-12-14-3 +2016-12-14-4 +2016-12-14-5 +2016-12-14-6 | medals x 6 | 70' | Back panel | Frosted acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Frosted acrylic, brass, steel | Acrylic plate = 330mm w x 145mm h. Distance from middle of plate to case back =150mm | Steel spray painted dark blue - ref: RAL 290 20 35 | 2 medals together |
| | | 2017-10-6-2-1 | pouch belt | | On jacket | | | | | |
| | K | 2017-10-6-3-1 + 2017-10-6-3-2 | helmet + plume | Vertical 90' | Above jacket | Bracket screw fixed into case back panel | Steel | Approx 320mm from back panel depending on jacket final position | Spray painted dark blue - ref: RAL 290 20 35 | Could also be on a mannequin head |
| | K | 2017-10-6-1-1 | jacket | Vertical 90' | Back wall | Bracket to case back panel | Steel | 320mm bracket to centre of jacket | Spray painted dark blue - ref: RAL 290 20 35 | Could be on a stand with spigot through case base |

| Case | Туре | Object acc no | Object | Display | Location in | NAM Mount schedule 1 | 17.12.21 Material | Dimensions | Finish | Notes |
|------|------|---|---|---------------------|-------------|---|--------------------------|--|--|--|
| 7 | code | Object acc no | description | angle | case | Туре | Material | Dimensions | I III3II | Notes |
| / | G | 1960-10-16-1 + 1960-10-16-2 | sword + scabbard | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back | Steel | objects measure 1025mm h o/a | Spray painted dark blue - ref: RAL 290 20 35 | Fixed closely to back panel (no depth dim given for these objects) Hilt at bottom. |
| | G | 1999-03-87-1 | carbine (gun) | Vertical 90' | Back panel | panel Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back | Steel | | Spray painted dark blue - ref: RAL 290 20 35 | Fixed closely to back panel. |
| | | 1951-12-85-1 | drum | Standing on | Plinth | panel | | | | |
| | G | 1968-10-48 | fork | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | 165mm from back panel | Spray painted dark blue - ref: RAL 290 20 35 | |
| | | 1965-04-47 | manacles | Laying on base | Plinth | | | | | |
| | G | 1965-07-13-1 1965-07-13-2 1965-07-13-3 1965-07-13-4 1965-07-13-5 1965-07-13-6 | belt with ammunition, powder, knives x 3 | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rods x2. Rods are screw fixed into case back panel | Steel | Distance from back panel =125mm | Spray painted dark blue - ref: RAL 290 20 35 | Objects 1965-07-13-2 to 1965-07-13-6 are placed in the belt |
| | G | 1987-09-9-1 1979-07-61-1 | bayonet fixed to rifle | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | | Spray painted dark blue - ref: RAL 290 20 35 | Fixed closely to back panel. Stock at bottom. bayonet attached to rifel |
| | G | 1965-05-81-1 | Zulu spear | 127' to the right | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | | Spray painted dark blue - ref: RAL 290 20 35 | Fixed closely to back panel. This spear forms a cross with knobkerry 2001-04-96 behind Zulu shield. |
| | G | 1963-10-161-1 | spear | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | | Spray painted dark blue - ref: RAL 290 20 35 | Fixed closely to back panel. |
| | G | 2001-04-96 | knobkerry | 45 ' to the left | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | | Spray painted dark blue - ref: RAL 290 20 35 | Fixed closely to back panel. This knobkerry forms a cross with spear 1965-05-81-1 behind Zulu shield. |
| | | 2001-04-282-1 | machine gun | Standing | Plinth | | | | | May need support - conservation to advise |
| | L | 1963-10-308-1 | Zulu shield | Vertical 90' | Back wall | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | Shield approx 1390h x 675w | Spray painted dark blue - ref: RAL 290 20 35 | Large object will need armatures to the rear. Needs to project approx 150mm from rear panel to allow for objects behind. |
| | A | 1958-11-97-10 2007-05-77-1 | medals x2 | 60' | Plinth | Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. | Steel + frosted acrylic | Acrylic plate = 130mm w x 170mm h. Height of plate at bottom to plinth=183mm | | 2 medals together |
| | Н | 1986-12-31-1 | medal x1 | Vertical 90' | Back panel | Frosted acrylic plate with back bar support, fixed into horizontal rod and rod screw fixed into case back panel | | Acrylic plate = 85mm w x 135mm h. Distance from back panel =75mm | Metals spray painted dark blue - ref: RAL 290 20 35 | |
| | Н | 1989-05-185-1 1989-05-185-2 1989-05-185-3 1989-05-185-4 1989-05-185-5 1989-05-185-6 1989-05-185-7 | medals x 7 | 70' | Back panel | Frosted acrylic plate with back bar support, fixed into horizontal rod and rod screw fixed into case back panel | | Acrylic plate = 300mm w x 140mm h. Distance from back panel =165mm | Metals spray painted dark blue - ref: RAL 290 20 35 | 7 medals together |
| | | 1990-06-15-1 | statuette | | Plinth | | | | | May need support - conservation to advise |
| | | 1957-06-24 | jug | | Plinth | | | | | May need support - conservation to advise |
| | G | 1963-10-284 | necklace | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | Distance from back panel =75mm | Spray painted dark blue - ref: RAL 290 20 35 | |
| | Н | 1971-02-33-1 | lithograph | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into into case back panel | Steel + clear acrylic | 155mm from back panel | Spray painted dark blue - ref: RAL 290 20 35 | |
| | Н | 1966-12-8-2 | miniature on card | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into into case back panel | Steel + clear acrylic | 170mm from back panel | Spray painted dark blue - ref: RAL 290 20 35 | |
| | G | 1969-01-35-1 | goggles | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | 90mm from back panel | Spray painted dark blue - ref: RAL 290 20 35 | Mount maker to provide blue glass to one of the lenses as this is missing. |
| | Н | tba | sealed pattern label for goggles | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into into case back panel | Steel + clear acrylic | 25mm from back panel | Spray painted dark blue - ref: RAL 290 20 35 | This needs to be displayed behind the goggles |
| | Н | 1965-03-44-37-1 | chromolithograph | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into into case back panel | Steel + clear acrylic | 25mm from back panel | Spray painted dark blue - ref: RAL 290 20 35 | |
| | К | 1960-10-30-13 | bush hat | Horizontal | Back panel | Bracket screwed back to case back panel | Steel | 25mm from back panel | Spray painted dark blue - ref: RAL 290 20 35 | Will need a hat mount insert |
| | A | 1980-07-33-1 1980-07-33-2 1980-07-33-3 1980-07-33-4 1980-07-33-5 1980-07-33-6 1980-07-33-7 1980-07-33-8 1980-07-33-10 1980-07-33-11 1980-07-33-12 | medals x 12 | 60' | Plinth | Frosted acrylic plate with back bar support, fixed into vertical rods x2. Rods screw fix into a base plate. | Steel + frosted acrylic | Acrylic plate = 400mm w x 140mm h. Height of plate at bottom to baseboard=190m m | | 12 medals together |
| | A | 1982-06-103-2 | photograph | 60' | Plinth | Clear acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. | Steel + clear acrylic | Height of backboard at bottom to baseboard=212m m | Metals spray painted dark blue - ref: RAL 290 20 35 | |

| | | | | | NAM | 1 Mount schedule | | | | |
|------|--------------|--------------|--------|------|------------------|------------------|----------|------------|------------------------------------|-------|
| Case | Type code | | - | | Location in case | Туре | Material | Dimensions | Finish | Notes |
| 8 | | | | | | | | | | |
| | F | 1979-08-59-1 | colour | Flat | Case base | | T | • | To be advised by conservation team | |

| 0 | Turna | Object cos no | Ohioat | Diamlay | l costion in | NAM Mount schedu | _ | Dimensions | Finish | Notes |
|------|-----------|--|-------------------------------|------------------|------------------|---|----------------------------|--|---|--|
| Case | Type code | Object acc no | Object description | Display angle | Location in case | Туре | Material | Dimensions | Fillisti | Notes |
| 9 | | | | | | | | | | |
| | Н | 1986-04-79-1 | oil on board | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into into case back panel | Steel + clear acrylic | Close to backboard. Object approx 290w x 237h | Spray painted dark blue - ref: RAL 290 20 35 | |
| | В | 1968-10-15-1 | mortar, hand, flintlock | Vertical 90' | Plinth | Metal claws/rings fixed into two support rods that screw fix into a base plate | Steel | 205mm height at barrel end | Spray painted dark blue - ref: RAL 290 20 35 | Mounted onto base plinth |
| | G | 1963-12-251-200 | revolver | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | 120mm long from mount to case back | Spray painted dark blue - ref: RAL 290 20 35 | |
| | Н | 1999-05-14-1 | line engraving | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into into case back panel | Steel + clear acrylic | Close to backboard. 272w x 202h | Spray painted dark blue - ref: RAL 290 20 35 | |
| | G | 1963-10-195-1 | caltrop | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | 120mm long from mount to case back | Spray painted dark blue - ref: RAL 290 20 35 | |
| | Н | 1953-09-2-8 1953-09-2-9 1953-09-2-10 1953-09-2-11 | medals x 4 | 75' | Back panel | Frosted acrylic plate with back bar support, fixed into vertical rod and rod screw fixed into case back panel | Steel + frosted acrylic | Acrylic plate = 175mm w x 140mm h. Distance from middle of plate to case back =145mm | Steel spray painted dark blue - ref: RAL 290 20 35 | 2 medals together |
| | H | 1958-11-96-11 | medal | 75' | Back panel | Frosted acrylic plate with back bar support, fixed into vertical rod and rod screw fixed into case back panel | Steel + frosted acrylic | Acrylic plate = 70mm w x 140mm h. Distance from middle of plate to case back =145mm | Spray painted dark blue - ref: RAL 290 20 35 | |
| | G | 1967-02-10-1 | sword + scabbard | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | 75mm long from mount to case back | Spray painted dark blue - ref: RAL 290 20 35 | Handle at bottom. Displayed separately |
| | G | 1963-10-309-1 | kris | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | 75mm long from mount to case back | Spray painted dark blue - ref: RAL 290 20 35 | handle at bottom |
| | G | 1961-12-32-2-1 | sword | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | 75mm long from mount to case back | Spray painted dark blue - ref: RAL 290 20 35 | handle at bottom |
| | Н | 1996-01-180-1 1996-01-180-2 | medals x 2 | 75' | Back panel | Frosted acrylic plate with back bar support, fixed into vertical rod and rod screw fixed into case back panel | Steel + frosted acrylic | Acrylic plate = 100mm w x 140mm h. Distance from middle of plate to case back =145mm | Spray painted dark blue - ref: RAL 290 20 35 | |
| | Н | 1971-02-33-36-1 | lithograph | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into into case back panel | Steel + clear acrylic | Close to backboard | Spray painted dark blue - ref: RAL 290 20 35 | |
| | G | 1961-12-29-7-1 | pipe | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | 140mm long from cradle to case back | Spray painted dark blue - ref: RAL 290 20 35 | Pipe, calthorp + revolver front faces to line up |
| | G | 1961-12-32-4 | spear head | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | 75mm long from mount to case back | Spray painted dark blue - ref: RAL 290 20 35 | |
| | E | 1953-06-33-1 | book cover | 15' | Base plinth | Supporting acrylic block underneath | Acrylic | 715mm w x 290 h | | Acrylic cradle sits on base plinth |
| | Н | 1980-12-12-1 | lithograph | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into into case back panel | Steel + clear acrylic | Close to backboard | Spray painted dark blue - ref: RAL 290 20 35 | |
| | Н | 1963-10-290-1 | pen + ink watercolour book | 75' | Back panel | Clear acrylic book cradle with back bar support, fixed into horizontal rod. Rod screw fixes into into case back panel | Steel + clear acrylic | Approx 145mm long from mount to case back | Spray painted dark blue - ref: RAL 290 20 35 | To line up with the front faces of the medals |

| 40 | Type code | Object acc no | Object description | Display angle | Location in case | NAM Mount schedule Type description | Material | Dimensions/ distances | Finish | Notes |
|----|-------------------|--|---|---|--|--|--|--|--|---|
| 10 | Α | 1958-12-39-1 | oil on canvas | Vertical 90' | Case base | Flat book mount fixed to supports x 2, screw fixed | Steel | 570mm to u/s of painting to case base | Spray painted grey - ref: RAL 7032 pebble | |
| | В | 1956-12-39-1 | pistol | 30' | Plinth | Into flat steel base plate Metal claws fixed into two support rods that screw fix | Steel | Approx height 120mm from barrel end to plinth | grey semi gloss Spray painted grey - | |
| | В | 1963-12-251-116 | jezail, flintlock | Vertical on x | Case base | into a base plate Metal claws fixed into two | Steel | Approx 1350mm for | grey semi gloss Spray painted grey - | Gun is long and heavy, |
| | | | | axis, but angled 70' to the right | | support rods that screw fix into spigots in the case base. | | tallest rod to case base | ref: RAL 7032 pebble grey semi gloss | mounts need to be robus and substantial. Stock at bottom. |
| | С | 1959-07-147-1 | leather waterbottle | Vertical 90' | Plinth | Freestanding armature sitting on plinth | Steel | Waterbottle is 355 h | Spray painted grey - ref: RAL 7032 pebble | Object is freestanding bu unstable. Plinth is at the |
| | Α | 1958-02-34-1-1 | skull, tiger | 60' | Plinth | Shaped book mount sitting on plinth | Steel + clear acrylic | Skull is 440 h | grey semi gloss Spray painted grey - ref: RAL 7032 pebble | rear of the case Plinth is at the rear of the case |
| | E | 1960-02-2-1 | human hair | 30' | Plinth | Book mount sitting on | Clear acrylic | Frame is 215 x 215mm | grey semi gloss | Hair is in a wooden frame |
| | | 1966-02-29-1 | bagpipe component | Freestanding, | Plinth | plinth with fin supports | | | | No mount |
| | | 1963-10-237-1 | shoe | Freestanding, flat | Plinth | | | | | May need some support conservation to advise |
| | В | 1974-10-65 | revolver | 30' | Plinth | Metal claws fixed into two support rods that screw fix into a base plate | Steel | Approx height 120mm from barrel end to plinth | Spray painted grey - ref: RAL tbc | |
| | | 1972-03-37-1 | cartridge | Freestanding, flat | Plinth | pinto di suco pinto | | | | No mount |
| | | 1985-12-42-1 | bayonet | Freestanding, flat | Plinth | D. J. W. J. W. | | | | No mount |
| | E | 1996-09-77-1 1989-03-28-2 | testimonial photograph | 60' | Plinth Plinth | Book mount sitting on plinth with fin supports Book mount fixed to | Clear acrylic Steel + clear | Approx 365mm from | Spray painted grey - | Plinth is at the rear of the case Shares a support with |
| | | 1000 10 100 1 | | N. 1. 100 | | support rod, fixed into base plate | acrylic | bottom of photo to case base | ref: RAL 7032 pebble grey semi gloss | 1965-10-220-25 |
| | В | 1963-10-169-1 1963-10-169-2 1963-10-169-3 | sword, scabbard, knot | Vertical 90' | Case base | Metal claws fixed into one support rod. Support rod fixes into a spigot in the | Steel | Approx 800mm from base of sword to case base | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Spigot in case base. Hilt bottom |
| | В | 1964-08-13-1 | knife | Vertical 90' | Case base | Metal claws fixed into one support rod. Support rod | Steel | Approx 820mm from base of sword to case | Spray painted grey - ref: RAL 7032 pebble | Spigot in case base. Hilt bottom |
| | | | | | | fixes into a spigot in the case base. | | base | grey semi gloss | bottom |
| | В | 1951-09-11-1 | sword | Vertical 90' | Case base | Metal claws fixed into one support rod. Support rod fixes into a spigot in the | Steel | Approx 800mm from base of sword to case base | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Spigot in case base. Hilt bottom |
| | В | 1963-10-215-1 | telescope | Vertical 90' | Case base | case base. Metal claws or rings fixed | Steel | Approx height 960mm | Spray painted grey - | |
| | | | | | | into one support rod that screw fixes into a base plate | | from telescope end to case base | ref: RAL 7032 pebble grey semi gloss | |
| | | 1963-09-71-1 1963-09-71-2 | binoculars + case | plinth | Plinth | | a | | | No mount |
| | А А | 1956-04-16-1 1961-12-147-1 | cross medals x 5 | 30' 60' | Plinth Case base | Metal claw or ring fixed into an acrylic book mount Frosted acrylic plate with | Steel + clear acrylic Steel + frosted | No height - sits close to plinth Acrylic plate= 240w x | Frosted acrylic. Steel | Shares a mount with |
| | ^ | 1961-12-147-2 1961-12-147-3 1961-12-147-4 | | | | back bar support, fixed into vertical rod. Rod screw fixes into a base | acrylic | 280h. Rod ht from case base to bottom of plate = | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | medals 1995-08-53-1 to below |
| | Α | 1961-12-147-5 1995-08-53-1 | medals x 8 | 60' | Case base | plate. Frosted acrylic plate with | Steel + frosted | 470mm Acrylic plate= 240w x | Frosted acrylic. Steel | Shares a mount with |
| | | 1995-08-53-2 1995-08-53-3 1995-08-53-4 | | | | back bar support, fixed into vertical rod. Rod screw fixes into a base | acrylic | 280h. Rod ht from case base to bottom of plate = | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | medals 1961-12-147-1 t 5 above |
| | | 1995-08-53-5 1995-08-53-6 1995-08-53-7 | | | | plate. | | 470mm | | |
| | Α | 1995-08-53-8 1967-10-67-1 | medals x 10 | 60' | Case base | Frosted acrylic plate with | | Acrylic plate= 410w x | Frosted acrylic. Steel | |
| | | 1967-10-67-2 1967-10-67-3 1967-10-67-4 | | | | back bar support, fixed into vertical rod. Rod screw fixes into a base | acrylic | 185h. Rod ht from case base to bottom of plate = | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | |
| | | 1967-10-67-5 1967-10-67-6 1967-10-67-7 | | | | plate. | | 405mm | | |
| | | 1967-10-67-8 1967-10-67-9 1967-10-67-10 | | | | | | | | |
| | В | 1953-10-69-1 | fly whisk | Vertical on x axis, but | Case base | Metal claws fixed into two support rods that screw fix | Steel | Approx 620mm for tallest rod to case base | Spray painted grey - ref: RAL 7032 pebble | Handle at lowest point. |
| | | 1951-12-55-1 | tunio portalegno | angled 15' to the right Vertical 90' | Case base | into a base plate Freestanding mannequin | Steel | Shoulder height | grey semi gloss | Spigot in accordance |
| | D | 1951-12-55-1 1951-12-55-2 1951-12-55-3 1951-12-55-4 | tunic, pantaloons, waistbelt, sword sling | vertical 90 | Case base | with torso and feet | Steel | Shoulder height | | Spigot in case base. Shoulder heights of all jacket to line up (1465mr from case base) |
| | | 1962-12-41-5 | helmet | Slightly tilted back | Above tunic 1951-12-55-1 | Mannequin head | | | | Displayed above 1951-12-55-1 |
| | Α | 1971-02-33-482-3 | engraving | 60' | Plinth | Book mount sitting on plinth with fin supports | Clear acrylic | No height - sits close to plinth. Engraving measures 327w x 219h | | |
| | Α | 1971-02-33-480-5 | lithograph | 60' | Plinth | Book mount sitting on plinth with fin supports | Clear acrylic | No height - sits close to plinth. Lithograph | | |
| | E | 1959-11-372-1 | | | | | | measures 583w x 412h | | Plinth is at the rear of the |
| | | | miniature | 60' | Plinth | Book mount sitting on | Clear acrylic | | | |
| | Α | 1964-08-44-2 | miniature miniature | 60' Vertical 90' | Plinth Case base | Book mount sitting on plinth with fin supports Book mount fixed to support rod, fixed into | Clear acrylic Steel + clear acrylic | 570mm to u/s of miniature to case base | Spray painted grey - ref: RAL 7032 pebble | case |
| | A D | 1964-08-44-2 2003-09-50-1 | | | | Book mount fixed to support rod, fixed into base plate Mannequin support rod | Steel + clear | miniature to case base Approx 570mm from | ref: RAL 7032 pebble grey semi gloss Spray painted grey - | case Spigot in case base. |
| | | | miniature | Vertical 90' | Case base | plinth with fin supports Book mount fixed to support rod, fixed into base plate | Steel + clear acrylic | miniature to case base | ref: RAL 7032 pebble grey semi gloss | case Spigot in case base. Shoulder heights of all |
| | D | 2003-09-50-1 1963-10-238-1 | miniature frock coat paperweight | Vertical 90' Vertical 90' Freestanding, flat | Case base Plinth Plinth | plinth with fin supports Book mount fixed to support rod, fixed into base plate Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate | Steel + clear acrylic Steel | Approx 570mm from base of tunic to case base 160mm diam | ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble | Spigot in case base. Shoulder heights of all jacket to line up (1465m |
| | D F | 2003-09-50-1 1963-10-238-1 1965-09-54-1 | miniature frock coat paperweight snuff box | Vertical 90' Vertical 90' Freestanding, flat Freestanding, flat | Case base Plinth Plinth | plinth with fin supports Book mount fixed to support rod, fixed into base plate Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Rests on an acrylic plate | Steel + clear acrylic Steel Clear acrylic Clear acrylic | Approx 570mm from base of tunic to case base 160mm diam 50 x 60mm | ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble | Spigot in case base. Shoulder heights of all jacket to line up (1465m |
| | D F A | 2003-09-50-1 1963-10-238-1 1965-09-54-1 1987-06-15-1 | miniature frock coat paperweight snuff box watercolour | Vertical 90' Vertical 90' Freestanding, flat Freestanding, flat 60' | Case base Plinth Plinth Case base | Book mount fixed to support rod, fixed into base plate Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Rests on an acrylic plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate | Steel + clear acrylic Steel Clear acrylic Clear acrylic Steel | Approx 570mm from base of tunic to case base 160mm diam 50 x 60mm 610mm to u/s of w/colour to case base | ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble | Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) |
| | D F | 2003-09-50-1 1963-10-238-1 1965-09-54-1 | miniature frock coat paperweight snuff box | Vertical 90' Vertical 90' Freestanding, flat Freestanding, flat | Case base Plinth Plinth | Book mount fixed to support rod, fixed into base plate Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Rests on an acrylic plate Flat book mount fixed to supports x 2, screw fixed | Steel + clear acrylic Steel Clear acrylic Clear acrylic | Approx 570mm from base of tunic to case base 160mm diam 50 x 60mm 610mm to u/s of w/ | ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble | Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) |
| | D F A | 2003-09-50-1 1963-10-238-1 1965-09-54-1 1987-06-15-1 | miniature frock coat paperweight snuff box watercolour | Vertical 90' Vertical 90' Freestanding, flat Freestanding, flat 60' | Case base Plinth Plinth Case base | Plinth with fin supports Book mount fixed to support rod, fixed into base plate Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Rests on an acrylic plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed to supports x 2, screw fixed | Steel + clear acrylic Steel Clear acrylic Clear acrylic Steel | Approx 570mm from base of tunic to case base 160mm diam 50 x 60mm 610mm to u/s of w/colour to case base 485mm to u/s of print | ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Plinth is at the rear of th |
| | D F A A | 2003-09-50-1 1963-10-238-1 1965-09-54-1 1987-06-15-1 1973-12-62-1 | miniature frock coat paperweight snuff box watercolour print | Vertical 90' Vertical 90' Freestanding, flat Freestanding, flat 60' | Case base Plinth Plinth Case base Case base | Plinth with fin supports Book mount fixed to support rod, fixed into base plate Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Rests on an acrylic plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 1, screw fixed into flat steel base plate Flat book mount fixed to | Steel + clear acrylic Steel Clear acrylic Clear acrylic Steel Steel | Approx 570mm from base of tunic to case base 160mm diam 50 x 60mm 610mm to u/s of w/colour to case base 485mm to u/s of print to case base | ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - Spray painted grey - | Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Plinth is at the rear of the case |
| | D F A A | 2003-09-50-1 1963-10-238-1 1965-09-54-1 1987-06-15-1 1973-12-62-1 1960-03-31-1 | miniature frock coat paperweight snuff box watercolour print watercolour | Vertical 90' Vertical 90' Freestanding, flat Freestanding, flat 60' Vertical 90' | Case base Plinth Plinth Case base Case base Case base | Book mount fixed to support rod, fixed into base plate Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Rests on an acrylic plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Metal claws fixed into one support rod that screw fixes into a base plate Mannequin support rod | Steel + clear acrylic Steel Clear acrylic Clear acrylic Steel Steel | Approx 570mm from base of tunic to case base 160mm diam 50 x 60mm 610mm to u/s of w/colour to case base 485mm to u/s of print to case base 385mm to u/s of painting to case base Height of ring from plinth =70mm Approx 800mm from | ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Plinth is at the rear of the case Delicate support, 3mm respiratory. |
| | F F A A B | 2003-09-50-1 1963-10-238-1 1965-09-54-1 1987-06-15-1 1973-12-62-1 1960-03-31-1 1963-10-235-1 | miniature frock coat paperweight snuff box watercolour print watercolour | Vertical 90' Vertical 90' Freestanding, flat Freestanding, flat 60' Vertical 90' Face up | Case base Plinth Plinth Case base Case base Case base Plinth | Book mount fixed to support rod, fixed into base plate Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Rests on an acrylic plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Metal claws fixed into one support rod that screw fixes into a base plate | Steel + clear acrylic Steel Clear acrylic Clear acrylic Steel Steel Steel | Approx 570mm from base of tunic to case base 160mm diam 50 x 60mm 610mm to u/s of w/colour to case base 485mm to u/s of print to case base 385mm to u/s of painting to case base Height of ring from plinth =70mm | ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Plinth is at the rear of the case Delicate support, 3mm r Spigot in case base. Shoulder heights of all |
| | F F A A B | 2003-09-50-1 1963-10-238-1 1965-09-54-1 1987-06-15-1 1973-12-62-1 1960-03-31-1 1963-10-235-1 | miniature frock coat paperweight snuff box watercolour print watercolour | Vertical 90' Vertical 90' Freestanding, flat Freestanding, flat 60' Vertical 90' Face up | Case base Plinth Plinth Case base Case base Case base Plinth Plinth Above frock jacket | Book mount fixed to support rod, fixed into base plate Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Rests on an acrylic plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Metal claws fixed into one support rod that screw fixes into a base plate that | Steel + clear acrylic Steel Clear acrylic Clear acrylic Steel Steel Steel | Approx 570mm from base of tunic to case base 160mm diam 50 x 60mm 610mm to u/s of w/colour to case base 485mm to u/s of print to case base 385mm to u/s of painting to case base Height of ring from plinth =70mm Approx 800mm from base of jacket to case | ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Plinth is at the rear of the case Delicate support, 3mm respectively. Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Displayed above |
| | F F A A B | 2003-09-50-1 1963-10-238-1 1965-09-54-1 1987-06-15-1 1973-12-62-1 1960-03-31-1 2006-02-3-1 | miniature frock coat paperweight snuff box watercolour print watercolour frock jacket | Vertical 90' Vertical 90' Freestanding, flat Freestanding, flat 60' Vertical 90' Face up Vertical 90' Slightly tilted | Case base Plinth Plinth Case base Case base Case base Plinth Plinth Above frock | Book mount fixed to support rod, fixed into base plate Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Rests on an acrylic plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Metal claws fixed into one support rod that screw fixes into a base plate that stands on the case base. Mannequin head Metal claws fixed into one support rod. Support rod | Steel + clear acrylic Steel Clear acrylic Clear acrylic Steel Steel Steel | Approx 570mm from base of tunic to case base 160mm diam 50 x 60mm 610mm to u/s of w/colour to case base 485mm to u/s of print to case base 385mm to u/s of painting to case base Height of ring from plinth =70mm Approx 800mm from base of jacket to case base Approx 980mm from base of knife to case | ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Plinth is at the rear of the case Delicate support, 3mm respectively. Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Displayed above 2006-02-3-1 frock jacket. |
| | D F A A B D D | 2003-09-50-1 1963-10-238-1 1965-09-54-1 1987-06-15-1 1973-12-62-1 1960-03-31-1 2006-02-3-1 1955-04-60-1 1951-09-9-1 | miniature frock coat paperweight snuff box watercolour print watercolour frock jacket cap khanjar | Vertical 90' Vertical 90' Freestanding, flat Freestanding, flat 60' Vertical 90' | Case base Plinth Plinth Case base Case base Case base Plinth Plinth Plinth Plinth Plinth Plinth | Book mount fixed to support rod, fixed into base plate Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Rests on an acrylic plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Metal claws fixed into one support rod that screw fixes into a base plate Mannequin support rod fixes into a base plate that stands on the case base. Metal claws fixed into one support rod. Support rod fixes into a spigot in the case base. | Steel + clear acrylic Steel Clear acrylic Clear acrylic Steel Steel Steel Steel Steel | Approx 570mm from base of tunic to case base 160mm diam 50 x 60mm 610mm to u/s of w/colour to case base 485mm to u/s of print to case base 385mm to u/s of painting to case base Height of ring from plinth =70mm Approx 800mm from base of jacket to case base Approx 980mm from base of knife to case base | ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Plinth is at the rear of the case Delicate support, 3mm respectively. Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Displayed above 2006-02-3-1 frock jacket. Spigot in case base. Hilt bottom |
| | F F A D | 2003-09-50-1 1963-10-238-1 1965-09-54-1 1987-06-15-1 1973-12-62-1 1960-03-31-1 2006-02-3-1 1955-04-60-1 | miniature frock coat paperweight snuff box watercolour print watercolour frock jacket cap | Vertical 90' Vertical 90' Freestanding, flat Freestanding, flat 60' Vertical 90' Face up Vertical 90' Slightly tilted forwards | Case base Plinth Plinth Case base Case base Case base Plinth Plinth Above frock jacket 2006-02-3-1 | Book mount fixed to support rod, fixed into base plate Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Rests on an acrylic plate Rests on an acrylic plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Metal claws fixed into one support rod that screw fixes into a base plate that stands on the case base. Mannequin head Metal claws fixed into one support rod. Support rod fixes into a spigot in the | Steel + clear acrylic Steel Clear acrylic Clear acrylic Steel Steel Steel Steel | Approx 570mm from base of tunic to case base 160mm diam 50 x 60mm 610mm to u/s of w/colour to case base 485mm to u/s of print to case base 385mm to u/s of painting to case base Height of ring from plinth =70mm Approx 800mm from base of jacket to case base Approx 980mm from base of knife to case | ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Plinth is at the rear of the case Delicate support, 3mm respectively. Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Displayed above 2006-02-3-1 frock jacket. Spigot in case base. Hilt bottom Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) |
| | D F A A B D D | 2003-09-50-1 1963-10-238-1 1965-09-54-1 1987-06-15-1 1973-12-62-1 1960-03-31-1 2006-02-3-1 1955-04-60-1 1951-09-9-1 | miniature frock coat paperweight snuff box watercolour print watercolour frock jacket cap khanjar | Vertical 90' Vertical 90' Freestanding, flat Freestanding, flat 60' Vertical 90' | Case base Plinth Plinth Case base Case base Case base Plinth Plinth Plinth Plinth Plinth Plinth | Book mount fixed to support rod, fixed into base plate Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Rests on an acrylic plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Metal claws fixed into one support rod that screw fixes into a base plate that stands on the case base. Mannequin head Metal claws fixed into one support rod. Support rod fixes into a spigot in the case base. Mannequin support rod fixes into a base plate that stands on the case base. | Steel + clear acrylic Steel Clear acrylic Clear acrylic Steel Steel Steel Steel Steel | Approx 570mm from base of tunic to case base 160mm diam 50 x 60mm 610mm to u/s of w/colour to case base 485mm to u/s of print to case base 385mm to u/s of painting to case base Height of ring from plinth =70mm Approx 800mm from base of jacket to case base Approx 980mm from base of knife to case base Approx 720mm from base of tunic to case | ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Plinth is at the rear of the case Delicate support, 3mm respectively. Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Displayed above 2006-02-3-1 frock jacket. Spigot in case base. Hilt bottom Spigot in case base. Shoulder heights of all |
| | F A A D D | 2003-09-50-1 1963-10-238-1 1965-09-54-1 1987-06-15-1 1973-12-62-1 1960-03-31-1 2006-02-3-1 1955-04-60-1 1951-09-9-1 1977-10-68-1 | miniature frock coat paperweight snuff box watercolour print watercolour frock jacket cap khanjar tunic | Vertical 90' Vertical 90' Freestanding, flat Freestanding, flat 60' Vertical 90' Face up Vertical 90' Slightly tilted forwards Vertical 90' Vertical 90' Vertical 90' | Case base Plinth Plinth Case base Case base Case base Plinth Plinth Plinth Plinth Plinth Plinth Plinth Plinth | Book mount fixed to support rod, fixed into base plate Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Metal claws fixed into one support rod that screw fixes into a base plate that stands on the case base. Mannequin support rod fixes into a base plate that stands on the case base. Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Metal claws or rings fixed into two support rods that | Steel + clear acrylic Steel Clear acrylic Steel Steel Steel Steel Steel Steel | Approx 570mm from base of tunic to case base 160mm diam 50 x 60mm 610mm to u/s of w/colour to case base 485mm to u/s of print to case base 385mm to u/s of painting to case base Height of ring from plinth =70mm Approx 800mm from base of jacket to case base Approx 980mm from base of knife to case base Approx 720mm from base of tunic to case base Cut to fit box Approx height 230mm from sabretache bottom | ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Plinth is at the rear of the case Delicate support, 3mm respectively. Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Displayed above 2006-02-3-1 frock jacket. Spigot in case base. Hilt bottom Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) |
| | F A A D D | 2003-09-50-1 1963-10-238-1 1965-09-54-1 1987-06-15-1 1973-12-62-1 1960-03-31-1 1963-10-235-1 2006-02-3-1 1955-04-60-1 1977-10-68-1 | miniature frock coat paperweight snuff box watercolour print frock jacket cap khanjar tunic snuff box | Vertical 90' Vertical 90' Freestanding, flat Freestanding, flat 60' Vertical 90' Face up Vertical 90' Slightly tilted forwards Vertical 90' Vertical 90' Freestanding, flat | Case base Plinth Plinth Case base Case base Case base Plinth Plinth Plinth Plinth Plinth Plinth Plinth Plinth | Book mount fixed to support rod, fixed into base plate Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Rests on an acrylic plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Metal claws fixed into one support rod that screw fixes into a base plate that stands on the case base. Mannequin support rod fixes into a base plate that stands on the case base. Mannequin support rod fixes into a spigot in the case base. Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Metal claws or rings fixed | Steel + clear acrylic Steel Clear acrylic Steel Steel Steel Steel Steel Clear acrylic Steel Steel | Approx 570mm from base of tunic to case base 160mm diam 50 x 60mm 610mm to u/s of w/colour to case base 485mm to u/s of print to case base 385mm to u/s of painting to case base Height of ring from plinth =70mm Approx 800mm from base of jacket to case base Approx 980mm from base of tunic to case base Cut to fit box Approx height 230mm | ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Plinth is at the rear of the case Delicate support, 3mm respectively. Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Displayed above 2006-02-3-1 frock jacket. Spigot in case base. Hilt bottom Spigot in case base. Shoulder heights of all jacket to line up (1465m) |
| | F A A B D D F B | 2003-09-50-1 1963-10-238-1 1965-09-54-1 1987-06-15-1 1973-12-62-1 1960-03-31-1 2006-02-3-1 1955-04-60-1 1951-09-9-1 1977-10-68-1 1974-09-76-1 1961-03-6-1 | miniature frock coat paperweight snuff box watercolour print watercolour frock jacket cap khanjar tunic snuff box sabretache | Vertical 90' Vertical 90' Freestanding, flat Freestanding, flat 60' Vertical 90' Face up Vertical 90' Slightly tilted forwards Vertical 90' Vertical 90' Freestanding, flat Vertical 90' | Case base Plinth Plinth Case base Case base Case base Plinth Plinth Plinth Plinth Plinth Above frock jacket 2006-02-3-1 Plinth Plinth Plinth Plinth | Book mount fixed to support rod, fixed into base plate Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Metal claws fixed into one support rod that screw fixes into a base plate that stands on the case base. Mannequin support rod fixes into a base plate that stands on the case base. Mannequin support rod fixes into a base plate that stands on the case base. Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Metal claws or rings fixed into two support rods that screw fix into a base plate Frosted acrylic plate with back bar support, fixed into two support, fixed into vertical rod. Rod screw fixes into a base | Steel + clear acrylic Steel Clear acrylic Steel Steel Steel Steel Steel Steel Clear acrylic Steel Steel | Approx 570mm from base of tunic to case base 160mm diam 50 x 60mm 610mm to u/s of w/colour to case base 485mm to u/s of print to case base 385mm to u/s of painting to case base Height of ring from plinth =70mm Approx 800mm from base of jacket to case base Approx 980mm from base of jacket to case base Cut to fit box Approx height 230mm from sabretache bottom to plinth Acrylic plate= 60w x 100h. Rod ht from plinth to bottom of plate = | ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel | Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Plinth is at the rear of th case Delicate support, 3mm r Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Displayed above 2006-02-3-1 frock jacket Spigot in case base. Hill bottom Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) |
| | F A A B D D F B A | 2003-09-50-1 1963-10-238-1 1965-09-54-1 1987-06-15-1 1973-12-62-1 1960-03-31-1 2006-02-3-1 1955-04-60-1 1951-09-9-1 1977-10-68-1 1961-03-6-1 1960-11-44-1 | miniature frock coat paperweight snuff box watercolour print watercolour frock jacket cap khanjar tunic snuff box sabretache | Vertical 90' Vertical 90' Freestanding, flat Freestanding, flat 60' Vertical 90' Face up Vertical 90' Slightly tilted forwards Vertical 90' Vertical 90' Freestanding, flat Vertical 90' | Case base Plinth Plinth Case base Case base Case base Plinth Plinth Plinth Plinth Plinth Above frock jacket 2006-02-3-1 Plinth Plinth Plinth Plinth | Book mount fixed to support rod, fixed into base plate Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Metal claws fixed into one support rod that screw fixes into a base plate that stands on the case base. Mannequin support rod fixes into a base plate that stands on the case base. Mannequin support rod fixes into a base plate that stands on the case base. Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Metal claws or rings fixed into two support rods that stands on the case base. Rests on an acrylic plate Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. Frosted acrylic plate with back bar support, fixed into kar support into kar sup | Steel + clear acrylic Steel Clear acrylic Steel Steel Steel Steel Steel Steel Clear acrylic Steel Steel | Approx 570mm from base of tunic to case base 160mm diam 50 x 60mm 610mm to u/s of w/colour to case base 485mm to u/s of print to case base 385mm to u/s of painting to case base Height of ring from plinth =70mm Approx 800mm from base of jacket to case base Approx 980mm from base of jacket to case base Cut to fit box Approx height 230mm from sabretache bottom to plinth Acrylic plate= 60w x 100h. Rod ht from plinth to bottom of plate = 310mm Acrylic plate= 280w x 120h. | ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Plinth is at the rear of th case Delicate support, 3mm r Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Displayed above 2006-02-3-1 frock jacket Spigot in case base. Hill bottom Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) |
| | F A A B D D F B A | 2003-09-50-1 1963-10-238-1 1965-09-54-1 1987-06-15-1 1973-12-62-1 1960-03-31-1 2006-02-3-1 1955-04-60-1 1951-09-9-1 1977-10-68-1 1974-09-76-1 1961-03-6-1 1960-11-44-1 | miniature frock coat paperweight snuff box watercolour print watercolour frock jacket cap khanjar tunic snuff box sabretache medal | Vertical 90' Vertical 90' Freestanding, flat 60' Vertical 90' Face up Vertical 90' | Case base Plinth Plinth Case base Case base Case base Plinth Plinth Plinth Plinth Above frock jacket 2006-02-3-1 Plinth Plinth Plinth Case base | Book mount fixed to support rod, fixed into base plate Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Metal claws fixed into one support rod that screw fixes into a base plate that stands on the case base. Mannequin support rod fixes into a base plate that stands on the case base. Mannequin support rod fixes into a base plate that stands on the case base. Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Metal claws or rings fixed into two support rods that stands on the case base. Rests on an acrylic plate Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. | Steel + clear acrylic Steel Clear acrylic Steel | Approx 570mm from base of tunic to case base 160mm diam 50 x 60mm 610mm to u/s of w/colour to case base 485mm to u/s of print to case base 385mm to u/s of painting to case base Height of ring from plinth =70mm Approx 800mm from base of jacket to case base Approx 980mm from base of jacket to case base Cut to fit box Approx height 230mm from sabretache bottom to plinth Acrylic plate= 60w x 100h. Rod ht from plinth to bottom of plate = 310mm Acrylic plate= 280w x | ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Plinth is at the rear of th case Delicate support, 3mm r Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Displayed above 2006-02-3-1 frock jacket Spigot in case base. Hill bottom Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) |
| | F A A B D D F B A | 2003-09-50-1 1963-10-238-1 1965-09-54-1 1987-06-15-1 1973-12-62-1 1960-03-31-1 1963-10-235-1 2006-02-3-1 1955-04-60-1 1951-09-9-1 1977-10-68-1 1961-03-6-1 1960-11-44-1 2008-09-12-2 2008-09-12-3 2008-09-12-5 | miniature frock coat paperweight snuff box watercolour print watercolour frock jacket cap khanjar tunic snuff box sabretache medal | Vertical 90' Vertical 90' Freestanding, flat 60' Vertical 90' Face up Vertical 90' | Case base Plinth Plinth Case base Case base Case base Plinth Plinth Plinth Plinth Above frock jacket 2006-02-3-1 Plinth Plinth Plinth Case base | plinth with fin supports Book mount fixed to support rod, fixed into base plate Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Rests on an acrylic plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Metal claws fixed into one support rod that screw fixes into a base plate that stands on the case base. Mannequin support rod fixes into a base plate that stands on the case base. Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Metal claws or rings fixed into two support rods that stands on the case base. Rests on an acrylic plate Metal claws or rings fixed into two support rods that screw fix into a base plate Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. Mannequin support rod fixes into a base plate. Mannequin support rod fixes into a base plate. | Steel + clear acrylic Steel Clear acrylic Steel | Approx 570mm from base of tunic to case base 160mm diam 50 x 60mm 610mm to u/s of w/colour to case base 485mm to u/s of print to case base 385mm to u/s of painting to case base Height of ring from plinth =70mm Approx 800mm from base of jacket to case base Approx 720mm from base of knife to case base Cut to fit box Approx height 230mm from sabretache bottom to plinth Acrylic plate= 60w x 100h. Rod ht from plinth to bottom of plate = 310mm Acrylic plate= 280w x 120h. Rod ht from plinth to bottom of plate = 735mm Approx 1030mm from base of jacket to case | ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Plinth is at the rear of the case Delicate support, 3mm r Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Displayed above 2006-02-3-1 frock jacket Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) |
| | F A A B D D | 2003-09-50-1 1963-10-238-1 1965-09-54-1 1987-06-15-1 1973-12-62-1 1960-03-31-1 2006-02-3-1 2006-02-3-1 1951-09-9-1 1977-10-68-1 1977-10-68-1 1960-11-44-1 2008-09-12-2 2008-09-12-3 2008-09-12-3 2008-09-12-5 2008-09-12-12 1979-05-24-1 | miniature frock coat paperweight snuff box watercolour print watercolour frock jacket cap khanjar tunic snuff box sabretache medal medal shell jacket | Vertical 90' Vertical 90' Freestanding, flat 60' Vertical 90' Face up Vertical 90' | Case base Plinth Plinth Case base Case base Case base Plinth Plinth Plinth Plinth Plinth Above frock jacket 2006-02-3-1 Plinth Plinth Plinth Case base Case base | plinth with fin supports Book mount fixed to support rod, fixed into base plate Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Rests on an acrylic plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Metal claws fixed into one support rod that screw fixes into a base plate that stands on the case base. Mannequin support rod fixes into a base plate that stands on the case base. Mannequin support rod fixes into a spigot in the case base. Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Metal claws or rings fixed into two support rods that stands on the case base. Rests on an acrylic plate Metal claws or rings fixed into two support rod fixes into a base plate Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. Mannequin support rod fixes into a base plate that stands on the case base. | Steel + clear acrylic Steel Clear acrylic Steel | Approx 570mm from base of tunic to case base 160mm diam 50 x 60mm 610mm to u/s of w/ colour to case base 485mm to u/s of print to case base 385mm to u/s of painting to case base Height of ring from plinth =70mm Approx 800mm from base of jacket to case base Approx 720mm from base of knife to case base Cut to fit box Approx height 230mm from sabretache bottom to plinth Acrylic plate= 60w x 100h. Rod ht from plinth to bottom of plate = 310mm Acrylic plate= 280w x 120h. Rod ht from plinth to bottom of plate = 735mm Approx 1030mm from base of jacket to case base | ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Plinth is at the rear of the case Delicate support, 3mm respectively. Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Displayed above 2006-02-3-1 frock jacket Spigot in case base. Hilt bottom Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) |
| | F A A B D D A | 2003-09-50-1 2003-09-50-1 1963-10-238-1 1965-09-54-1 1987-06-15-1 1960-03-31-1 1963-10-235-1 2006-02-3-1 1955-04-60-1 1951-09-9-1 1977-10-68-1 1977-10-68-1 1960-11-44-1 1960-11-44-1 1960-11-44-1 1960-11-44-1 1979-05-24-1 | miniature frock coat paperweight snuff box watercolour print watercolour frock jacket cap khanjar tunic snuff box sabretache medal medal medals x 5 shell jacket | Vertical 90' Vertical 90' Freestanding, flat 60' Vertical 90' Face up Vertical 90' Slightly tilted forwards Vertical 90' Vertical 90' Vertical 90' Vertical 90' Vertical 90' Vertical 90' Freestanding, flat Vertical 90' 60' | Case base Plinth Plinth Case base Case base Case base Plinth Plinth Plinth Plinth Plinth Above frock jacket 2006-02-3-1 Plinth Plinth | plinth with fin supports Book mount fixed to support rod, fixed into base plate Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Metal claws fixed into one support rod that screw fixes into a base plate that stands on the case base. Mannequin support rod fixes into a base plate that stands on the case base. Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Metal claws or rings fixed into two support rods that stands on the case base. Rests on an acrylic plate Metal claws or rings fixed into two support rods that stands on the case base. Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. Book mount fixed to support rod, fixed into base plate Book mount fixed to support rod, fixed into base plate | Steel + clear acrylic Steel Clear acrylic Steel Steel | Approx 570mm from base of tunic to case base 160mm diam 50 x 60mm 610mm to u/s of w/ colour to case base 485mm to u/s of print to case base 385mm to u/s of painting to case base Height of ring from plinth =70mm Approx 800mm from base of jacket to case base Approx 720mm from base of knife to case base Cut to fit box Approx height 230mm from sabretache bottom to plinth Acrylic plate= 60w x 100h. Rod ht from plinth to bottom of plate = 310mm Acrylic plate= 280w x 120h. Rod ht from plinth to bottom of plate = 310mm Acrylic plate= 280w x 120h. Rod ht from plinth to bottom of plate = 310mm Acrylic plate= 280w x 120h. Rod ht from plinth to bottom of plate = 735mm Approx 1030mm from base of jacket to case base Approx 540mm from bottom of plottom of photo to case base | ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Plinth is at the rear of the case Delicate support, 3mm respectively. Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Displayed above 2006-02-3-1 frock jacket. Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) Spigot in case base. Shoulder heights of all jacket to line up (1465m from case base) |
| | F A A B D D C | 2003-09-50-1 1963-10-238-1 1965-09-54-1 1987-06-15-1 1973-12-62-1 1960-03-31-1 2006-02-3-1 2006-02-3-1 1951-09-9-1 1977-10-68-1 1977-10-68-1 1960-11-44-1 2008-09-12-2 2008-09-12-3 2008-09-12-3 2008-09-12-5 2008-09-12-12 1979-05-24-1 | miniature frock coat paperweight snuff box watercolour print watercolour frock jacket cap khanjar tunic snuff box sabretache medal medal shell jacket | Vertical 90' Vertical 90' Freestanding, flat 60' Vertical 90' Face up Vertical 90' | Case base Plinth Plinth Case base Case base Case base Plinth Plinth Plinth Plinth Plinth Above frock jacket 2006-02-3-1 Plinth Plinth Plinth Case base Case base | plinth with fin supports Book mount fixed to support rod, fixed into base plate Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Flat book mount fixed to supports x 2, screw fixed into flat steel base plate Metal claws fixed into one support rod that screw fixes into a base plate that stands on the case base. Mannequin support rod fixes into a base plate that stands on the case base. Mannequin support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Metal claws fixed into one support rod. Support rod fixes into a base plate that stands on the case base. Rests on an acrylic plate Frosted acrylic plate with back bar support, fixed into two support rods that screw fix into a base plate Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. Frosted acrylic plate with back bar support, fixed into vertical rod. Rod screw fixes into a base plate. Book mount fixed to support rod, fixed into support rod, fixed into | Steel + clear acrylic Steel Clear acrylic Steel Steel | Approx 570mm from base of tunic to case base 160mm diam 50 x 60mm 610mm to u/s of w/ colour to case base 485mm to u/s of print to case base 385mm to u/s of painting to case base Height of ring from plinth =70mm Approx 800mm from base of jacket to case base Approx 720mm from base of knife to case base Cut to fit box Approx height 230mm from sabretache bottom to plinth Acrylic plate= 60w x 100h. Rod ht from plinth to bottom of plate = 310mm Acrylic plate= 280w x 120h. Rod ht from plinth to bottom of plate = 735mm Approx 1030mm from base of jacket to case base Approx 540mm from bottom of photo to | ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Frosted acrylic. Steel Spray painted grey - ref: RAL 7032 pebble grey semi gloss Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Spigot in case base. Shoulder heights of all jacket to line up (1465m) from case base) Plinth is at the rear of the case Delicate support, 3mm respectively and the case Spigot in case base. Shoulder heights of all jacket to line up (1465m) from case base) Displayed above 2006-02-3-1 frock jacket Spigot in case base. Hilt bottom Spigot in case base. Shoulder heights of all jacket to line up (1465m) from case base) Spigot in case base. Shoulder heights of all jacket to line up (1465m) from case base) Shares a support with |

| | | | | | | NAM Mount schedule | | | | |
|------|-----------|---|--------------------------------|---|---------------------------------|---|--------------------------|--|---|---|
| Case | Type code | Object acc no | Object description | Display angle | Location in case | Туре | Material | Dimensions | Finish | Notes |
| 11 | | | | | | | | | | |
| | A | 1951-11-6-1 | oil on canvas | Vertical 90' | Case base | Flat book mount fixed to supports x 2, screw fixed into flat steel base plate | Steel + clear acrylic | 533mm to u/s of painting to case base | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | |
| | Α | 1967-05-88-1 | oil on panel | Vertical 90' | Plinth | Flat book mount fixed two support rods that screw fix into a base plate | Steel + clear acrylic | Approx height 100mm from bottom of painting to plinth | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | |
| | Α | 1964-12-39-1 | oil on board | Vertical 90' | Case base | Flat book mount fixed to supports x 2, screw fixed into flat steel base plate | Steel + clear acrylic | 348mm to u/s of painting to case base | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | located at rear of case |
| | Α | 1998-01-135-51 | photograph, stereoscopic | Vertical 90' | Plinth | Book mount fixed to support rod, fixed into base plate | Steel + clear acrylic | Height 230mm from bottom of photo to plinth | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | shares a vertical support rod with photo 1986-08-49-140 |
| | Α | 1986-08-49-140 | photograph | Vertical 90' | Plinth | Book mount fixed to support rod, fixed into base plate | Steel + clear acrylic | Height 43mm from bottom of photo to plinth | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | shares a vertical support rod with photo 1998-01-135-51 |
| | D | 1992-09-231-1 | rifle, bolt action, Mauser, | Vertical on x axis, but angled 42' to the right | Case base | Metal claws fixed into two support rods that screw fix into spigots in the case base | Steel | Approx 1350mm for tallest rod to case base | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Gun is long and heavy, mounts need to be robust and substantial. Stock at bottom. |
| | В | 1957-10-6-1 | ration | Vertical 90' | Case base | Metal claws fixed into one support rod that screw fixes into a base plate | Steel | Height 760 to u/s of ration | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | |
| | М | 1963-11-67-1 | hat | Vertical 90' | Case base | Internal hat support fixed into one support rod that screw fixes into a base plate | Steel | Height 630 to u/s of hat | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | |
| | М | 1963-11-67-2 | headdress | Vertical 90' | Plinth | Internal hat support fixed into one support rod that screw fixes into a base plate | Steel | Height 300 to internal u/s of hat (mouth of tiger) | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | |
| | В | 1971-01-29-2-1 to 1971-01-29-2-11 | keys | Vertical 90' | Case base | Metal claws or rings fixed into one support rod that screw fixes into a base plate | Steel | | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Shares a mount with shell fragment |
| | В | 1956-02-893 | shell fragment | Vertical 90' | Case base | Metal claws or rings fixed into one support rod that screw fixes into a base plate | Steel | Height of bottom of fragment from case base =915mm | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Shares a mount with keys |
| | Α | 1999-10-33-1 | textile, embroidered | Vertical 90' | Case base | Flat book mount fixed two support rods that screw fix into a base plate | | Height of bottom of embroidery from case base =410mm | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Plinth is at the rear of the case. The support rods will also carry the text label |
| | D | 1980-07-42-1 | shield | Vertical 90' | Case base | Metal claws or rings fixed into vertical rod. Rod is screw fixed into a spigot in the case base | Steel | Shield approx 525mm diam. Height to case base form bottom of shield is 605 | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Large object will need armatures to the rear. |
| | F | 1960-12-67 | sextant | Freestanding, flat | Plinth | Rests on an acrylic plate | Clear acrylic | 70mm diam | | |
| | | 1977-10-32 | altimeter | Freestanding, | Plinth | | | | | No mount |
| | D | 1964-08-75-2 + 1964-08-75-14 | kurta + lungi | vertical 90' | Case base | Uses existing mannequin | | | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Lungi wraps around kurta |
| | | 1964-08-75-8 | pouch belt | | | Uses existing mannequin | | | | Fixes to kurta |
| | | 1964-08-75-12 | pugri | Vertical 90' | Above kurta | Mannequin head | | | | 1964-08-75-2 Pugri sits underneath |
| | | 1964-08-75-5 | khulla | Vertical 90' | 1964-08-75-2 On top of pugri | Mannequin head | | | | khulla 1964-08-75-5 khulla sits on top of |
| | | 1965-07-10-4 | brodrick (cap) | Horizontal | Plinth | Internal hat support fixed into one support rod that | Steel | Height of cap from plinth =557mm | Spray painted grey - ref: RAL 7032 pebble | Pugri 1964-08-75-12 |
| | | 1987-09-29-1 | helmet | Horizontal | Above tunic | screw fixes into a base plate Mannequin head | | | grey semi gloss | |
| | D | 1987-09-29-3 | tunic | Vertical 90' | 1987-09-29-3 Case base | Mannequin support rod | Steel | Height 943 to u/s of | Spray painted grey - | Tunic, trousers, belt, |
| | | | | | | fixes into a base plate that stands on the case base. | | tunic to case base | ref: RAL 7032 pebble grey semi gloss | helmet are all on one mannequin |
| | D | 1987-09-29-4 | trousers | Vertical 90' | Case base | Mannequin support rod fixes into a base plate that stands on the case base. | Steel | Trousers are 50mm from case base | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | Tunic, trousers, belt, helmet are all on one mannequin |
| | Α | 1987-09-29-5 1968-12-1-35 | waistbelt medal | Fitted to tunic 1987-09-29-3 | Case base | Frosted acrylic plate with | Steel + frosted | Acrylic plate= 90w x | Frosted acrylic. Steel | Tunic, trousers, belt, helmet are all on one mannequin |
| | | | | | | back bar support, fixed into vertical rod. Rod screw fixes into a base plate. | acrylic | 150h. Rod ht from case base to bottom of plate = 695mm | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | |
| | E | 1985-06-34 | medal | 30' | Plinth | Book mount sitting on plinth with fin supports | Frosted acrylic | 90w x 175h | Frosted acrylic | |
| | E | 1974-07-105-1 | chromolithograph | 30' | Plinth | Book mount sitting on plinth with fin supports | Clear acrylic | Object is 388w x 268h mm | | |
| | D | 1982-05-42-1 1981-09-16-1 | theodolite tunic | Vertical 90' Vertical 90' | Plinth Case base | Freestanding on plinth Mannequin support rod fixes into a base plate that stands on the case base. | Steel | Height 1022mm to u/s of tunic to case base | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | |
| | | 1981-09-16-2 | shoulder chain | | | | | | - | Fixed to tunic shoulder |
| | | 1981-09-16-3 | hat | Horizontal | Above tunic | Mannequin head | | | | 1981-09-16-1 |
| | D | 1968-03-50-1 | coatee | Vertical 90' | 1981-09-16-1 Case base | Mannequin support rod fixes into a base plate that stands on the case base. | Steel | Height 1022mm to u/s of front face of jacket to case base | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | |
| | | 1959-11-228-1 | finial | Horizontal | Plinth | Freestanding on plinth | | | | May need some support - conservation to advise |
| | D | 1963-11-66-1 | jibbah | Vertical 90' | Case base | Mannequin support rod fixes into a base plate that stands on the case base. | Steel | Height 190mm to u/ s of dress to case base | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | |
| | | 1977-10-32-2 | boiler tube, altimeter | Vertical 90' | Plinth | Freestanding on plinth | | | | |
| | | 1977-10-32-4 | thermometer, altimeter | Vertical 90' | Plinth | Freestanding on plinth | | | | |
| | D | 1959-12-130-2 | spear | Vertical on y axis, but angled 72' towards the case front | Case base | Metal claws/rings fixed into one support rod. Support rod fixes into a spigot in the case base. | Steel | Height 122mm to u/ s of spear to case base | Spray painted grey - ref: RAL 7032 pebble grey semi gloss | spearhead at top |
| | | L | 1 | 1 | <u> </u> | <u>I</u> | <u> </u> | <u> </u> | I | <u> </u> |

| 1097-03-03-1 covered field concentrating of prints covered field c | Case | | Object acc no | Object description | Display angle | Location in | NAM Mount schedule | Material | Dimensions | Finish | Notes |
|--|------|----------|---|--|---------------------------------------|-------------|---|-----------------|--|---|--|
| | 12 | code | | | | case | | | | | |
| March Marc | | | 1997-09-96-1 1997-09-96-2 1997-09-96-3 | dressing, ampoule, dressing | Vertical 90' | Plinth | | Clear acrylic | | | |
| Part | | | 1960-12-201-1 | coin | flat | Plinth | | Clear acrylic | Plate = 50mm diam | | |
| March Marc | | В | 1964-08-21-1 | sword | but angled 28' | Plinth | support rods that screw fix | Steel | right of sword is | RAL 7032 pebble grey | Hilt to the right |
| | | В | 1960-08-84-3 | whip | Vertical on x axis, but angled 28' | Plinth | Metal claws fixed into two support rods that screw fix | Steel | Tallest support rod at | Spray painted grey - ref: RAL 7032 pebble grey | Whip handle to the right |
| Part Control | | | 1965-01-25-7 | identity tag | | | into a base plate | | | seriii gioss | |
| March | | Α | 2019-09-6-1-1 | medals x 3 | 60' | Case base | back bar support, fixed | | 300h. | RAL 7032 pebble grey | |
| March Marc | | Λ | 1958-02-1-1 | medals x 5 | 60' | Case base | plate. | Steel + frosted | 575mm | Spray painted grey - ref | shares a vertical |
| A | | ^ | 1958-02-1-2 1958-02-1-3 1958-02-1-4 | | | | back bar support, fixed into vertical rod. Rod screw fixes into a base | | 145h. Rod ht from case base to bottom of plate = | RAL 7032 pebble grey | |
| March Marc | | A | | chromolithograph | 60' | Case base | Clear acrylic plate with back bar support, fixed into two vertical rods. Rods screw fix into a base | | Acrylic plate= 400w x 306h. Rod ht from case base to bottom of print = | RAL 7032 pebble grey | support rod with medals |
| March Marc | | A | 2001-12-9-12 | letter | Vertical 90' | Case base | back bar support, fixed into one vertical rod. Rod screw fixes into a base | | 255h. Rod ht from case base to bottom of plate = | RAL 7032 pebble grey | |
| March 1977 Col. 1976 Col. 1977 | | A | 1987-05-8-3 | stereoscopic | 60' | Case base | back bar support, fixed into one vertical rod. Rod screw fixes into a base | | 214h. Rod ht from case base to bottom of plate = | | All three share one support |
| A 1977 30 f 30 20 20 20 20 20 20 20 | | A | 1965-01-22-4 1965-01-22-5 1965-01-22-6 1965-01-22-7 1965-01-22-8 1965-01-22-9 1965-01-22-10 1965-01-22-11 1965-01-22-12 | medals x 11 | 60' | Case base | back bar support, fixed into vertical rod. Rod screw fixes into a base | | 145h. Rod ht from case base to bottom of plate = | RAL 7032 pebble grey | |
| Market M | | A | 1965-10-221-85 | photograph | 30' | Plinth | back bar support, fixed into one vertical rod. Rod screw fixes into a base | | 165h. Rod ht from case base to bottom of photo = | RAL 7032 pebble grey | At rear of case |
| | | A | 1977-06-81-36 | poster | Vertical 90' | Case base | back bar support, fixed into two vertical rods. Rods screw fix into a base | | 1010h. Rod ht from case base to bottom of photo = | RAL 7032 pebble grey | advise on poster back board materia spec. At rear of |
| See Not 12 See | | | 1980-08-60 | statuette | • | Plinth | | | | | |
| Level 1994 19 39 10 pointered by the control of the | | D | | | Vertical 90' | Case base | fixes into a plate to stand | Steel | | RAL 7032 pebble grey | |
| Note 1974-12-43-4 Note | | A | | | 30' | Case base | back bar support, fixed into one vertical rod. Rod screw fixes into a base | | 161h. Rod ht from case base to bottom of postcard= | RAL 7032 pebble grey semi gloss | |
| A 2006-09-10-1 westmodeur 60° Pursh Case base Case base Case and base Case a | | A | 1976-12-24-2 1976-12-24-3 | medals x 4 | 60' | Case base | back bar support, fixed into vertical rod. Rod screw fixes into a base | | 145h. Rod ht from case base to bottom of plate = | RAL 7032 pebble grey | |
| back care support, finding accepting the label service of the property of the | | A | 1984-12-65-1 | medal | 60' | Case base | back bar support, fixed into vertical rod. Rod screw fixes into a base | | 145h. Rod ht from case base to bottom of plate = | RAL 7032 pebble grey | |
| buck bur support, fixed risk of the resultant ruse. Rolds sover its rind a base risk float sover its rind a base risk rind a base risk float sover its rind a base ri | | A | 2006-06-10-1 | watercolour | 60' | Plinth | back bar support, fixed into two vertical rods. Rods screw fix into a base | | 238h. Rod ht from plinth to bottom of w/c = | RAL 7032 pebble grey | |
| 1995-03-127-2 See | | A | 1976-05-64-1 | watercolour | 30' | Case base | back bar support, fixed into two vertical rods. Rods screw fix into a base | | 238h. Rod ht from case base to bottom of w/c = | | |
| See | | D | | tunic + pith helmet | Vertical 90' | Case base | fixes into a plate to stand on the case base. Helmet | Steel | | RAL 7032 pebble grey | |
| E 1964-01-26-1 carpet 20" Case base Book mount sitting on pirith with fin supports of fixes into a plate to stand on the case base. Helmet on a mannequin head Steel Approx 815 mm wide Clear acrylic to the measured Approx 815 mm wide Clear acrylic to the measured Approx 815 mm wide Clear acrylic to the measured Approx 815 mm wide Clear acrylic to the measured Approx 815 mm wide Clear acrylic to the measured Approx 815 mm wide Clear acrylic to the measured Approx 815 mm wide Clear acrylic to the measured Approx 815 mm wide Clear acrylic to the measured Approx 815 mm wide Clear acrylic to the measured Approx 815 mm wide Clear acrylic to the measured Approx 815 mm wide Clear acrylic plate with back har support, fixed into one vertical rod. Rod screw fixed into a base plate Approx 8771 x 95 mm Approx 8771 x 95 m | | D | 1955-03-142-1 | blouse | Vertical 90' | Case base | fixes into a plate to stand on the case base. Helmet | Steel | | RAL 7032 pebble grey | |
| 1961-07-165-3 1961-07-165-3 1961-07-165-7 1961-07-165-9 1961-07-165-9 1961-07-165-9 1961-07-165-9 1961-07-165-12 1961-07-165 | | E | 1964-01-26-1 | carpet | 20' | Case base | Book mount sitting on | Clear acrylic | 1 | Clear acrylic | |
| back for support, fixed into one virtual rol. Rod into rol. Rod internal support r | | D | 1961-07-165-3 1961-07-165-5 1961-07-165-7 1961-07-165-8 1961-07-165-9 1961-07-165-10 1961-07-165-12 1961-07-165-13, | blouse, shorts, fez, cummerbund, waistbelt, hose top, puttee, garter flash, | Vertical 90' | Case base | fixes into a plate to stand on the case base. Helmet | Steel | | RAL 7032 pebble grey | |
| E 2011-06-22-1 flat figure 20' Plinth Book mount sitting on plinth with fin supports D 2016-10-2-1 kefflyeh Vertical 90' Case base Mannequin support rod fixes into a plate to stand on the case base. Kefflyeh on a mannequin head D 2011-08-6-1 dagger Vertical 90' Case base Metal claws fixed into two support rods that screw fix into a base plate D 2016-10-3-1 robe Vertical 90' Case base Mannequin support rod fixes into a plate to stand on the case base. A 2016-11-5-1 oil on board 70' Plinth Metal frame fixed to picture frame, with back bar support, fixed into two wertical rods. Rods screw fix into a base plate. M 2017-10-37-1 kitbag Vertical 90' Case base Will need internal support Wertical 90' Steel Steel Steel Book mount sitting on plinth with fin support rod shad on the case base. Mannequin support rod fixes into a plate to stand on the case base. Steel Height approx 200mm to us of robe to case base Rod ht from plinth to bottom of w/c = 228mm Spray painted grey - ref: At rear of case barse with a base plate. M 2017-10-37-1 kitbag Vertical 90' Case base Will need internal support to make it stand plus rear 436mm when filled FAL 7032 pebble grey. | | A | 2011-06-2-1 | watercolour | 20' | Case base | back bar support, fixed into one vertical rod. Rod screw fixes into a base | | 234h. Rod ht from case base to bottom of w/c = | RAL 7032 pebble grey | |
| fixes into a plate to stand on the case base. Keffiyeh on a mannequin head B 2011-08-6-1 dagger Vertical 90' Case base Metal claws fixed into two support rods that screw fix into a base plate D 2016-10-3-1 robe Vertical 90' Case base Mannequin support rod fixes into a plate to stand on the case base. A 2016-11-5-1 oil on board 70' Plinth Metal frame fixed to picture frame, with back bar support, fixed into two vertical rods. Rods screw fix into a base plate. M 2017-10-37-1 kitbag Vertical 90' Case base Will need internal support to make it stand plus rear stand plus rear stand on the case base. Will need internal support to make it stand plus rear stand on the case base Span support and plus rear stand on the case base. Steel Support rod is 940mm span painted grey - ref: RAL 7032 pebble grey - ref | | E | | - | | | plinth with fin supports | | | Clear acrylic | |
| support rods that screw fix into a base plate D | | D | 2016-10-2-1 | keffiyeh | Vertical 90' | Case base | fixes into a plate to stand on the case base. Keffiyeh | Steel | | | |
| fixes into a plate to stand on the case base. A 2016-11-5-1 oil on board 70' Plinth Metal frame fixed to picture frame, with back bar support, fixed into two vertical rods. Rods screw fix into a base plate. M 2017-10-37-1 kitbag Vertical 90' Case base Will need internal support to make it stand plus rear storms of robe to case base to u/s of robe to case base to u/s of robe to case base base Rod ht from plinth to bottom of w/c = 228mm Spray painted grey - ref: RAL 7032 pebble grey semi gloss At rear of case RAL 7032 pebble grey semi gloss | | В | 2011-08-6-1 | dagger | Vertical 90' | Case base | support rods that screw fix | Steel | | RAL 7032 pebble grey | |
| picture frame, with back bar support, fixed into two vertical rods. Rods screw fix into a base plate. M 2017-10-37-1 kitbag Vertical 90' Case base Will need internal support to make it stand plus rear Will need internal support to make it stand plus rear BAL 7032 pebble grey semi gloss RAL 7032 pebble grey semi gloss RAL 7032 pebble grey semi gloss At rear of case 436mm w when filled | | D | 2016-10-3-1 | robe | Vertical 90' | Case base | fixes into a plate to stand | Steel | to u/s of robe to case | | |
| to make it stand plus rear 436mm w when filled RAL 7032 pebble grey | | A | 2016-11-5-1 | oil on board | 70' | Plinth | picture frame, with back bar support, fixed into two vertical rods. Rods screw | Steel | bottom of w/c = | RAL 7032 pebble grey | At rear of case |
| | | M | 2017-10-37-1 | kitbag | Vertical 90' | Case base | to make it stand plus rear | Steel | _ | RAL 7032 pebble grey | At rear of case |

| Case | Type code | Object acc no | | Display angle | Location in case | NAM Mount schedule Type | Material | Dimensions | Finish | Notes |
|------|-----------|--|--|---------------------------|------------------------------|---|--------------------------|--|---|---|
| 13 | В | 1982-09-54-1 | rifle | Horizontal | Plinth | Metal claws/rings fixed | Steel | 130mm highest rod | Spray painted | Mounted onto base plinth. |
| | G | 1961-07-5-1 | sword | Vertical 90' | Back panel | into two support rods that screw fix into a base plate Metal claws or rings fixed | Steel | height at barrel end 200mm from back of | brown - ref: RAL 8007 Spray painted | Rifle faces left |
| | В | 1963-12-251-12 | sub machine gun | Vertical 90' | Plinth | into horizontal rod. Rod is screw fixed into case back Metal claws/rings fixed | Steel | sword to case back Stock is 135mm high | brown - ref: RAL 8007 Spray painted | Mounted onto base plinth. |
| | נ | | oue macinito gain | | | into one support rod that screw fixes into a base plate | | above the plinth | brown - ref: RAL 8007 | F |
| | H | 1999-04-29-1 | watercolour | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw | Steel + clear acrylic | 200mm from back panel | Spray painted brown - ref: RAL 8007 | |
| | | 1986-02-52-1 | grenade | Vertical 90' | Plinth | fixes into case back panel | | | | May need support - |
| | G | 1968-06-9-1 | walking stick | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is | Steel | 200mm long from back of stick to case | Spray painted brown - ref: RAL | conservation to advise |
| | | 1975-02-29-1 1975-02-29-2 | stamps x 2 | Vertical 90' | Stand upright | screw fixed into case back panel | | back | 8007 | May need support - conservation to advise |
| | A | 1997-09-75-1 1993-12-81-1 | pistol badge | 55' | on plinth Plinth | Mounted on clear acrylic plate with two vertical | Steel + clear | Acrylic plate = 365mm w x 300mm | | Pistol + badge share the plate. Pistol faces right. |
| | G | 1994-01-122-1 | kit - snake bite | Vertical 90' | Back panel | rods. Rods screw fix into a base plate. Metal claws or rings fixed | Steel | h. 300mm from back | Spray painted | plate. I istoriaces right. |
| | G | 1994-01-122-1 | Rit - Shake bite | Vertical 90 | Back parier | into horizontal rod. Rod is screw fixed into case back panel | Steel | panel | brown - ref: RAL 8007 | |
| | | 2000-03-104-1 | sprayer id tag | Horizontal Vertical 90' | Plinth Back panel | Motel clause or rings fixed | Steel | 300mm from back | Spray painted | May need support - conservation to advise |
| | G | 2001-01-320-1 | id tag | Vertical 90 | васк рапеі | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | panel | brown - ref: RAL 8007 | |
| | Н | 1967-06-63-1 | Italian flag | Angled at 80 | Back panel | Mounted on board OR clear acrylic plate with back bar support, fixed into horizontal rods. Rods screw fix into case back | Steel + clear acrylic | Mounted very close to back board. Dims = approx 990 mm w x 780mm h. | | Conservation to advise back board specification |
| | A | 1974-08-98-8 | pennant | 55' | Plinth | Mounted on clear acrylic plate with back bar support, fixed into one horizontal rod. Rod screw | Steel + clear acrylic | Clear acrylic plate = 200w x 145h mm. Height of bottom of plate to plinth | Spray painted brown - ref: RAL 8007 | Shares a vertical support rod with pistol 2020-02-11-7-1 |
| | A | 2020-02-11-7-1 | pistol | 55' | Plinth | fixes into a base plate Mounted on clear acrylic plate with back bar support, fixed into one horizontal rod. Rod screw fixes into a base plate | Steel + clear acrylic | =506mm Clear acrylic plate = 180w x 140h mm. Height of bottom of plate to plinth = 350mm | Spray painted brown - ref: RAL 8007 | Shares a vertical support rod with pennant 1974-08-98-8 |
| | A | 1988-08-81-1 1988-08-81-2 1988-08-81-3 1988-08-81-4 1988-08-81-5 1988-08-81-6 1988-08-81-7 1988-08-81-8 1988-08-81-9 1988-08-81-10 1988-08-81-11 | medals x13 | 55' | Plinth | Mounted on clear acrylic plate with back bar support, fixed into one horizontal rod. Rod screw fixes into a base plate | Steel + clear acrylic | Clear acrylic plate = 215w x 115h mm. | Spray painted brown - ref: RAL 8007 | Shares a vertical support rod with medals below |
| | A | 1988-08-81-13 1980-06-89-1 1980-06-89-2 1980-06-89-3 1980-06-89-4 1980-06-89-5 1980-06-89-6 | medals x7 | 55' | Plinth | Mounted on clear acrylic plate with back bar support, fixed into one horizontal rod. Rod screw fixes into a base plate | Steel + clear acrylic | Clear acrylic plate = 215w x 115h mm. Height of bottom of plate to plinth = 506mm | Spray painted brown - ref: RAL 8007 | Shares a vertical support rod with medals above |
| | A | 1980-06-89-7 1994-01-1-390-1 | fan | 55' | Plinth | Mounted on clear acrylic plate with back bar support, fixed into one horizontal rod. Rod screw fixes into a base plate | Steel + clear acrylic | Clear acrylic plate cut around fan and handle shape. Height of bottom of plate to plinth =150mm | Spray painted brown - ref: RAL 8007 | |
| | Н | 2003-04-235-1 | photolithograph | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + clear acrylic | 200mm from back panel | Spray painted brown - ref: RAL 8007 | |
| | | 2003-08-47-1 | bottle | Vertical 90' | Plinth | Metal claws/rings fixed into one support rod that screw fixes into a base plate | Steel | Bottom of bottle to plinth =312mm | Spray painted brown - ref: RAL 8007 | |
| | A | 1989-04-98-1 | sash | 55' | Plinth | Mounted on clear acrylic plate with back bar support, fixed into one horizontal rod. Rod screw fixes into a base plate | Steel + clear acrylic | Clear acrylic plate cut around sash shape. Height of bottom of plate to plinth =535mm | Spray painted brown - ref: RAL 8007 | |
| | В | 2004-11-158-1 | knife | 55' | Plinth | Metal claws/rings fixed into one support rod that screw fixes into a base | Steel | Bottom of knife to plinth =70mm | Spray painted brown - ref: RAL 8007 | handle at bottom |
| | G | 2005-03-22 | stick, cane | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is | Steel | 200mm from back of stick to case back | Spray painted brown - ref: RAL | |
| | В | 2006-06-17-1 | kukri (knife) | 55' | Plinth | screw fixed into case back panel Metal claws/rings fixed into one support red that | Steel | Bottom of knife to | Spray painted | |
| | Б | 2006-08-56-2 | beret | Horizontal | Plinth | into one support rod that screw fixes into a base plate | Steel | plinth =160mm Bottom of beret to | brown - ref: RAL 8007 Spray painted | |
| | В | | , SOI OL | but at a jaunty angle | | Hat support fixed into one support rod that screw fixes into a base plate | Judgi | plinth =125mm | brown - ref: RAL 8007 | |
| | | 2007-01-4-1 2007-01-4-2 1958-04-19-1 | wireless set Japanese flag | Lays flat Angled at | Plinth Back panel | Mounted on board OR | Steel + clear | Mounted very close | Spray painted | May need support - conservation to advise Conservation to advise |
| | п | 04 -18-1 | oapanese IIdy | 80 | Jaon Parier | clear acrylic plate with back bar support, fixed into horizontal rods. Rods screw fix into case back panel | acrylic | to back board. Dims = approx 855 mm w x 732mm h. | brown - ref: RAL 8007 | back board specification |
| | К | 1991-10-51-2 1991-10-51-3 1991-10-51-4 | bush jacket, shoulder strap, lanyard | Vertical 90' | Back panel | L shaped bracket back to back panel | Steel | Back of jacket 236mm from back panel. Support bracket is 396mm to centre of jacket | Spray painted brown - ref: RAL 8007 | Weight will need to be considered with this preferred display method. Otherwise revert to a post and stand support. |
| | K | 1958-05-21-1 | blouse | Vertical 90' | Back panel | L shaped bracket back to back panel | Steel | Back of blouse 236mm from back panel. Support bracket is 396mm to centre of blouse | Spray painted brown - ref: RAL 8007 | Weight will need to be considered with this preferred display method. Otherwise revert to a post and stand support. |
| | К | 1991-04-23-1 | slouch hat | Horizontal | Back panel | L shaped bracket back to back panel | Steel | Back side of hat 200mm from back panel. Support bracket is 355mm to centre of hat | Spray painted brown - ref: RAL 8007 | στατία σαρρύττι |
| | G | 1989-04-117-?-1 1989-04-117-1 | bowl | Vertical 90' Vertical 90' | Stands on plinth Back panel | Metal claws or rings fixed into horizontal rod. Rod is | Steel | 300mm from back panel | Spray painted brown - ref: RAL | |
| | | 1989-04-117-8-1 | compass | Horizontal | Lays on | screw fixed into case back panel | | | 8007 | |
| | | 1989-04-116-1 1989-04-116-898-2 | rations | Horizontal | plinth Lays on plinth | | | | | |
| | | 1989-04-116-898-3 1989-04-116-898-4 1989-04-116-898-5 | | | | | | | | |
| | G | 2018-05-26-2-1 | knife | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | 200mm from back of knife to case back | Spray painted brown - ref: RAL 8007 | |
| | К | 2018-09-3-1-2 | polo helmet | Horizontal | SIDE panel if possible | | Steel | Side of hat 75mm from SIDE panel. Bracket is 204mm to | Spray painted brown - ref: RAL 8007 | Need to check with case maker if this bracket fixing is possible |

| | NAM Mount schedule | | | | | | | | | | | |
|------|--------------------|--|--------------------|------------------------------------|------------------|--|----------------------------|--|--|--|--|--|
| Case | Type code | Object acc no | Object description | Display angle | Location in case | Туре | Material | Dimensions | Finish | Notes | | |
| 14 | | | | | | | | | | | | |
| | G | 2001-06-141-1 | sword | Vertical 90' | Plinth | Metal claws/rings fixed into one support rod that screw fixes into a base plate | Steel | Back of sword is 30mm from back panel | Spray painted dark blue - ref: RAL 290 20 35 | | | |
| | Н | 2002-04-846-1 | medal | 75' | Back panel | Frosted acrylic plate with back bar support, fixed into horizontal rod and rod screw fixed into case back panel | Steel + frosted acrylic | Acrylic plate = 85mm w x 130mm h. Distance from middle of plate to case back =296mm | Spray painted dark blue - ref: RAL 290 20 35 | | | |
| | В | 1971-05-7-1 | axe | Vertical but tilted back 75' | Plinth | Metal claws/rings fixed into one support rod that screw fixes into a base plate | Steel | Sits close to plinth | Spray painted dark blue - ref: RAL 290 20 35 | | | |
| | Н | 1987-11-104-1 | medal | 75' | Back panel | Frosted acrylic plate with back bar support, fixed into horizontal rod and rod screw fixed into case back panel | Steel + frosted acrylic | Acrylic plate = 85mm w x 130mm h. Distance from middle of plate to case back =296mm | Spray painted dark blue - ref: RAL 290 20 35 | | | |
| | В | 1992-09-65-1 | coatee | Vertical 90' | Plinth | Metal internal support and vertical post screw fixed into a circular base plate | Steel | Height to bottom of jacket to plinth = 524mm | Spray painted dark blue - ref: RAL 290 20 35 | B type special | | |
| | Н | 1961-05-1-1 1961-05-1-2 1961-05-1-3 1961-05-1-4 1961-05-1-5 1961-05-1-6 | medals x 6 | Vertical 90' | Back panel | Frosted acrylic plate with back bar support, fixed into horizontal rod and rod screw fixed into case back panel | Steel + frosted acrylic | Acrylic plate = 100mm w x 140mm h. Distance from middle of plate to case back =236mm | Spray painted dark blue - ref: RAL 290 20 35 | | | |
| | G | 1994-01-1-332-1 | sculpture | Vertical 90' | Back panel | Metal claws/rings fixed into one support rod that screw fixes into case back panel | Steel | Back of sculpture is 120mm from back panel | Spray painted dark blue - ref: RAL 290 20 35 | | | |
| | G | 1982-09-82-1 | telescope | Vertical 90' | Plinth | Metal claws/rings fixed into one support rod that screw fixes into case back panel | Steel | Back of telescope is 30mm from back panel | Spray painted dark blue - ref: RAL 290 20 35 | | | |
| | Н | 972-08-68-1 | photolithograph | Vertical 90' | Back panel | Mounted on board OR clear acrylic plate with back bar support, fixed into horizontal rods. Rods screw fix into case back panel | Steel + clear acrylic | Back board = approx 548 mm w x 445mm h. | Spray painted dark blue - ref: RAL 290 20 35 | Conservation to advise back board specification | | |

| Case | Type code | Object acc no | Object description | Display | Location in | NAM Mount schedule Type | Material | Dimensions | Finish | Notes |
|------|-----------|---|--|-------------------------|-------------|--|-------------------------|---|--|---|
| 15 | code | | description | angle | case | | | | | |
| 13 | K | 1963-09-604-2 | hat | Horizontal | Back panel | L shaped bracket back to back panel | Steel | Back of jacket 25mm from back panel | Spray painted grey green - ref: RAL 6012 | |
| | | 1990-06-297 | truncheon | Lays flat | Plinth | | | pario. | 101111111111111111111111111111111111111 | |
| | F | 1969-12-18-1 1969-12-18-2 1969-12-18-4 1969-12-18-5 1969-12-18-7 1969-12-18-8 1969-12-18-9 1969-12-18-11 1982-03-69-1 | kit, penknife, lighter, watch, needle, safety pins, saw, bag, slide rule | Lays flat | Plinth | All objects sit on a clear acrylic block | Clear acrylic | 597mm w x 212 h x 20mm thick | Clear acrylic | |
| | G | 1974-08-30-3 | basin | Horizontal | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | Back of basin is 20mm from back panel | Spray painted grey green - ref: RAL 6012 | |
| | Н | 1994-02-48-1 | notice | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + clear acrylic | 20mm from back panel. Document = approx 196w x 230 h | Spray painted grey green - ref: RAL 6012 | |
| | A | 1999-12-27-5 | programme | 75' | Plinth | Mounted on clear acrylic plate with one vertical rod. Rod screw fixes into a base plate. | Steel + clear acrylic | Acrylic plate is cut to the outside edges of the the three notice/order/leaflet. Height to u/s programme is 155mm | Spray painted grey green - ref: RAL 6012 | Shares a vertical support rod with order 1951-05-87-1 + leaflet 2009-01-29-1 |
| | A | 1951-05-87-1 | order | 75' | Plinth | Mounted on clear acrylic plate with one vertical rod. Rod screw fixes into a base plate. | Steel + clear acrylic | | Spray painted grey green - ref: RAL 6012 | Shares a vertical support rod with programme 1999-12-27-5 + leaflet 2009-01-29-1 |
| | A | 2009-01-29-1 | leaflet | 75' | Plinth | Mounted on clear acrylic plate with one vertical rod. Rod screw fixes into a base plate. | Steel + clear acrylic | Acrylic plate is cut to the outside edges of the the three notice/order/leafelt | Spray painted grey green - ref: RAL 6012 | Shares a vertical support rod with order 1951-05-87-1 + programme 1999-12-27-5 |
| | G | 1993-04-44-1 | haversack | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | Back of bag is 20mm from back panel | Spray painted grey green - ref: RAL 6012 | |
| | Н | 2000-09-175-1 2000-09-175-2 2005-07-701-1 | medals x3 | 75' | Back panel | Mounted on frosted acrylic plate with back bar support, fixed into one horizontal rod. Rod screw fixes into back panel | Steel + frosted acrylic | Frosted acrylic plate = 180w x 140h mm. Plate is 80mm from back panel at plate's centre point | Spray painted grey green - ref: RAL 6012 | |
| | G | 2001-04-118-1 | sword | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | Back of sword is 60mm from back panel | Spray painted grey green - ref: RAL 6012 | handle at bottom |
| | H | 1974-08-98-5 | pennant | Vertical 90' | Back panel | Mounted on clear acrylic plate with one vertical rod. Rod screw fixes into back panel | Steel + clear acrylic | 227 w x 148h | Spray painted grey green - ref: RAL 6012 | |
| | | 1992-12-5-1 | wireless set | Vertical 90' | Plinth | | | | | |
| | G | 2003-04-110-1 | parang (knife) | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | Back of knife is 60mm from back panel | Spray painted grey green - ref: RAL 6012 | handle at bottom |
| | К | 1989-01-112-2 | bush hat | Horizontal front facing | Back panel | L shaped bracket back to back panel | Steel | Back of hat 70mm from back panel | Spray painted grey green - ref: RAL 6012 | |
| | G | 2003-11-67-1 | knife | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | Back of knife is 60mm from back panel | Spray painted grey green - ref: RAL 6012 | handle at bottom |
| | Н | 1987-01-74-1 | bracelet | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | Back of bracelet is 60mm from back panel | Spray painted grey green - ref: RAL 6012 | Circular acrylic |
| | | 1970-03-4-1 | statuette | Vertical 90' | Plinth | | | | | |
| | D | 2005-09-8-1 2005-09-8-2 | jacket, shirt | Vertical 90' | Back panel | L shaped bracket back to back panel | Steel | Back of jacket 25mm from back panel | Spray painted grey green - ref: RAL 6012 | Weight will need to be considered with this preferred display method. Otherwise revert to a post and stand support. |
| | В | 1995-07-19-3 | сар | Horizontal | Plinth | Metal claws/rings fixed into one support rod that screw fixes into a base plate. | Steel | 366mm from u/s of beret to plinth | Spray painted grey green - ref: RAL 6012 | |
| | Н | 1963-11-77-3 | badge | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rod. Rod is screw fixed into case back panel | Steel | Back of badge is 60mm from back panel | Spray painted grey green - ref: RAL 6012 | |
| | D | 1989-01-112-3 | jacket | Vertical 90' | Back panel | L shaped bracket back to back panel | Steel | Back of jacket 25mm from back panel | Spray painted grey green - ref: RAL 6012 | Weight will need to be considered with this preferred display method. Otherwise revert to a post and stand support. |
| | Н | 2016-10-23-127-1 | document | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + clear acrylic | 20mm from back panel. Document = approx 175w x 213 h | Spray painted grey green - ref: RAL 6012 | |

| Case | Type code | Object acc no | Object description | Display angle | Location in case | NAM Mount schedule Type | Material | Dimensions | Finish | Notes |
|------|-----------|--|--------------------|---|------------------|---|----------------------------|---|---|---|
| 16 | | | | | | | | | | |
| | A | 1983-11-32-1 1983-11-32-2 1983-11-32-3 1983-11-32-4 1983-11-32-5 | medals x 5 | 60' | Plinth | Mounted on frosted acrylic plate with back bar support, fixed into one horizontal rod. Rod screwed into a base plate | Steel + frosted acrylic | Support rod is 445mm h to bottom edge of acrylic plate from case base. Frosted acrylic plate = 250w x 145h mm. | Spray painted grey green - ref: RAL 6012 | |
| | В | 1978-02-54-1 | rifle | Horizontal | Plinth | Metal claws/rings fixed into two support rods that screw fix into a base plate. | Steel | 320mm from u/s of gun barrel to plinth | Spray painted grey green - ref: RAL 6012 | rifle faces right |
| | G | 1997-06-17-1 | staff | Vertical 90' | Back panel | Metal claws or rings fixed into horizontal rods. Rods are screw fixed into case back panel | Steel | Top of staff to be 25mm away from back panel | Spray painted grey green - ref: RAL 6012 | |
| | | 1979-07-126-1 | rocket launcher | Horizontal | Case base | | | | | May need support - conservation to advise |
| | | 1983-04-69-1 | rucksack | Vertical 90' | Case base | | | | | May need support - conservation to advise |
| | К | 1996-06-7-1 | cape | Vertical 90' but angled into centre of case towards adjacent smock | Back panel | L shaped bracket back to back panel | Steel | Back of cape 25mm from back panel | Spray painted grey green - ref: RAL 6012 | Weight will need to be considered with this preferred display method. Otherwise revert to a post and stand support. |
| | K | 1983-04-64-1 | helmet | Horizontal front facing | Back panel | L shaped bracket back to back panel | Steel | Back of helmet is 80mm from back panel | Spray painted grey green - ref: RAL 6012 | |
| | G | 1990-09-95-2 | badge | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + clear acrylic | 80mm w x 42mm h, cut to match badge size. Back of acrylic 190mm from case back panel | | |
| | M | 1989-03-54-5 | shorts | Vertical 90' | Case base | Internal support to shorts, vertical rods in each leg fixed into base plate | Steel | Shorts are approx 860mm h | Spray painted grey green - ref: RAL 6012 | |
| | J | 2003-11-15-4 | certificate | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + clear acrylic | Certificate measures approx 140w x 210 h Back of cert. 25mm from back panel | Spray painted grey green - ref: RAL 6012 | |
| | J | 1984-03-44-1 | plate | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + clear acrylic | Plate approx 275mm diam. Back of plate 25mm from back panel | Spray painted grey green - ref: RAL 6012 | Acrylic cut to diam of plate |
| | K | 1993-05-127-6 | beret | Horizontal | Back panel | L shaped bracket back to back panel | Steel | Back of beret is 35mm from back panel | Spray painted grey green - ref: RAL 6012 | Beret will require internal hat support |
| | Н | 2004-12-33-3 | photograph | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + clear acrylic | Photograph measures approx 252w x 173 h. Back of photo 25mm from back panel | Spray painted grey green - ref: RAL 6012 | |
| | Н | 1995-01-211-1 | badge | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + clear acrylic | 50mm w x 50mm h, cut to match badge size. Back of acrylic 145mm from case back panel | Spray painted grey green - ref: RAL 6012 | |
| | J | 1987-11-69-1 | chromolithograph | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + clear acrylic | Chromolithograph measures approx 607mm w x 451h. Back of print 25mm from back panel | Spray painted grey green - ref: RAL 6012 | |
| | G | 1997-10-96-1 | mess tin | Vertical 90' | Back panel | Metal claws or rings fixed into one horizontal rod. Rod is screw fixed into case back panel | Steel | Back of tin 55mm from back panel | Spray painted grey green - ref: RAL 6012 | Mess tin to sit very closely to mount 1997-10-96-2 below it and centred over it |
| | G | 1997-10-96-2 | wooden mount | Vertical 90' | Back panel | Metal claws or rings fixed into one horizontal rod. Rod is screw fixed into case back panel | Steel | Back of wooden mount approx 77mm from back panel | Spray painted grey green - ref: RAL 6012 | wooden mount to sit v closely to tin above, centred under it |
| | Н | 2017-01-6-1-1 2017-01-6-1-2 2017-01-6-1-3 2017-01-6-1-4 | medals x 4 | Vertical 90' | Back panel | Mounted on frosted acrylic plate with back bar support, fixed into one horizontal rod. Rod screw fixed into case back panel | Steel + frosted acrylic | Support rod is 145mm deep to case back panel. Frosted acrylic plate = 180w x 130h mm. | Spray painted grey green - ref: RAL 6012 | |
| | К | 2017-07-8-3-1 | smock | Vertical 90' but angled into centre of case towards adjacent cape | Back panel | L shaped bracket back to back panel | Steel | Back of smock 25mm from back panel | Spray painted grey green - ref: RAL 6012 | Weight will need to be considered with this preferred display method. Otherwise revert to a post and stand support. |
| | K | 2017-07-8-3-2 | beret | Horizontal | Back panel | L shaped bracket back to back panel | Steel | Back of beret is approx 100mm from back panel, centred above collar of smock 2017-07-8-3-1 | Spray painted grey green - ref: RAL 6012 | Beret will require internal hat support. Centred above collar of smock 2017-07-8-3-1 |
| | Н | 1988-12-41-9 | leaflet | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + clear acrylic | Leaflet measures approx 375mm w x 176h. Back of leaflet 25mm from back panel | Spray painted grey green - ref: RAL 6012 | |

| | | | | | N | AM Mount schedule | | | | |
|------|-----------|--------------------------------|--------------------|-------------------------|--|--|--------------------------|---|---|--|
| Case | Type code | Object acc no | Object description | Display angle | Location in case | Туре | Material | Dimensions | Finish | Notes |
| 17 | | | | | | | | | | |
| | G | 1960-07-170-1 | walking stick | Vertical 90' | Back panel | Metal claws/rings fixed into two support rods that screw fix into case back panel | Steel | 25mm from back of stick to case back panel | Spray painted dark green - ref: RAL 6004 | |
| | G | 1997-07-44-1 | bugle | Vertical 90' | Back panel | Metal claws/rings fixed into two support rods that screw fix into case back panel | Steel | 25mm from back of bugle to case back panel | Spray painted dark green - ref: RAL 6004 | Bugle faces down |
| | | 000-09-44-4 | cap comforter | | Mannequin head from mannequin body below | Mannequin head from mannequin body below | | | | |
| | G | 2003-01-3-1 | bayonet knife | Vertical 90' | Back panel | Metal claws/rings fixed into two support rods that screw fix into case back panel | Steel | 25mm from back of knife to case back panel | Spray painted dark green - ref: RAL 6004 | Handle is at bottom |
| | | 2021-03-8—1-4 2021-03-8—1-6 | jacket, trousers | Vertical 90' | Mounted onto a freestanding mannequin | | | | | |
| | | 2003-05-19-1 | pouch | | Mounted onto jacket on mannequin | | | | | |
| | | 2003-05-19-2 2003-05-19-3 | braces, waistbelt | | Mounted onto jacket on mannequin | | | | | |
| | | 2003-05-157-1 2003-05-157-2 | mittens x 2 | Lay flat | Plinth | | | | | May need support - conservation to advise |
| | Н | 1985-04-91-1 | photolithograph | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + clear acrylic | photolithograph measures approx 624w x 439 h Back of cert. 25mm from back panel | Spray painted dark green - ref: RAL 6004 | |
| | В | 2003-08-79-1 | spoon | Horizontal, sideways | Plinth | Metal claws/rings fixed into one support rod that screw fixes into a base plate. | Steel | Support rod is 355mm h to bottom edge of spoon from case base. | Spray painted dark green - ref: RAL 6004 | Shares a support rod with medals above 1996-06-8-1 1996-06-8-2 |
| | A | 1996-06-8-1 1996-06-8-2 | medals x 2 | Vertical 90' | | Mounted on frosted acrylic plate with back bar support, fixed into one horizontal rod. Rod screwed into a base plate | Steel + frosted acrylic | Support rod is 435mm h to bottom edge of acrylic plate from case base. Frosted acrylic plate = 90w x 110h mm. | Spray painted dark green - ref: RAL 6004 | Shares a support rod with spoon below 2003-08-79-1 |
| | Α | 2007-05-62-1 | handkerchief | 100' angle | Plinth | Book mount sitting on plinth with fin supports | Clear acrylic | Handkerchief is approx 360w x 370hmm | Clear acrylic | |

| | | | | | | NAM Mount schedul | | | | |
|------|--------------|---|--|--------------------------|--|--|----------------------------|--|---|--|
| Case | Type code | Object acc no | Object description | Display angle | Location in case | Туре | Material | Dimensions | Finish | Notes |
| 18 | В | 1996-08-215-1 | rifle | Vertical 90' | Plinth | Metal claws/rings fixed into two support rods that screw fix into a base plate. | Steel | | green - ref: RAL 6004 | Base plate size will need to be calculated to provide good stability |
| | G | 1990-09-116 | rifle | Vertical 90' | Back panel | Metal claws/rings fixed into two support rods that screw fix into case back panel | Steel | 90mm from back of rifle to case back panel | Spray painted dark green - ref: RAL 6004 | |
| | K | 1993-07-26-1 | helmet | Horizontal, front facing | Back panel | L shaped bracket + hat support | Steel | 130mm from back of helmet to case back panel | Spray painted dark green - ref: RAL 6004 | |
| | | 1991-07-149-1 | keffiyeh | | Wrapped around mannequin neck | | | | | |
| | G | 2003-06-57-1 | playing cards rocket launcher | Lay flat Vertical 90' | Plinth Back panel | Metal claws/rings fixed | Steel | 90mm from back of rifle to | Spray painted dark | |
| | G | 2004-01-37-1 | Tocket lauricher | Vertical 90 | васк рапе | into two support rods that screw fix into case back panel | Steel | case back panel | green - ref: RAL 6004 | |
| | L | 2004-01-51-1 | sign | Vertical 90' | Back panel | Metal claws fixed into horizontal rods. Rods are screw fixed into case back panel | Steel | 25mm from back of sign to case back panel | Spray painted dark green - ref: RAL 6004 | Large object may need armatures to the rear. |
| | K | 2004-01-53-1 | helmet | Horizontal, front facing | Back panel | L shaped bracket + hat support | Steel | 70mm from back of helmet to case back panel | Spray painted dark green - ref: RAL 6004 | |
| | | 1993-07-27-1 1993-07-27-2 | jacket, trousers | Vertical 90' | Plinth | Mannequin body | | | | |
| | K | 2006-05-06-1 | body armour | Vertical 90' | Back panel | L shaped bracket | Steel | 20mm from back of body armour to case back panel | Spray painted dark green - ref: RAL 6004 | |
| | Н | 1995-04-3-1 1995-04-3-2 1995-04-3-3 1995-04-3-4 1995-04-3-5 | medals x 5 | 60' | Back panel | Frosted acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + frosted acrylic | | Spray painted dark green - ref: RAL 6004 | |
| | | 2006-08-39-1 1992-04-12-1 | mug | Lay flat Freestanding | Plinth Plinth | | | | | |
| | G | 2012-01-7-1 | bracelet bag, fluid | Horizontal Lay flat | Back panel Plinth | Metal claws/rings fixed into one support rod that screw fixes into case back panel | Steel | 60mm from back of stick to case back panel | Spray painted dark green - ref: RAL 6004 | Front face of bracelet to line up with front faces of patch, goggles, cartridge, radio + bottle switch Bag open and items |
| | G | 2012-10-16-82 2012-10-16-83 2012-10-16-84 2013-08-21-1 | transfer, driver, needle set | Horizontal | Back panel | Metal claws/rings fixed | Steel | 40mm from back of | Spray painted dark | spill out Front face of cartridge |
| | ŭ. | | | | -501, par. 61 | into two support rods that screw fix into case back panel | | cartridge to case back panel | green - ref: RAL 6004 | |
| | Н | 2013-09-34-2 | patch | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + clear acrylic | 125mm from back of patch to case back panel. Patch approx 105w x 130h mm. | | Acrylic cut to size of patch. Front face of patch to line up with front faces of goggles bracelet, cartridge, radio + bottle switch |
| | | 2013-11-19-10 2013-11-19-15 2013-11-19-27 2014-02-44-4 | jacket, trousers, pelvic armour, body armour vest (front) gloves x 2 | | Mounted onto jacket and trouser freestanding mannequin | | | | | |
| | G | 2013-11-19-19 2013-11-19-22 | goggles | Horizontal | Back panel | Metal claws/rings fixed into two support rods that screw fix into case back panel | Steel | 120mm from back of goggles to case back panel | | Front face of goggles to line up with front faces of patch, bracelet, cartridge, radio + bottle switch |
| | С | 2013-11-19-29 | patrol pack | Freestanding | Plinth | Metal cradle support | Steel | | | May need internal padding/support - conservation to advise |
| | G | 2013-11-19-43 | hydration pack | Vertical 90' | Back panel | Metal claws/rings fixed into two support rods that screw fix into case back panel | Steel | 35mm from back of cartridge to case back panel | | May need internal |
| | С | 2013-11-30-1 | detector | Vertical 90' | Plinth | Metal cradle support | Steel | Detector is 1270mm h x 310 w | Spray painted dark green - ref: RAL 6004 | Heavy and large |
| | | 2013-11-35-1 | ECM device | Lays flat | Plinth | | | | | |
| | G | 2013-11-39-1 | bottle switch | Horizontal | Back panel | Metal claws/rings fixed into two support rods that screw fix into case back panel | Steel | 75mm from back of bottle to case back panel | green - ref: RAL 6004 | Front face of bottle switch to line up with front faces of patch, bracelet, cartridge, radio + goggles |
| | С | 2013-12-3-1 2013-12-3-2 2013-12-3-5 2013-12-3-6 2013-12-3-7 2013-12-3-8 2013-12-3-9 2013-12-3-13 | tube, packet, morphine injector, pencil, bandage, tourniquet, scissors, trauma pack | Vertical 90' | Plinth | Metal cradle support | Steel | | | Trauma bag stands upright with objects spilling out onto plinth. bag will need cradle armature to support it |
| | Н | 2013-12-3-3 | triage | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + clear acrylic | triage sheet measures approx 210w x 360 h Back of sheet 50mm from back panel | Spray painted dark green - ref: RAL 6004 | |
| | Α | 2013-12-3-4 | chest seal | 45' | Plinth | Clear acrylic plate with acrylic fin supports | Clear acrylic | Seal = 200x200mm | Clear acrylic | Acrylic cut to size of chest seal. |
| | G | 2013-11-20-2 | putty knee pad | Vertical 90' | Back panel | Metal claws/rings fixed into two support rods that screw fix into case back panel | Steel | 93mm from back of knee pad to case back panel | Spray painted dark green - ref: RAL 6004 | |
| | TBC | 2014-02-51-1 2014-02-51-2 | bag, blood pack | Stands upright | Plinth | Bag will need internal support to keep lid open | | | | Displayed open with internal objects on view. Conservation to advise on support |
| | G | 2014-12-31-1 | radio | Horizontal | Back panel | Metal claws/rings fixed into two support rods that screw fix into case back panel | Steel | 97mm from back of bottle to case back panel | green - ref: RAL 6004 | Front face of goggles to line up with front faces of patch, bracelet, cartridge, |
| | K | 2017-01-14-1 | helmet | Horizontal, front facing | Back panel | L shaped bracket + hat support | Steel | 20mm from back of helmet to case back panel | Spray painted dark green - ref: RAL 6004 | radio + bottle switch |
| | Н | 2018-08-36-1-18 | flash | Vertical 90' | Back panel | Clear acrylic plate with back bar support, fixed into horizontal rod. Rod screw fixes into case back panel | Steel + clear acrylic | Flash sheet measures approx 80w x 50 h Back of flash 180mm from back panel | Spray painted dark green - ref: RAL 6004 | |
| | A | 2019-12-1-1-1 2019-12-1-1-2 2019-12-1-1-3 2019-12-1-1-4 2019-12-1-1-5 2019-12-1-1-6 2019-12-1-1-7 2019-12-1-1-8 2019-12-1-1-9 | medals x 9 | 45' | Plinth | Mounted on frosted acrylic plate with back bar support, fixed into one horizontal rod. Rod screwed into a base plate | Steel + frosted acrylic | Support rod is 300mm h to bottom edge of acrylic plate from case base. Frosted acrylic plate = 220w x 145h mm. | Spray painted dark green - ref: RAL 6004 | |

| | | | | | | IAM Mount schedule | | | | | |
|------|-----------|--|-------------------------------|----------------------|---|--|----------|---|---|---|--|
| Case | Type code | Object acc no | Object description | Display angle | Location in case | Туре | Material | Dimensions | Finish | Notes | |
| 19 | | | | | | | | | | | |
| | N | 1997-07-72-1 | medal | Vertical 90' | Plinth | Steel framework - see drawing of mount types | Steel | Frosted acrylic plate = 70mm w x 140h | Spray painted dark green - ref: RAL 6004 | Part of a special frame to support multiple objects | |
| | N | 2017-07-5-226 | digital photograph | 70' | Plinth | Steel framework - see drawing of mount types | Steel | Clear acrylic plate cut to match photo | Spray painted dark green - ref: RAL 6004 | Part of a special frame to support multiple objects | |
| | N | 2017-08-6-32 | digital photograph | 70' | Plinth | Steel framework - see drawing of mount types | Steel | Clear acrylic plate cut to match photo | Spray painted dark green - ref: RAL 6004 | Part of a special frame to support multiple objects | |
| | N | 2017-10-33-43 | digital photograph | 70' | Plinth | Steel framework - see drawing of mount types | Steel | Clear acrylic plate cut to match photo | Spray painted dark green - ref: RAL 6004 | Part of a special frame to support multiple objects | |
| | N | 2018-07-25-1-15 | flash | Vertical 90' | Plinth | Steel framework - see drawing of mount types. Flash mounted on clear acrylic plate | Steel | Clear acrylic plate = 52mm w x 52h, cut to match flash size | Spray painted dark green - ref: RAL 6004 | Part of a special frame to support multiple objects | |
| | N | 2020-07-9-1-1 2020-07-9-1-2 2020-07-9-1-3 2020-07-9-1-4 2020-07-9-1-5 2020-07-9-1-7 2020-07-9-1-8 2020-07-9-1-9 2020-07-9-1-10 2020-07-9-1-11 | medals x 12 | Vertical 90' | Plinth | Steel framework - see drawing of mount types. Medals mounted on frosted acrylic plate | Steel | Frosted acrylic plate = 240mm w x 140h | Spray painted dark green - ref: RAL 6004 | Part of a special frame to support multiple objects | |
| | | 2018-02-14-1-6 1986-08-83-4 2018-02-14-1-2 2018-02-14-1-8 | shirt, brassard, armband + | Vertical 90' | All mounted onto shirt. Shirt to be on armature with a post and circular base stand | | Steel | Height to base of jacket = 695mm | Spray painted dark green - ref: RAL 6004 | Circular base must not exceed 246 mm diam. | |
| | | 2019-09-7-6-1 | pressure plate | Horizontal, sideways | Lays flat on plinth | | | | | May need support - conservation to advise | |
| | | 2019-09-7-11-1 | mortar bomb | Horizontal | Lays flat on a block on the plinth | | | | | May need support - conservation to advise | |
| | | 2019-09-7-25-1 | plaque | Vertical 90' | Stands on the plinth | | | | | May need support - conservation to advise | |
| | G | 2020-12-7-1 | sign | Vertical 90' | Back panel | Metal claws/rings fixed into two support rods that screw fix into case back panel | Steel | 25mm from back of stick to case back panel | Spray painted dark green - ref: RAL 6004 | | |