

Audio Visual Solutions and Integrated Operating Theatres Service Level Agreement (SLA)

Framework details

 Title:
 Audio Visual Solutions and Integrated Operating Theatres

 Framework Ref:
 SBS/18/CR/WCN/9343

 Framework Start Date:
 1st March 2019

 Framework End Date:
 28th August 2023

 NHS SBS Contacts:
 Image: Contact Start Start

Service level agreement details

This Service Level Agreement (SLA) is between the following parties and in accordance with the Terms and Conditions of the Framework Agreement.

| Period of the Service Level Agreement (SLA) | Effective Date | 20/04/23 | Expiry Date | 30/04/24 |
|--|-------------------|----------|----------------|----------|
|--|-------------------|----------|----------------|----------|

Unless otherwise agreed by both parties, this SLA will remain in force until the expiry date agreed above. If no extension/renewal is agreed and the customer continues to access the supplier's services, the terms of this agreement shall apply on a rolling basis until the overarching Framework expiry date.

Signed for and on behalf of the supplier:



Signed for and on behalf of the customer:



This service level agreement shall remain in force regardless of any change of organisational structure to the above-named authority and shall be applicable to any successor organisations as agreed by both parties.

PLEASE RETURN THE FINAL SIGNED COPY OF THIS DOCUMENT TO: <u>NSBS.contractenquiries@nhs.net</u>

© NHS Shared Business Services Ltd 2012

Shared Business Services Limited Registered in England. Registration No: 5280446 Registered Office: Three Cherry Trees Lane, Hemel Hempstead, Hertfordshire HP2 7AH.

Table of Contents

- 1. Agreement Overview
- 2. Goals & Objectives
- 3. Stakeholders
- 4. Periodic Review
- 5. Service Requirements
- A Services Provided
- B Business Hours C DBS Check D Price/Rates E Sub-Contracting F Management Information G Invoicing H Complaints/Escalation Procedure I Audit Process J Termination
- 6. Other Requirements
 - a. Variation to Standard Specification
 - b. Other Specific Requirements

1. Agreement Overview

This Agreement represents a Service Level Agreement ("SLA" or "Agreement") between *CINOS Ltd* and *UK Health Security Agency for the provision of Audio-Visual Solutions and Integrated Operating Theatres. This Agreement remains* valid until superseded by a revised agreement mutually endorsed by both parties. This Agreement outlines the parameters for all Audio-Visual Solutions and Integrated Operating Theatres covered as they are mutually understood by the primary stakeholders.

The Framework terms and conditions (including the specification of service) will apply in all instances, unless specifically agreed otherwise by both parties within this document.

2. Goals & Objectives

The **purpose** of this Agreement is to ensure that the proper elements and commitments are in place to provide consistent Audio-Visual Solutions and Integrated Operating Theatres to the Customer by the Supplier. The **goal** of this Agreement is to obtain mutual agreement for Audio Visual Solutions and Integrated Operating Theatres provision between the Supplier and Customer.

The **objectives** of this Agreement are to:

- Provide clear reference to service ownership, accountability, roles and/or responsibilities.
- Present a clear, concise and measurable description of service provision to the customer.

3. Stakeholders

The primary stakeholders from the Supplier and the Customer will be responsible for the day-to-date management of the Agreement and the delivery of the service. If different from the Authorised Signatory details listed on page 1 of this Agreement, please provide the names of the **primary stakeholders** associated with this SLA.

| UKHSA Commercial Lead Contact: | |
|------------------------------------|--|
| UKHSA Operational Lead Contact: | |
| Supplier Operational Lead Contact: | |

4. Periodic Review

This Agreement is valid from the **Effective Date** outlined herein and is valid until the **Expiry Date** as agreed.

5. Service Requirements

The primary stakeholders from the Supplier and the Customer will be responsible for the day-to-date management of the Agreement and the delivery of the service. If different from the Authorised Signatory details listed on page 1 of this Agreement, please provide the names of the **primary stakeholders** associated with this Order Form.

| Supplier Contact: | |
|-------------------|--|
| Customer Contact: | |

4. Periodic Review

This Agreement is valid from the **Effective Date** outlined herein and is valid until the **Expiry Date** as agreed. This Agreement should be reviewed as a minimum once per financial year; however, in lieu of a review during any period specified, the current Agreement will remain in effect.

5. Service Requirements

A. Services Provided

Please detail the Lot(s) and Services that will be provided by the Supplier to the Customer

Lot 2 – Decommissioning of AV kit from Nobel House and installation at 10SC to cover Matrix Panels, Digital Signage, Collaboration space, National Response Centre and 13 Meeting rooms. Some Nobel House equipment will be used to upgrade regional offices. Full description can be found in Appendix A.

B. Goods Provided

Please detail the goods to be provided or include an attachment with full details

See Appendix A

C. Price/Rates

Standard supplier pricing and rates are included within the pricing schedule. Please detail any discounts, volume arrangements or variations from the standard rates.

See Appendix A

D. Management Information (MI)

Suppliers should provide Management Information as standard on a monthly basis. Customers should detail any additional management information required and the frequency of provision here.

This is not an ongoing service, rather a provision of equipment and the professional services to move existing equipment and install at a new location, so MI is not deemed necessary

E. Invoicing

Please detail any specific invoicing requirements here

Invoicing shall be made in line with the payment schedule set out in section 6.B. below

F. Cancellations

Any variations to the standard cancellation terms detailed within the service specification should be captured here. Standard requirements from the specification are included for reference but may be amended to reflect local requirements.

N/A

G. Complaints/Escalation Procedure

Please detail any requirements regarding this

UKHSA/Cinos standard resolution procedures will be followed in the event of any complaints/escalations.

H. Termination

stability

Standard requirements are provided below as an example but may be amended to reflect local requirements. Persistent failure by the Contractor to meet the agreed service levels as specified within the Order Form may lead to the Contract being terminated or alternative Contractor(s) being appointed by the Customer to maintain operational

Prior to termination the complaints and escalation procedure should be followed to attempt to resolve any issue. Should suitable resolution not be achieved, the Customer will be allowed to terminate the Agreement immediately.

6. Other Requirements

A. Variation to Standard Specification

Please list any agreed variations to the specification of requirements Please see Appendix A for specification.

B. Other Specific Requirements

Please list any agreed other agreed requirements

Payment shall be made in accordance with the milestones and deliverables set out below:

| Phase | Payment |
|-----------------------|----------------------------------|
| Equipment | 100% Upon Delivery |
| Professional Services | 50% Upfront, 50% Upon Completion |

Appendix A – Specification and Pricing

| <u>Qty</u> | Manufacturer Part # | Long Description | Price | Ext. Price |
|----------------------------|-------------------------|---|-------|------------|
| - 9 x Tvp | e A - P15 Huddle Room | BoM | | |
| <u>9</u> | LH43QBBEBGCXE N | Samsung 43" LH43QBBEBGCXEN Display | | |
| 9 | BT8309/B | B-Tech BT8309 Pop-Out Mount | | |
| <u>9</u> | <u>7230-87700-102</u> | Poly Focus Room Kit includes: Poly P15 camera, GC8 touch controller, Cable 10m USB3.1 A to C, Pwr cord UK-Type G,BS 1363. Order Poly room PC separately. Mtce required in APAC. | | |
| <u>9</u> | <u>2215-69381-001</u> | VESA mounting kit for Poly Studio P15 and Studio R30. For above or below display mounting of R30 or P15. Includes: brackets and hardware for standard mounting on most displays up to 65". Must also order wall kit (2215-69385-001) for a complete install. | | |
| <u>9</u> | 2215-69385-001 | P15 and R30 Wall Mount Kit | | |
| <u>9</u> | <u>7230-87680-102</u> | POLY MTR PC, CBL, VESA, DELL, UK | | |
| <u>9</u> | CCF | Cables, Connectors and Fixings | | |
| <u>9</u> | STD DEL | Equipment Delivery | | |
| - | - | - | | |
| <u>9 x Huc</u> <u>9</u> | ddle Room Professional | Services Cinos Installation Services, System Setup & Project Management | | |
| - | - | - | | |
| 6 x Typ | e B - R30 Small Room B | BoM | | |
| <u>6</u> | LH50QBBEBGCXE N | 50" Smart 4K Large Format Display | | |
| <u>6</u> | BT8309/B | B-Tech BT8309 Pop-Out Mount | | |
| <u>6</u> 6 | <u>7230-87600-102</u> | POLY SMALL ROOM KIT R30UK | | |
| <u>6</u> | <u>2215-69381-001</u> | VESA mounting kit for Poly Studio P15 and Studio R30. For above or below display mounting of R30 or P15. Includes: brackets and hardware for standard mounting on most displays up to 65". Must also order wall kit (2215-69385-001) for a complete install. | | |
| <u>6</u> | 2215-69385-001 | P15 and R30 Wall Mount Kit | | |
| <u>6</u> | <u>7230-87680-102</u> | POLY MTR PC, CBL, VESA, DELL, UK | | |
| <u>6</u> 6 | CCF | Cables, Connectors and Fixings | | |
| <u>6</u> | STD DEL | Equipment Delivery | | |
| - | - | - | | |
| <u>-</u> <u>6 x Sm</u> | all Room Professional S | ervices | | |
| <u>6</u> | INST-B | Cinos Installation Services, System Setup & Project Management | | |
| | | | | |

| | | m Room BoM | |
|---------------|--------------------------|---|--|
| <u>9</u> | LH65QBBEBGCXE N | Samsung 65" QB65B Display | |
| <u>9</u> | DS-VW765-LQR | Full-Service Video Wall Mount With Quick Release - Landscape For 46" to 65" Displays | |
| <u>9</u> | <u>7230-87710-102</u> | Poly Small/Medium Room Kit includes: Poly Studio USB camera, GC8 touch controller, Cable 10m USB3.1 A to C, Pwr cord UK-Type G,BS 1363. Order Poly room PC separately. | |
| 9 | 7230-86040-001 | POLY STUDIO DISPLAY MOUNTING KIT | |
| <u>9</u> | 487P-87710-312 | Poly Plus, Three Year, Poly Small/Mid Room Kit includes: Poly Studio USB camera, GC8 touch controller. Poly supplied PC supported for first three years only. | |
| 9 | 7230-87680-102 | POLY MTR PC, CBL, VESA, DELL, UK | |
| 9 | CCF | Cables, Connectors and Fixings | |
| | | | |
| | 1- | 1 - | |
| <u>9 x Me</u> | dium Room Professiona | Services - Type B | |
| <u>9</u> | INST-B | Cinos Installation Services, System Setup & Project Management | |
| - | - | - | |
| _ | 1 | | |
| <u>2 x Ty</u> | pe D - Large Meeting Roo | om BoM | |
| 2 | LH75QBBEBGCXE | Samsung 75" QB75B Display | |
| - | N | | |
| <u>2</u> | <u>DS-VW795-QR</u> | Full-Service Video Wall Mount with Quick Release | |
| <u>2</u> | <u>7230-87720-102</u> | Poly Large Room Kit includes: Poly E70 camera, GC8 touch controller, Cable 10m USB3.1 A to C, 2 * Pwr cord UK-Type G,BS 1363. Order Poly room PC separately. Mtce required in APAC. | |
| 2 | 487P-87720-312 | Poly Plus, Three Year, Poly Large Room Kit includes: Poly E70 camera, GC8 touch controller. Poly supplied PC supported for first three years only. | |
| <u>2</u> | <u>2215-87372-001</u> | Poly Studio E70 Vesa Mount | |
| <u>2</u> | <u>7230-87680-102</u> | POLY MTR PC, CBL, VESA, DELL, UK | |
| <u>2</u> | 2200-86590-019 | Poly Trio C60 IP conference phone for Microsoft Teams/SfB | |
| 2 | <u>2200-86430-001</u> | Expansion Microphone Kit for Poly Trio C60. Includes two expansion microphones with 2.1m/7ft cables. | |
| 2 | 4877-86240-533 | Advantage, Three Year, Poly Trio C60 | |
| 2 | CCF | Cables, Connectors and Fixings | |
| 2 | STD DEL | Equipment Delivery | |
| - | - | | |
| - 2 x La | rge Room Professional S | ervices - Type B | |
| 2 | INST-B | <u>Cinos Installation Services, System Setup &</u> | |
| | | | |
| £ | | Project Management | |

| | and ICC2 Mobile Trolley | |
|----------|---------------------------|--|
| <u>2</u> | LH65QBBEBGCXE N | Samsung 65" QB65B Display |
| <u>2</u> | <u>SR560M</u> | SmartMount® Flat Panel TV Cart, 32" - 75" TVs, max weight 68 |
| 2 | <u>7230-87710-102</u> | Poly Small/Medium Room Kit includes: Poly Studio USB camera, GC8 touch controller, Cable 10m USB3.1 A to C, Pwr cord UK-Type G,BS 1363. Order Poly room PC separately. |
| 2 | <u>7230-86040-001</u> | POLY STUDIO DISPLAY MOUNTING KIT |
| 2 | <u>487P-87710-312</u> | Poly Plus, Three Year, Poly Small/Mid Room <u>Kit includes: Poly Studio USB camera, GC8</u> <u>touch controller. Poly supplied PC supported</u> for first three years only. |
| <u>2</u> | 7230-87680-102 | POLY MTR PC, CBL, VESA, DELL, UK |
| <u>2</u> | <u>CCF</u> | Cables, Connectors and Fixings |
| - | - | - |
| - | | |
| Mobile | e Trolley Systems Profes | |
| <u>2</u> | INST-B | Cinos Installation Services, System Setup & Project Management |
| - | | - |
| - | | |
| | or Mobile Trolley Systems | |
| <u>4</u> | AVC G6560 | 65" G Series 6560 Avocor Interactive Display |
| <u>4</u> | AVOCOR77 | Avocor OPSi7 PC Generation 10 |
| <u>4</u> | <u>SR560M</u> | SmartMount® Flat Panel TV Cart, 32" - 75" TVs, max weight 68 |
| <u>4</u> | CCF | Cables, Connectors and Fixings |
| <u>-</u> | - | - |
| Avoco | or Mobile Trolley Systems | Professional Services - Type B |
| <u>4</u> | INST-B | Cinos Installation Services, System Setup & Project Management |
| - | - | - |
| _ | | |
| 8 x CE | 4 Collaboration BoM | |
| <u>8</u> | LH32QMRBBGCXE N | Samsung 32" QM32R-B Commercial Display |
| <u>8</u> | PF632 | Peerless Pro Universal Flat Wall Mount for 22" - 43" LCD Screens |
| 8 | <u>CCF</u> | Cables, Connectors and Fixings |
| <u>8</u> | STD DEL | Equipment Delivery |
| - | - | - |
| - | | |
| | 6 Collaboration BoM | |
| <u>4</u> | LH50QBBEBGCXE N | 50" Smart 4K Large Format Display |
| <u>4</u> | <u>ST650P</u> | <u>Tilting Wall Mount For 37-75" Displays (Max</u> <u>Weight 80KG)</u> |
| <u>4</u> | CCF | Cables, Connectors and Fixings |
| 4 | STD DEL | Equipment Delivery |
| | | |

| <u>5</u> | LH55QBBEBGCXE | 55" Samsung 4K Entry Level Commercial |
|--|--|--|
| _ | N OTOSOD | Display |
| <u>5</u> | <u>ST650P</u> | Tilting Wall Mount For 37-75" Displays (Max Weight 80KG) |
| 5 | CCF. | Cables, Connectors and Fixings |
| 5 | STD DEL | Equipment Delivery |
| | | |
| - | | |
| <u>17 x C</u> | B4/6/8 - Professional Ser | |
| <u>17</u> | INST-B | <u>Cinos Installation Services, System Setup &</u> <u>Project Management</u> |
| - | - | - |
| - 30 x Si | gnage Existing Screens | with BrightSign BoM |
| 30 | LH55QBBEBGCXE | 55" Samsung 4K Entry Level Commercial |
| | N | Display |
| <u>30</u> | ST650P | Tilting Wall Mount For 37-75" Displays (Max Weight 80KG) |
| <u>15</u> | <u>HD224</u> | BrightSign HD224 - H.265, Full HD, mainstream HTML5 player with standard I/O |
| | | package |
| <u>15</u> | SDHC-32C10-1(M) | BrightSign class 10 MICRO 32GB SDHC |
| <u>25</u> | <u>RC1002-KIT</u> | BrightSign IR Remote Kit (Remote with |
| 30 | CCF | Receiver) <u>Cables, Connectors and Fixings</u> |
| 30 | STD DEL | Equipment Delivery |
| <u></u> | | |
| - | - | - |
| - | | Professional Services |
| <u>30 x Br</u> | rightsign Signage Screei | |
| <u>30 x Br</u> <u>30</u> | rightsign Signage Screer | <u>Cinos Installation Services, System Setup &</u> <u>Project Management</u> |
| | | Cinos Installation Services, System Setup & |
| <u>30</u> - | INST-B | Cinos Installation Services, System Setup & Project Management - |
| <u>30</u> - - <u>30 x LC</u> | INST-B - G Display Signage Scree | Cinos Installation Services, System Setup & Project Management - n Locations BoM |
| <u>30</u> - <u>-</u> <u>30 x LC</u> <u>30</u> | INST-B - B Display Signage Scree 55UR640S | Cinos Installation Services, System Setup & Project Management - n Locations BoM LG 55" 55UR640S Commercial Display |
| <u>30</u> - <u>-</u> <u>30 x LC</u> <u>30</u> <u>30</u> | INST-B - B Display Signage Scree 55UR640S ST650P | Cinos Installation Services, System Setup & Project Management - - n Locations BoM |
| <u>30</u> - <u>-</u> <u>30 x LC</u> <u>30</u> <u>30</u> <u>30</u> | INST-B - Display Signage Scree 55UR640S ST650P CCF | Cinos Installation Services, System Setup & Project Management - n Locations BoM LG 55" 55UR640S Commercial Display Tilting Wall Mount For 37-75" Displays (Max Weight 80KG) Cables, Connectors and Fixings |
| <u>30</u> - <u>-</u> <u>30 x LC</u> <u>30</u> <u>30</u> | INST-B - B Display Signage Scree 55UR640S ST650P | Cinos Installation Services, System Setup & Project Management - - n Locations BoM |
| <u>30</u> - <u>30 x LC</u> <u>30</u> <u>30</u> <u>30</u> | INST-B - Display Signage Scree 55UR640S ST650P CCF | Cinos Installation Services, System Setup & Project Management - n Locations BoM LG 55" 55UR640S Commercial Display Tilting Wall Mount For 37-75" Displays (Max Weight 80KG) Cables, Connectors and Fixings |
| <u>30</u> - <u>30 x LC</u> <u>30</u> <u>30</u> <u>30</u> <u>30</u> - - | INST-B INST-B - Display Signage Scree 55UR640S ST650P CCF STD DEL - | Cinos Installation Services, System Setup & Project Management - n Locations BoM LG 55" 55UR640S Commercial Display Tilting Wall Mount For 37-75" Displays (Max Weight 80KG) Cables, Connectors and Fixings Equipment Delivery - |
| <u>30</u> - <u>30 x LC</u> <u>30</u> <u>30</u> <u>30</u> <u>30</u> - - <u>30 x L</u> | INST-B - Display Signage Scree 55UR640S ST650P CCF STD DEL - | Cinos Installation Services, System Setup & Project Management - n Locations BoM LG 55" 55UR640S Commercial Display Tilting Wall Mount For 37-75" Displays (Max Weight 80KG) Cables, Connectors and Fixings Equipment Delivery - |
| <u>30</u> - <u>30 x LC</u> <u>30</u> <u>30</u> <u>30</u> <u>30</u> - - | INST-B INST-B - Display Signage Scree 55UR640S ST650P CCF STD DEL - | Cinos Installation Services, System Setup & Project Management - n Locations BoM LG 55" 55UR640S Commercial Display Tilting Wall Mount For 37-75" Displays (Max Weight 80KG) Cables, Connectors and Fixings Equipment Delivery - |
| <u>30</u> - <u>30 x LC</u> <u>30</u> <u>30</u> <u>30</u> <u>30</u> - - <u>30 x L</u> | INST-B - Display Signage Scree 55UR640S ST650P CCF STD DEL - | Cinos Installation Services, System Setup & Project Management - n Locations BoM LG 55" 55UR640S Commercial Display Tilting Wall Mount For 37-75" Displays (Max Weight 80KG) Cables, Connectors and Fixings Equipment Delivery - ssional Services Cinos Installation Services, System Setup & |
| <u>30</u> - <u>30 x L0</u> <u>30</u> <u>30</u> <u>30</u> <u>30</u> - <u>30 x L0</u> <u>30</u> - <u>30 x L0</u> <u>30</u> - <u>30 x L0</u> - <u>30 x L0</u> - <u>30 x L0</u> | INST-B INST-B - Display Signage Scree 55UR640S ST650P CCF STD DEL - G Signage Screen Profe INST-B - | Cinos Installation Services, System Setup & Project Management - n Locations BoM LG 55" 55UR640S Commercial Display Tilting Wall Mount For 37-75" Displays (Max Weight 80KG) Cables, Connectors and Fixings Equipment Delivery - ssional Services Cinos Installation Services, System Setup & Project Management - |
| <u>30</u> - <u>30 x LC</u> <u>30</u> <u>30</u> <u>30</u> <u>30</u> <u>30</u> - <u>-</u> <u>30 x LC</u> <u>30</u> - <u>-</u> <u>30 x LC</u> <u>30</u> - <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> <u>-</u> | INST-B INST-B Display Signage Scree 55UR640S ST650P CCF STD DEL - G Signage Screen Profest INST-B - atrix Room Booking Pan | Cinos Installation Services, System Setup & Project Management - n Locations BoM LG 55" 55UR640S Commercial Display Tilting Wall Mount For 37-75" Displays (Max Weight 80KG) Cables, Connectors and Fixings Equipment Delivery - ssional Services Cinos Installation Services, System Setup & Project Management - |
| <u>30</u> - <u>30 x L0</u> <u>30</u> <u>30</u> <u>30</u> <u>30</u> - <u>30 x L0</u> <u>30</u> - <u>30 x L0</u> - <u>30 x L0</u> - | INST-B INST-B - Display Signage Scree 55UR640S ST650P CCF STD DEL - G Signage Screen Profe INST-B - | Cinos Installation Services, System Setup & Project Management - n Locations BoM LG 55" 55UR640S Commercial Display Tilting Wall Mount For 37-75" Displays (Max Weight 80KG) Cables, Connectors and Fixings Equipment Delivery - ssional Services Cinos Installation Services, System Setup & Project Management - |

| - | - | - |
|------------|----------------------------|--|
| - | | |
| Type F | -Group Presentation - B | OM |
| <u>2</u> | LH75QBBEBGCXE N | Samsung 75"LH75QBBEBGCXEN Display |
| <u>2</u> | <u>HD224</u> | BrightSign HD224 - H.265, Full HD, mainstream HTML5 player with standard I/O package |
| <u>2</u> | SDHC-32C10-1(M) | BrightSign class 10 MICRO 32GB SDHC |
| <u>2</u> | <u>RC1002-KIT</u> | BrightSign IR Remote Kit (Remote with Receiver) |
| <u>1</u> | <u>PA-240Z</u> | 240W Power Amplifier, 1 x 240W @ 70V/100V, 2 x 120W @ 4/8O, Line–level output 2 Inputs with individual gain |
| <u>3</u> | Galil 6-C | Kramer 6.5 Inch, 2 Way Closed Back Ceiling Speakers (pair) |
| <u>1</u> | <u>GSM4230P-</u> 100EUS | 24 Port PoE + Managed Switch |
| <u>1</u> | TSC-101-G3 | High Definition 10.1" Touch Screen Controller |
| 3 | NV-32-H | QSC NV-32-H 4K60 4:4:4 Network Video |
| | | Endpoin |
| <u>1</u> | Core 8 Flex | Core 8 Flex audio, video and control (AV&C) processor |
| <u>6</u> | <u>C-HM/HM/PRO-10</u> | Kramer Pro High–Speed HDMI Cable 10' 3.00(M) 4K@60Hz (4:4:4) |
| <u>1</u> | CCF | Cables Connectors & Fixings |
| <u>1</u> | STD DEL | Equipment Delivery |
| _ | - | _ |
| _ | 1 | 1 |
| Type F | - Group Presentation - P | Professional Services - Type C |
| 1 | INST-C | Cinos Installation Services, System Setup, |
| <u> </u> | | Project Management, Control System Programming & Graphics |
| | | |
| - | | - |
| - RRC B | udgetary Costs BOM | - |
| <u>1</u> | CYVIZ MTR BUDG FT | Budgetary Costs for Cyviz Solution - TBC |
| <u>3</u> | LH75QBBEBGCXE N | Samsung 75"LH75QBBEBGCXEN Display |
| <u>3</u> | <u>SA771PU</u> | SmartMount Articulating Wall Arm FOR 46" TO 90" Display, up to 800 x 400 VESA, 68kg Max Weight, 79 - 676mm extension |
| 2 | GLS-PART-CN | GLS-PART - Partition Sensor |
| 2 | PW-2407RU | Crestron 18W CRESNET POWER SUPPLY, DESKTOP, 24VDC, 0.7A (18 WATTS) |
| <u>1</u> | <u>CRO0350</u> | Four-channel, 300W @ 4? Power Amplifier with Dante™ / AES67 Networked Audio, and 70V/100V |
| <u>6</u> | Galil 6-C | Kramer 6.5 Inch, 2 Way Closed Back Ceiling Speakers (pair) |
| <u>1</u> | <u>506612</u> | SpeechLine SL Tablestand 153-S DW-3 for XLR-5 Gooseneck Mics |
| <u>3</u> | MXA920W-S-60CM | MXA920 Ceiling Array Microphone - White |
| 1 | <u>GSM4230P-</u> 100EUS | 24 Port PoE + Managed Switch |
| <u>3</u> | TSC-101-G3 | High Definition 10.1" Touch Screen Controller |
| | <u></u> | |

© NHS Shared Business Services Ltd 2012

| <u>3</u> | <u>TSC-710t-G3</u> | <u>QSC Touch Screen Table Top Mount for G3 7"</u> and 10" TSC Touch Screens |
|-----------------|-------------------------|--|
| <u>4</u> | <u>7230-87680-102</u> | POLY MTR PC, CBL, VESA, DELL, UK |
| <u>5</u> | <u>NC-12x80</u> | QSC NC-12x80 Q-SYS PoE PTZ Camera 80 FoV |
| <u>9</u> | <u>NV-32-H</u> | QSC NV-32-H 4K60 4:4:4 Network Video Endpoin |
| 4 | <u>15553</u> | QSC SL DAN8P Dante 8x8 Channel License, Perpetual |
| <u>4</u> | <u>16613</u> | QSC SL MST8N-P Microsoft Teams Room scripting 1license 8flex |
| <u>4</u> | Core 8 Flex | Core 8 Flex audio, video and control (AV&C) processor |
| <u>12</u> | C-HM/HM/PRO-10 | Kramer Pro High–Speed HDMI Cable 10' 3.00(M) 4K@60Hz (4:4:4) |
| <u>1</u> | CCF | Cables Connectors & Fixings |
| 1 | AV Cabinet - White | AV Cabinet 01 - 18u White Melamine with Rack |
| - | Melamine | Strips and Cooling |
| <u>1</u> | RCK-S | Small Build 8-20U Rack or Lectern Rack |
| | | Strips, Power Distribution and Cable |
| 1 | | Management |
| <u>1</u> 2 | WIREA | IR+ System Dante with IR M1 D + IR E4 UK |
| <u>3</u> | W-IR E4 | IR+ Emitter SoundPlug@ 4 Ch IR Receiver with peckloon |
| <u>12</u> | W-WIR RX22-NKL | SoundPlus® 4-Ch IR Receiver with neckloop |
| 3 | <u>W-BAT KT6- 03</u> | Charging Kit - 1x CHG 3502-03, 2x BAT 026 |
| <u>3</u> | <u>GG00011</u> | Assistive Listening Sign |
| <u>3</u> | ADP-DAO-0X1 | Dante® analogue output adapter (1-channel) |
| <u>3</u> | <u>508854</u> | SL MCR DW3 - 4 Channels |
| <u>12</u> | <u>506612</u> | SpeechLine SL Tablestand 153-S DW-3 for XLR-5 Gooseneck Mics |
| <u>12</u> | <u>504792</u> | Sennheiser MEG 14-40 Microphone - 50 Hz to 20 kHz - Condenser - XLR |
| <u>6</u> | <u>506805</u> | Sennheiser CHG 2W |
| <u>12</u> | 506656 | Battery pack for SL TABLESTAND 133 / 153-S DW-3 B, Li-lon 3.6 V |
| 1 | STD DEL | Equipment Delivery |
| | | |
| _ | - | l = |
| - RRC - Pr | ofessional Services - T | vpe C |
| 1 | INST-C | Cinos Installation Services, System Setup, |
| <u> </u> | | Project Management, Control System Programming & Graphics |
| _ | - | - |
| _ | | 1 |
| | | |
| <u>55</u> x Nob | el Meeting Room Deco | m Professional Services |
| <u>55</u> | INST-B | Cinos Installation Services, System Setup & Project Management |
| _ | | |
| - | | l - |
| - 58 x Noh | el Signage Screen and | Collab Areas Decom Professional Services |
| 58 | INST-B | Cinos Installation Services, System Setup & |
| <u></u> | | Project Management |
| - | - | - |
| | | |

| Packagir | ng Materials | |
|----------------|----------------------|--|
| <u>2</u> | CCF - Packaging | Packaging Materials - Protection for Displays |
| - | - | - |
| - | | |
| <u>Equipme</u> | nt Transport from No | bel to 10SC |
| <u>3</u> | TRVL | Travel & Expenses, approx cost per day per engineer based upon location of deployment |
| <u>3</u> | INST-A | Cinos Equipment Collection, Transport and Delivery to Storage Location |
| - | - | - |

TOTAL = £499,811.04