



Applicable requirements identified by Client					Identified by Supplier	
Section	Topic	Other documents / Comments	Y / N	Agreed? Y / N	Reference to explanation	
42.1	General requirements		Y	Y		
42.2	Temporary fire points		N			
42.3	Timber		N			
42.4	Composites		N			
42.5	Sheeting materials		N			
42.6	Gas cylinders		N			
42.6.1	Use of gas cylinders in below ground locations		N			
42.6.2	Storage of gas cylinders (above ground)		N			
42.7	Flammable and highly flammable materials		N			
42.7.1	Use of flammable and highly flammable materials below ground		N			
42.7.2	Storage of flammable and highly flammable materials below ground		N			
43	Hot work and fire hazards		N			
43.1	Hot work		N			
43.2	Reasonable notice of works		N			
43.3	Precautions		N			
43.3.1	Buildings and assets		N			
43.3.2	Gas cylinders		N			
43.3.3	Gas detection		N			
44	Storage					
44.1	General requirements for storage		Y	Y		
44.2	Trackside storage		N			
44.3	Hazardous materials and substances		N			
44.4	Allocation of space on operational property		N			
45	Plant and equipment		N			
46	Clearance approvals		N			
47	Access equipment		N			
48	Temporary works		N			
49	Temporary fences and hoardings		N			
50	Temporary lighting and power supplies		N			
50.1	General requirements		N			