



This drawing is copyright and may not be altered, traced, copied, photographed or used for any purpose other than that for which it is issued without written permission from Meiloci Landscape Architects. Do not scale for construction purposes. Figured dimensions shall have precedence over scaled dimensions. Any discrepancies should be reported to the Landscape Architect. All trees and hedgerows are to be protected in accordance with BS5837 and/or Arboricultural recommendations unless instructed otherwise.



- NOTE:
1. LOCATION OF SERVICES TO BE CHECKED PRIOR TO EXCAVATION.
2. WIDTH OF PLANTING HOLE IS 3 TIMES ROOT BALL DIAMETER.
3. WATERING IN OF TREES AND SHRUBS SHALL BE COMPLETED ON THE SAME DAY AS PLANTING AND BE SUFFICIENT TO CONSOLIDATE THE BACKFILL AROUND THE ROOTS.
- TREE CENTRAL IN HOLE
LEAVE 150 MM CLEAR BETWEEN MULCH AND TRUNK
TOP OF ROOT BALL TO BE LEVEL WITH FINISHED LEVEL OF PLANTING HOLE
IRRIGATION & AERATION ROOTRAIN CIVIC SYSTEM BY GREEN BLUE URBAN OR SIMILAR AND APPROVED
75 MM LAYER OF FINE BARK MULCH
FORM 75 MM HIGH WATERING BASIN BERM AT EDGE OF HOLE USING SITE SOIL AS SHOWN
WHERE TREE IS WITHIN 3m OF ANY HARD SURFACE OR BUILDING, INSTALL WATER PERMEABLE ROOT BARRIER SUCH AS 'TERRAM ROOT GUARD', TO 900mm DEPTH, EXTENDING 3000mm EITHER SIDE OF THE TREE CENTRE OR TO MANUFACTURERS SPECIFICATIONS.
BACKFILL WITH IMPROVED SITE TOP SOIL/IMPORTED SOIL AS SPEC.
BASE EXCAVATION TO BE CULTIVATED SUBGRADE. BASE OF THE HOLE TO BE NO DEEPER THAN THE SIDE OF THE ROOTBALL. SIDE WALLS TO BE FLARED.
BELOW GROUND ANCHOR SYSTEM PLATI-MAT BY PLATIPUS OR SIMILAR AND APPROVED
- 1500 TYPICAL
SOIL BERM 2-3 X ROOTBALL DIA.




- NOTE:
1. LOCATION OF SERVICES TO BE CHECKED PRIOR TO EXCAVATION.
2. WIDTH OF PLANTING HOLE IS 3 TIMES ROOT BALL DIAMETER.
3. WATERING IN OF TREES AND SHRUBS SHALL BE COMPLETED ON THE SAME DAY AS PLANTING AND BE SUFFICIENT TO CONSOLIDATE THE BACKFILL AROUND THE ROOTS.
- STAKES AND TIES AS SPEC. STAKES MUST NOT DAMAGE ROOT BALL. INSTALL TIES 1/3 HEIGHT OF TREE WITH ENOUGH SLACK TO PERMIT REASONABLE TRUNK MOVEMENT IN WIND. ALIGN STAKES TO PREVAILING WIND
TREE CENTRAL IN HOLE
LEAVE 150 MM CLEAR BETWEEN MULCH AND TRUNK
TOP OF ROOT BALL TO BE LEVEL WITH FINISHED LEVEL OF PLANTING HOLE
75 MM LAYER OF FINE BARK MULCH
WHERE TREE IS WITHIN 3m OF ANY HARD SURFACE OR BUILDING, INSTALL WATER PERMEABLE ROOT BARRIER SUCH AS 'TERRAM ROOT GUARD', TO 900mm DEPTH, EXTENDING 3000mm EITHER SIDE OF THE TREE CENTRE OR TO MANUFACTURERS SPECIFICATIONS.
FORM 75 MM HIGH WATERING BASIN BERM AT EDGE OF HOLE USING SITE SOIL AS SHOWN
BACKFILL WITH IMPROVED SITE TOP SOIL/IMPORTED SOIL AS SPEC.
- 1500 TYPICAL
SOIL BERM 2-3 X ROOTBALL DIA.

NOTES / REVISIONS

REV	DESCRIPTION	INT	DATE
01	TENDER ISSUE	PJH	24 04 24

01 4001 MULTI-STEM TREE PLANTING DETAIL - UNDEGROUND GUYING Scale 1:20

02 4001 STANDARD TREE PLANTING DETAIL - ABOVE GROUND STAKING Scale 1:20




EXISTING HEDGEROW / CORNISH HEDGE RETAINED

NATIVE HEDGEROW WHIPS SET 1000mm FROM BASE OF EXISTING CORNISH HEDGE. PLANTED AS WHIPS, (SEE PLANTING SET OUT). PROPOSED PLANTING TO CREATE A 2M HEDGE BUFFER ZONE.

HEDGEROW WHIPS TO TOP OF WALL (SEE PLANTING SCHEDULE). 5 PLANTS PER LINEAR METRE IN A DOUBLE STAGGERED ROW.

SPIRAL GUARD AND CANE TO WHIPS.

'CORNWALL HEDGE' BOUNDARY
TOPSOIL BACKFILL



- NOTE:
1. LOCATION OF SERVICES TO BE CHECKED PRIOR TO EXCAVATION.
2. WIDTH OF PLANTING HOLE IS 3 TIMES ROOT BALL DIAMETER.
3. WATERING IN OF TREES AND SHRUBS SHALL BE COMPLETED ON THE SAME DAY AS PLANTING AND BE SUFFICIENT TO CONSOLIDATE THE BACKFILL AROUND THE ROOTS.
- TREE CENTRAL IN HOLE
LEAVE 150 MM CLEAR BETWEEN MULCH AND TRUNK
TOP OF ROOT BALL TO BE LEVEL WITH FINISHED LEVEL OF PLANTING HOLE
75 MM LAYER OF MULCH OR AS SPEC.
WHERE TREE IS WITHIN 3m OF ANY HARD SURFACE OR BUILDING, INSTALL WATER PERMEABLE ROOT BARRIER SUCH AS 'TERRAM ROOT GUARD', TO 900mm DEPTH, EXTENDING 3000mm EITHER SIDE OF THE TREE CENTRE OR TO MANUFACTURERS SPECIFICATIONS.
FORM 75 MM HIGH WATERING BASIN BERM AT EDGE OF HOLE USING SITE SOIL AS SHOWN
BACKFILL WITH IMPROVED SITE TOP SOIL/IMPORTED SOIL AS SPEC.
IRRIGATION & AERATION ROOTRAIN CIVIC SYSTEM BY GREEN BLUE URBAN OR SIMILAR AND APPROVED
BASE EXCAVATION TO BE CULTIVATED SUBGRADE. BASE OF THE HOLE TO BE NO DEEPER THAN THE SIDE OF THE ROOTBALL. SIDE WALLS TO BE FLARED.
BELOW GROUND ANCHOR SYSTEM PLATI-MAT BY PLATIPUS OR SIMILAR AND APPROVED
- 1500 TYPICAL
SOIL BERM 2-3 X ROOTBALL DIA.

04 4001 STANDARD TREE PLANTING DETAIL Scale 1:20

03 4001 STANDARD TREE PLANTING DETAIL - BELOW GROUND GUYING Scale 1:20

0m 0.25 0.5 0.75 1 1.25m 1:20

MEI LOCI

Studio G2, Old Bakery Studios, Blewetts Wharf, Truro, Cornwall, TR1 1QH
studio@meiloci.co.uk | 01872 264 899

CLIENT
CAMBORNE TOWN COUNCIL

JOB DESCRIPTION/LOCATION
Park Gerry
Camborne
Cornwall, TR14 8QB

DRAWING TITLE
Soft landscaping (01): Trees



TENDER

Date 23.03.24	Scale 1:20	Drawn By FZ	Checked PH
Job No. M550	Drawing No. DR.L.4001	Revision	01