

Site ref: OFFICE/MEETING PORTREATH

Date prepared: 28.6.23

Job no: 2031

Prepared by:

Checked by:

Member	Bar mark	Type and size	No. of mbrs	No. of bars in each	Total no.	Length of each bar † mm	Shape code	A* mm	B* mm	C* mm	D* mm	E/R* mm	Rev letter
B1	01	H10	1	58	58	1775	51	500	300	(130)			
600x400 DP	02	H12	1	4	4	2975	11	150	(2850)				
	03	H12	1	4	4	2875	00	STRAIGHT					
	04	H12	1	8	8	1500	00	— " —					
	05	H16	1	4	4	3500	00	— " —					
	06	H16	1	4	4	5000	00	— " —					
	07	H12	1	4	4	5000	00	— " —					
	08	H20	1	4	4	4000	00	— " —					
	09	H16	1	4	4	4600	11	200	(4425)				
	10	H12	1	4	4	4425	00	STRAIGHT					
B2	01	H10	1	46	46	1775	51	500	300				
600x400 DP	04	H12	1	4	4	1500	00	STRAIGHT					
	08	H20	1	5	5	4000	00	— " —					
	09	H16	1	4	4	4600	11	200	(4425)				
	10	H12	1	4	4	4425	00	STRAIGHT					
	11	H20	1	4	4	5425	11	230	(5250)				
	12	H12	1	4	4	5250	00	STRAIGHT					

This schedule conforms to BS 8666:2005

* Specified in multiples of 5mm.

† Specified in multiples of 25mm.

JHA Consulting

Bar schedule ref: SK/CBD/01/2

From
father
father

Site ref: OFFICE/MEETING PORTREATH

Date prepared : 28.6.23

Job no : 2031

Prepared by : ML Checked by : _____

[illegible]

This schedule conforms to BS 8666:2005

* Specified in multiples of 5mm.

† Specified in multiples of 25mm.

Bar Schedule 8588 v5.04

JHA Consulting

Bar schedule ref: Sk/4BD/.02

Rev: 01

Site ref: OFFICE/MERTON PORTREATH

Date prepared: 28.6.23

Job no: 2031

Prepared by: JH Checked by:

Member	Bar mark	Type and size	No. of mbrs	No. of bars in each	Total no.	Length of each bar † mm	Shape code	A* mm	B* mm	C* mm	D* mm	E/R* mm	Rev letter
B3	01	H10	1	22	22	1775	51	500	300				
600x400 DP	16	H12	1	8	8	1325	11	150					
	17	H20	1	4	4	4650	00	STRAIGHT					
	18	H12	1	4	4	4650	00	—"					
	19	H16	1	8	8	1600	11	200					
B6	01	H10	1	22	22	1775	51	500	300				
600x400 DP	16	H12	1	8	8	1325	11	150					
	17	H20	1	5	5	4650	00	STRAIGHT					
	18	H12	1	4	4	4650	00	—"					
	19	H16	1	8	8	1600	11	200					
B7	16	H12	1	6	6	1325	11	150					
400 sq!	17	H20	1	3	3	4650	00	STRAIGHT					
	18	H12	1	3	3	4650	00	—"					
	19	H16	1	6	6	1600	11	200					
	20	H10	1	20	20	1375	51	300	300				
B4	01	H10	1	13	13	1775	51	500	300				
600x400 DP	16	H12	1	16	16	1325	11	150					
	21	H16	1	4	4	2650	00	STRAIGHT					
	22	H12	1	4	4	2650	00	—"					

This schedule conforms to BS 8686:2005

Bar Schedule 8686 v5.04

* Specified in multiples of 5mm.

† Specified in multiples of 25mm.