



# **Hanslope Doctor's Surgery (Parks Practice) and Hanslope Recreation Ground Car Park Surfacing Specification**

<b>Timeframe</b>	
May/June 2020	Specifications Out and Site Visits
Wednesday 1 <sup>st</sup> July 2020	Tender Deadline
W/C 8th July 2020	Tenders Assessed
July 2020	Recommended Contractor(s) Voted at Parish Council Meetings
July 2020	Checks and References
July 2020	Awarding of Contract(s)
Summer 2020	Contract Work

**Pricing:** It is hoped that contractors will tender for both surfacing contracts currently out to tender, for Hanslope Parish Council. If so, tenders must be priced separately as 2 individual areas - please refer to map(s): -

1. Hanslope Dr's Surgery Car Park (Park's Practice) – MK19 7LA
2. Hanslope Recreation Ground Car Park – MK19 7LG

**Sealed tenders must be received by 6pm on Wednesday 1<sup>st</sup> July 2020 to:**

The Clerk  
Hanslope Parish Council  
The Pavilion, Hanslope Recreation Ground  
Castlethorpe Road  
Hanslope  
MK19 7LG  
**OR email to:** clerk@hanslopeparishcouncil.gov.uk

# Car Park Surfacing Specifications

## Notes:

- To prepare pricing, it is essential you refer to the relevant maps.
- Site visits are essential and can be carried out independently as both sites are public access. Alternatively, To be shown the sites, please call Mrs Gillian Merry, Clerk to Hanslope Parish Council on 07383 091319
- Contractors are expected to supply their Health and Safety Policies and evidence of professional certification/accreditation.
- Site management arrangements for ensuring safety of general public.

## Specification for Dr's Surgery, Castlethorpe Road, Hanslope, Mk19 7LA

### Description:

Parks Practice Dr's Surgery is on the corner of Castlethorpe Road and Weston Drive, Hanslope. The car park is adjacent to the surgery, to the left as you face the surgery from Castlethorpe Road. It requires re-surfacing and converting to all disabled parking, with the following suggested specification:

- Edge plane as needed
- Adjust covers as needed
- Well sweep and remove all spoil from site
- Regulate as required
- Coat whole area with bitumen emulsion (or equivalent) as an adhesive
- Supply and lay 30-35mm thick stone mastic asphalt surface course or equivalent and consolidate
- Seal joints with hot bitumen

### Additional (separately priced) quote:

- Lining for optimum number of disabled parking bays.

## Specification for Recreation Ground Car Park, Castlethorpe Road, Hanslope, Mk19 7LG

### Description:

Hanslope Recreation Ground/Pavilion is on Castlethorpe Road, Hanslope, opposite the new Bloors development. The car park requiring surfacing, is the first section as you turn in off Castlethorpe Road. There is a new section if you continue to the left of the buildings on site, which does not require anything. The splay is apparent at the entrance, as the Highways-owned section is delineated going out to the road. The following specification is suggested:

- The southern (old) section only is required.
- Plane existing wearing course approx. 30mm thick
- Well sweep and remove all spoil from site
- Regulate as required
- Coat whole area with bitumen emulsion (or equivalent) as an adhesive
- Supply and machine lay 30-35mm thick stone mastic asphalt surface course (or equivalent) to whole area and consolidate

### Additional (separately priced) quote:

- Apply 2 No. hatched yellow areas 5m x 5m in thermoplastic lines