

RFI011 NavyPODS – Clarification Log

Version: 15/06/21

Clarification Question #	Received Date	Question	Reply Date	Answer
1	10/06/21	<p>Is the focus of this RFI on the available technology to provide a NavyPODS shelter system in ISO form or is looking at technologies that can be deployed within a NavyPODS system?</p> <p>The RFI initially reads that Navy is seeking a PODS system as a modular portable deployable building but Section 3:RFI Outcomes asks for information on what can be included within a PODS system.</p>	15/06/2021	<p>This RFI is intended to aid RN understanding of the ‘art of the possible’ in order to help us determine the potential utility of a range of deployable mission modules, and doing so in a way that opens our mind to novel and innovative ideas and concepts in capability design, build, deployment and operation.</p> <p>Although the intent is a physical container that can be lifted and moved, there’s no reason why this couldn’t be a physical container containing IT infrastructure enabling deployment of instances of NELSON, Naval Strike Network, other Navy IT, or even other Supplier defined systems - especially when considering the potential need for operational deployment of such capability in denied or degraded environments.</p> <p>We’re absolutely open to ideas from digital / software focussed companies as to what a deployable digital capability could provide. We’d suggest that respondents focussing on digital capability should provide at a very high level a recommendation on the minimum technical systems requirement that would likely be needed to deliver such digital capability. This should be contained within the maximum response length (not in additional to).</p>
2	10/06/21	<p>Can you help to clarify your definition of an ISO container is it</p> <ul style="list-style-type: none"> a. A physical container that can house various appliances b. An IT container (i.e. a non physical software based solution) 	15/06/2021	<p>Either would be acceptable and welcome. We’d be just as interested in understanding the state of the art in relation to how to build the POD systems themselves, as we are in understanding what may go in the box. Equally, systems providers need not have knowledge of how to build a container – we would welcome responses from organisations that can see a benefit in deployment of their systems in the way inferred by the RFI, but that that have no knowledge or experience of actually building such system.</p>
3	10/06/2021	<p>If we submit our 3 pages and also include drawings as a separate document</p>	15/06/2021	<p>With the aim of RFI responses being concise and focused, 3 pages is the maximum acceptable amount including all diagrams and drawings.</p>

RFI011 NavyPODS – Clarification Log

Version: 15/06/21

		<ul style="list-style-type: none"> a. Is that acceptable (on the assumption the drawings may not be read) b. Will adding the drawings take over the 3 page allowance resulting in our 3 page response then not being read 		As in section 5 of the original notice, we may not read submissions that exceed this.
4	15/06/2021	<p>Please clarify the current capability & the underpinning technology referenced in the question below.</p> <p>In section C. question 3; How will the proposed system improve upon current capability?</p>	15/06/2021	We'd like suppliers to tell us why making their proposed technology modular and deployable is a good idea.
5	15/06/2021	Could you provide dimensions for the ISO equivalent container stated in the RFI?	15/06/2021	8' (2.43m) wide and 8.5' (2.59m) tall
6	15/06/2021	Is there a limit to the number of submissions by a single organisation?	15/06/2021	<p>Respondents are welcome to submit more than one response, although we would ask that such responses are materially different and not minor variations of the same thing.</p> <p>For clarity, we re-iterate that this is not a contract opportunity and the Authority cannot commit to providing feedback to individual responses due to the level of expected interest in this RFI. Therefore we would recommend that you do not spend disproportionate effort and cost in your response.</p>