

- Allow to construct new timber or metal stud walls
- Allow for Wall to be finished with 12mm plasterboard and filled with 100mm acoustic insulation
- Allow for wall to be dry lined or skimmed leaving ready for decoration
- Allow to fit new skirting to match existing.
- Allow to form new aperture to include suitable structural support and install sliding glass hatch. Size to be as wide as possible with a height of 900mm with the top level to be the same as the head of door to match the existing hatch in the next room.

SD1 to be Howdens Blyton Oak Flush Veneered Pre-finished 20G Glazed Door FD30


Door to have Stainless Steel kickers fitted to both sides of doors

Door furniture to SD1 to be as follows:-Howdens Round Bar Lever on Rose Satin Door Handle Pair - Product code DFU0260

Lock & cylinders to be supplied by the college, allow to fit


Doors to have 1.5 pairs of Stainless heavy duty hinges

New Suspended Ceiling Grid & Tiles 65m2



Perimeter Batten	MDF painted white	
Grid	Armstrong	
Tile	Armstrong Dune Max	
Size	600mm x 600mm	





Proposed Partition & Ceiling for; Grd Floor Main Corridor-Room Changes City College Plymouth Kings Road Centre Plymouth Devon PL1 5QG

Drawing No. CCP-AH-QA-04 Scale: Drawn: G Parry

