


- Notes
- © Copyright Alan Baxter Partnership LLP
- This drawing & design is the copyright of Alan Baxter Partnership LLP and must not be copied in part or whole without consent.
- Do not scale off this drawing
- To be read in conjunction with all Architects and Engineers drawings
 - Level design is based on information from a topographical survey provided by others. Alan Baxter Partnership LLP takes no responsibility for the accuracy of the original topographical survey. All existing levels are to be confirmed by the contractor prior to the commencement of the works.
 - All discrepancies to be notified immediately to contract administrator and engineers.
 - Only 'Construction' drawings shall be used for construction or the ordering of materials. Any other drawings (tender / billing / work in progress etc.) drawings shall not be used for this purpose.
 - C.B.R. values at formation level are to be verified / confirmed on site during construction. Soil stabilisation (Geogrids, separation membrane etc.) may be required at formation level, subject to C.B.R. test results.
 - Any localised soft spots are to be excavated and backfilled with suitably compacted fill material.
 - Where the proposed finished levels are above the existing, capping material / suitable fill is to be used, compacted in layers no thicker than 150mm. If material excavated from site is not of a sufficient quality, then material will need to be imported.



Typical Crate Attenuation Tank (With Access Turrets) - Level Inlet

Based on CBR of 2%
(Scale 1:20)

FOR APPROVAL

-				
-				
0	FIRST ISSUE	ARWS	-	26/03/2020

ALAN BAXTER PARTNERSHIP LLP
CONSULTING STRUCTURAL ENGINEERS

THE CLOCK BUILDING
PYMPES COURT
BUSBRIDGE ROAD
LOOSE
MAIDSTONE
KENT ME15 0HZ
TELEPHONE: 01622 744263
FAX: 01622 749270
EMAIL: mail@abpengineers.co.uk

ABP

Project Title:

**Leybourne Village Hall,
Little Market Row,
West Malling
ME19 5QL**

Drawing Title:

**Below Ground Drainage
Construction Details
(2 of 2)**

Scale: AS SHOWN @A1	Do not scale from drawing
Drawing Number: F437-0500-006	Rev: 0

0 0.5 1 1.5 2m
Scale 1:20