

GENERAL NOTES:

1. This drawing is not an Architects drawing and must not be interpreted as such.
2. Do not scale off this drawing.
3. This drawing must not be used for construction or installation purposed unless stated.
4. All dimensions must be verified on site before completing shop drawings or setting out the work.
5. This drawing to be read in conjunction with the relevant technical specifications.
6. This drawing is to be read in conjunction with Architectural and Structural Engineers drawings.

Fire Protection Notes:

- **Ductwork:** Where ductwork crossed a protected escape route or passes through a fire rated floor. Ducts shall be provided with fire dampers or for PVC flat duct, approved fire wrap.
- **Soil Pipework:** Where passing through fire rated floors shall be fitting with approved fire collars.
- **Small Services:** ie. Small bore pipework and cabling. All penetrations passing through fire rated structure shall be suitably fire stopped in accordance with approved details.

- HW - Hot Water
 - HL - High Level
 - LL - Low Level
 - TA - To Above
 - TB - To Below
 - FA - From Above
 - FB - From Below
 - SS - Stub Stack
 - AAV - Air Admittance Valve
 - SVP - Soil Vent Pipe
 - DCV - Double Check Valve
 - SV - Solenoid Valve
 - NRV - Non Return Valve
 - NRV - Non Return Valve
 - S/C - Stop Cock
 - C/V - Control Valve
 - DRV - Double Regulating Valve
 - LSV - Lock Shield Valve
 - IV - Isolation Valve
 - STR - Strainer
 - HTG - Heating
 - CW - Cold Water
 - TD - Tundish
 - F - Flow
 - R - Return
- Pipes Hidden H/L -----
Pipes Hidden L/L -----
Pipes Exposed H/L -----
Pipes Solid L/L -----



TO	TENDER ISSUE	15/01/2020
P1	UPDATED TO ARCHITECT'S COMMENTS.	17/12/2019
P0	INFORMATION	02/12/2019
REV	MODIFICATIONS	DATE

CARNELL WARREN

ASSOCIATES
 DUKE HOUSE, DUKE STREET, WOKING, GU215BA
 PROJECTS@CARNELLWARREN.CO.UK 01483 730995

PROJECT
The Almonry Battle

TITLE
**First Floor
 Drainage**

CLIENT
Battle Town Council

SCALE @ A1: **1:50** DATE: **Nov '19** DRN: **BM**

DRAWING NO.: **1509/P/202** REV: **T0**