




SOUTH CHAPEL - WEST ELEVATION
Scale: 1:50



3 Scale: 1:50 Scale: 1:50




2 SOUTH CHAPEL - SOUTH ELEVATION
Scale: 1:50



4 SCAILE: 1:50 SOUTH CHAPEL - NORTH ELEVATION

- Clean off moss and vegetation growth from roof coverings and masonry buttresses cappings.
- 2 Existing cast iron rainwater goods to be repaired, cleaned out, and connected into new soakaway or mains drain.
- 3 All overgrown / ingrowing vegetation to masonry walls to be removed. Rake out C21st cement mortar repairs, remove redundant cast iron ventilation grilles, cut out and replace badly spalled / fractured masonry and repoint all open joints in hot-lime mortar.
- 4 Existing cement render to be carefully hacked off the historic wall fabric, spalled and fractured masonry to be replaced and new traditional hot-lime breathable render to be applied to East gable wall.
- 5 Existing timber double entrance doors to be repaired, new weather proofing thresholds, draught proofing strips and door locking mechanism to be installed.
- 6 Clean off and remove any spalled / friable areas of stone window surrounds and mullions. Defective stone to receive specialist masonry repairs.
- 7 Existing leaded windows to be retained and repaired where overgrown vegetation has caused damage.
- 8 New rooflights to be installed to provide natural daylight into the Chapel.
- 9 New french drain to be installed around perimeter of chapels, connected into a new soakaway or mains drains.
- New external lighting scheme to light pathways and exterior of building to be installed.
- (II) New bat / bird boxes to be installed at high level around perimeter of chapel.



CLIENT

-	Selby Cemetery		
	JOB NO.		
	19035		
	DRAWING		
	South Chapel	- Proposed Elevations	
.	DRG NO.	SCALE	
3	305	I:50 @ A I	
	DRAWN	APPROVED	DATI
	ΔΝ	SW.	19/05/20