



THIS DRAWING IS INDICATIVE AND REPRESENTS ONLY THE DESIGN INTENT, THE CONTRACTOR MUST PRODUCE FULLY CO-ORDINATED WORKING / INSTALLATION DRAWINGS AS REFERRED TO IN THE CONTRACT DOCUMENTATION

NOTES

- DO NOT SCALE FROM THIS DRAWING. ALL DIMENSIONS INDICATED ARE IN MILLIMETRES
- DRAWING TO BE READ IN CONJUNCTION WITH SPECIFICATION, DOCUMENTATION, DRAWINGS & ALL RELEVANT BRITISH STANDARD DOCUMENTS
- ALL ELECTRICAL WORKS SHALL COMPLY WITH 18TH EDITION IET WIRING REGS BS7671:2018 (2018), INCLUDING ALL CURRENT AMENDMENTS AND GUIDANCE NOTES AND THE CURRENT BUILDING STANDARDS REGULATIONS
- THE INSTALLATION SHALL ONLY BE CERTIFIED BY A PERSON OR A COMPANY HAVING MEMBERSHIP TO S.E.L.E.C.T. OR N.I.C.E.I.C. OR SIMILAR ELECTRICAL SCHEMES
- DUAL TECH DETECTORS TO INCORPORATE PASSIVE INFRA RED AND MICROWAVE TECHNOLOGY TO OFFER CONFIRMED/ VERIFIED ALARM STATUS
- ALL PIR DETECTORS SHALL BE ANGLED / POSITIONED TO ENSURE FULL COVERAGE TO THE GIVEN SPACE. FINAL LOCATIONS TO BE AGREED WITH CLIENT PRIOR TO INSTALLATION

LEGEND

- WIRELESS DUAL TECH PIR DETECTOR UNIT
- INTRUDER ALARM KEYPAD
- INTRUDER ALARM PANEL
- DOOR CONTACTOR (INTEGRATED WITHIN FRAME)
- MAGLOCK
- ACCESS CONTROL CARD READER
- PUSH TO RELEASE BUTTON
- SECURITY GREEN BREAK GLASS
- CCTV CAMERA
- CCTV RECORDING EQUIPMENT
- REGISTRATION READER
- PUBLIC ADDRESS SPEAKER
- FIRE ALARM PANEL
- FIRE ALARM REPEATER PANEL
- PANELBOARD
- DISTRIBUTION BOARD

P03	UPDATED TENDER ISSUE	AJ	AJ	AJ	27.10.21
P02	TENDER ISSUE	AJ	AJ	AJ	15.10.21
P01	STAGE 3	SM	AJ	AJ	01.10.21
REV	DESCRIPTION	BY	CHK	APP	DATE

Project Status:

TENDER



The Multi-disciplinary Engineering Consultancy

Ground Floor, 45 Great Guildford Street

London, SE1 0ES

T 44 (0) 203 735 5060

E london@harleyhaddow.com

Edinburgh | London | Glasgow

harleyhaddow.com

Association for Consultancy and Engineering Member Firm

Project: 307685

HORNIMAN MUSEUM
STAFF RECEPTION & REST
AREA REFURBISHMENT

Drawing Title:

SECURITY LAYOUT

Scale @ A1	Date	Engineer
1:25	OCT 21	AJ
Drawing No.	Revision	
307685-HAH-ZZ-01-DR-E-06810	P03	