

NOTES

- DO NOT SCALE FROM THIS DRAWING.
- ALL MEASUREMENTS ARE IN MILLIMETRES UNLESS STATED OTHERWISE.
- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE TENDER DOCUMENTS
- THE STRUCTURAL DESIGN DRAWN IS INDICATIVE. STRUCTURAL INFORMATION WILL FOLLOW AS AGREED WITH CCFE

NBS SPECIFICATION REFERENCES

BELOW ARE SCHEDULED THE KEY CLAUSES REFER TO COMPLETE SECTIONS ASSOCIATED WITH EACH CLAUSE.

FLOORS	M10/110A
SCREENS	
EXTERNAL WALLS	
CURTAIN WALLING	H11/110A
METAL COMPOSITE CLADDING	H43/120A
DAMP PROOFING	J40/120A
WINDOWS	L10/330A
GLASS CANOPY	H13/115A
ROOFS	
STANDING SEAM ROOF	H31/120A
SINGLE PLY MEMBRANE	J42/110A
INTERNAL WALLS	
INTERNAL BLOCKWORK	F10/355B
METAL STUD PARTITIONING	K10/115A
SHAFT WALL	K10/125A
DEMOUNTABLE PARTITIONS	K40/130A
FIRE RATED INTERNAL WINDOWS	L10/331A
STAIRS	
ESCAPE STAIR	L24/250
ROOF ACCESS LADDER	L24/410
INTERNAL HANDRAILS	L24/570
CEILING	
SUSPENDED CEILING	K40/105A
BOARD SUSPENDED CEILING	K40/130A
DOORS	
EXTERNAL DOORS	L20/480A
INTERNAL DOORS (FIRE RATED)	L20/410A
INTERNAL DOORS	L20/410B
ROLLER SHUTTERS	L20/610A
SECTIONAL OVERHEAD DOORS	L20/615A
FINISHES	
FLOOR	M50/130, 150, 155, 11 & M10/190
WALLS	M50/110 & 150
DRAINAGE	
RAINWATER	R10/110A & 370
ABOVE GROUND DRAINAGE	R11/
BELOW GROUND DRAINAGE	R12/
SANITARY FITTINGS	
W/C FITTINGS	N13/311 & N13/312
SINKS	N13/331
SHOWERS	N13/375
BASINS	N13/335
GENERAL FIXTURES	
CONTROL ROOM WKSTATION	N10/113A
RECEPTION DESK	N10/112A
BOOT BARRIER	N10/114A
CLEAN WORKSHOP	N10/130A
EXTERNAL SIGN	N10/130A
BOLLARDS	G50/190A & 192A

SAFETY HEALTH AND ENVIRONMENTAL INFORMATION

For details of site-wide and general risks, to be read in conjunction with these notes, see Design Risk Register ref.

In addition to the risks normally associated with the types of work detailed on this drawing, note the following risks and information:

Rev	Revision Description	Date	By	Chkd	Auth
C3	MEZZANINE WALL AND WINDOWS REINTRODUCED.	24.07.15	GP	GHA	HL
C2	UPDATED IN ACCORDANCE WITH AMENDED STRUCTURAL DRAWINGS. FULL HT PARTITION AND SCREENS TO MEZZANINE OMITTED	09.02.15	GHA	HL	GN
C1	CONTRACT ISSUE	17.09.14	RH	GHA	HL

CONSTRUCTION

ATKINS	Atkins Limited Chilbrook, Oates Business Park Gydnham OX29 4JH England
Copyright © Atkins Limited (2011)	Telephone: +44 (0)1865 882928 Fax: +44 (0)1865 883 060 www.atkinsglobal.com

CCFE

CULHAM CENTRE FOR FUSION ENERGY

MATERIALS RESEARCH FACILITY (MRF)

PROPOSED FLOOR PLANS

Original Scale	Original Size	Designed	Drawn	Checked	Authorised
1:200	A1	GA	GP	GA	HL
	Office	Date 28.08.13	Date 13.01.14	Date 13.01.14	Date 13.01.14
Project Number	Discipline	Type	Code	Dwg No.	Rev
5125043 / A / P	- / -	10-09			C3

