



**Highways England Company Limited**

**Area 9**

**Maintenance and Response Contract**

**Schedule of Rates**

**Method of Measurement for  
Schedule B**

## CONTENTS AMENDMENT SHEET

Amend No.	Revision No.	Amendments	Initials	Date
0	0	Tender Issue	AJP	30/06/2021

<b>Preambles to Schedule of Rates</b>		
<b>General Directions</b>	<b>1</b>	This Schedule of Rates has been prepared in accordance with the Method of Measurement for Highway Works published by The Stationery Office as Section 1 of Volume 4 of the Manual of Contract Documents for Highway Works. The relevant publication date of each page of the Method of Measurement for Highway Works that is incorporated into this contract is given in the relevant Schedule of Pages and Relevant Publication Dates.
	<b>2</b>	(05/01) In the Schedule of Rates the sub-headings and item descriptions identify the work covered by the respective items, read in conjunction with the matters listed against the relevant marginal headings “Item coverage” in Chapter IV of the Method of Measurement for Highway Works, these Preambles and the amendments to the Method of Measurement immediately following these Preambles. In cases where the amendments to the Method of Measurement following these Preambles do not include “item coverage” matters for the respective items then the description of those items measured shall be deemed as sufficient to cover that work. The nature and extent of the work is to be ascertained by reference to the Contract Documents. The rates and prices entered in the Schedule of Rates shall be deemed to be the full inclusive value of the work covered by the several items including the following, unless expressly stated otherwise;
		<ul style="list-style-type: none"> <li>(i) people not limited to employed and hired-in staff, labour and consultants and costs in connection therewith;</li> <li>(ii) the manufacture, fabrication and supply of Plant and Materials, goods, storage and costs in connection therewith including delivery to the Affected Property. Taking delivery of Plant and Materials and goods supplied by others, unloading, storage, and costs in connection therewith;</li> <li>(iii) Equipment and costs in connection therewith;</li> <li>(iv) fixing, erecting and installing or placing of Plant and Materials and goods in position;</li> <li>(v) temporary works;</li> <li>(vi) the effect on the phasing of the <i>service</i> or any element of the <i>service</i> to the extent set forth or reasonably implied in the Contract Documents;</li> <li>(vii) general obligations, liabilities and risks involved in Providing the Service set forth or reasonably implied in the Contract Documents including repair or replacement that arises from a fault of the <i>Contractor</i>;</li> <li>(viii) establishment and other charges not limited to insurances, overheads, profit and Fee;</li> <li>(ix) waste;</li> <li>(x) testing carried out by the <i>Contractor</i> in accordance with the particular requirements of the scope and requirements of the GM701 Asset Delivery Asset Maintenance Requirements and</li> </ul>

		<p>Specification including supplying results of tests, reports and certificates;</p> <p>(xi) supply and delivery of samples to the <i>Service Manager</i> in accordance with the particular requirements of the scope and requirements of the GM701 Asset Delivery Asset Maintenance Requirements and Specification;</p> <p>(xii) checking, inspecting, examining, measuring and verifying goods, Plant and Materials, and workmanship including supplying results, reports and certificates;</p> <p>(xiii) attendance and transport for sampling and testing carried out by the <i>Client</i> of <i>Service Manager</i>;</p> <p>(xiv) complying with quality assurance requirements of this contract and providing certificates of conformity;</p> <p>(xv) preparation and supply of detailed working drawings.</p> <p>(xvi) awaiting approvals and consent.</p> <p>(xvii) complying with the particular requirements of the scope and requirements of the GM701 Asset Delivery Asset Maintenance Requirements and Specification applicable to the items of work described in the Schedule of Rates;</p> <p>(xviii) travelling to, between and from different locations within the Affected Property;</p> <p>(xix) updating information and inventory data to the information database or system;</p> <p>(xx) supervision, management and programming and the like to Provide the Service;</p> <p>(xxi) the use of Subcontractors;</p> <p>(xxii) landfill costs and taxes;</p> <p>(xxiii) traffic safety and management as identified in Series 100 paragraphs 21 to 27 inclusive of the method of measurement referenced in paragraph 1 of these preambles;</p> <p>(xxi) disposal as identified in Series 600 paragraphs 34 to 39 inclusive of the method of measurement referenced in paragraph 1 of these preambles.</p>
<b>Measurement</b>	<b>3</b>	<p>(i) The measurement of work shall be computed net from the dimensions stated in the Contract Documents unless otherwise stated in the Method of Measurement.</p>
		<p>(ii) (11/06) Where the Contract Documents specify the Type of Pavement to be constructed then the measurement of work shall be based upon the thinnest pavement construction and surfacing over structures permitted by this contract for that Type of Pavement. Where the Contract Documents provide for the <i>Contractor</i> to select the type of safety barrier, pavement or buried structure (where the structure is not within Designated Outlines) to be constructed then the measurement of all work in each area so affected shall be based upon the thinnest pavement construction and surfacing over structures permitted by this contract in that area for the particular type of safety barrier, pavement or buried structure the <i>Contractor</i> has elected to construct.</p>
<b>Pricing of Items</b>	<b>4</b>	<p>Each individual item in the Schedule of Rates shall have a rate or price entered against it. Rates and prices shall be expressed to two decimal places which shall be informed by entries inputted by</p>

		the <i>Contractor</i> in the additional columns provided for each cost component and/or cost of Subcontractors and the corresponding fees. The entries in the additional columns shall be to two decimal places.
<b>Alternative Specified Materials, Designs and Options Within Types of Pavement</b>	<b>5</b>	Where in the Contract Documents a choice of alternatives is permitted the description scheduled and the rates and prices inserted shall be deemed to cover any of the permitted alternative Plant and Materials or designs the <i>Contractor</i> may elect to use. In all cases the rates and prices inserted in the Schedule of Rates shall be deemed to include for any adjustments of work content, rates, costs, taxes and the like occasioned by the choice of alternatives elected to be used by the <i>Contractor</i> .
<b>Privately and Publicly Owned Services or Supplies</b>	<b>6</b>	The information in the Contract Documents as to the whereabouts of existing services and mains is believed to be correct but the <i>Contractor</i> shall not be relieved thereby of his obligations under this contract. The <i>Contractor</i> shall include in his rates and prices for locating and taking measures for the support and full protection of pipes, cables and other apparatus during the progress of the service, obtaining the written consent of the appropriate authority to interrupt the service or supply and for keeping the <i>Service Manager</i> informed of all arrangements he makes with the owners of privately owned services or supplies, Statutory Undertakers and Public Authorities as appropriate.
<b>Labours</b>	<b>7</b>	NOT USED.
<b>Roadworks Overall Requirements</b>	<b>8</b>	The <i>Contractor</i> shall allow in his rates and prices for complying with requirements in respect of pavement construction, horizontal alignments, surface levels and surface regularity of pavement courses, dealing with changes in weather conditions, use of surfaces by traffic and construction equipment, and general requirements for sub-bases and road bases.
<b>Work Within and Below Non-tidal Open Water or Tidal Water</b>	<b>9</b>	The <i>Contractor</i> shall allow in his rates and prices for taking measures required to execute work within and below non-tidal open water or tidal water. The <i>Contractor</i> shall include in his rates and prices for any investigations to ascertain actual boundaries, surface levels and ranges affected by non-tidal open water or tidal water.
<b>Dealing with Flow</b>	<b>10</b>	The <i>Contractor</i> shall allow in his rates and prices for taking measures to deal with the flow of water, sewage and the like.
<b>Reimbursement of Fees, Rates, Taxes and Overseeing Organisation's Telephone Calls</b>	<b>11</b>	NOT USED.

<b>Affected Property Limitations and Constraints</b>	<b>12</b>	The <i>Contractor</i> shall allow in his rates and prices for complying with any limitations and constraints on the use of the Affected Property.
<b>Hard Material</b>	<b>13</b>	For the purposes of this contract the following are designated as Hard Material in accordance with Chapter 1 Definitions, paragraph 1(h)(i):
		(a) Not used.
		(b) those deposits designated by limits shown in the Scope;
		(c) existing pavements, footways, paved areas (but excluding unbound materials) and foundations in masses in excess of 0.20 cubic metres.
<b>Equivalent Products and Materials</b>	<b>14</b>	Where the <i>Contractor</i> offers an equivalent product or Plant and Materials in place of the one identified or specified, then the rates and prices in the Schedule of Rates shall be deemed to include for all the obligations and costs associated with the incorporation of the equivalent into the <i>service</i> , including design, provision of data and drawings, certificates, awaiting acceptance, resubmissions and modifications and amendments to the <i>service</i> .
		Unless specifically stated to the contrary in the Contract Documents the measurement of the <i>service</i> affected by the incorporation of the equivalent products and Plant and Materials shall be based on the Contract Documents and not on the <i>service</i> as amended and completed to incorporate the equivalent products and Plant and Materials.
<b>Permanent Works Designed by the Contractor</b>	<b>15</b>	(05/01) Where this contract requires part(s) of the <i>service</i> to be designed by the <i>Contractor</i> , the rates and prices in the Schedule of Rates shall include for all the obligations and costs associated with the incorporation of the <i>Contractor's</i> design into the <i>service</i> , including design, provision of data and drawings, certificates, awaiting approvals, resubmissions and modifications and amendments to the <i>services</i> .
		Additionally, the rates and prices in the Schedule of Rates shall include for the costs of all testing and sampling to be carried out by the Contractor in respect of workmanship, goods and Plant and Materials incorporated into the <i>service</i> or to prove the <i>Contractor's</i> design.
<b>Structures Designed by the Contractor</b>	<b>16</b>	NOT USED.
<b>National Alterations for The Overseeing Organisations of Scotland, Wales</b>	<b>17</b>	Where a paragraph in Chapter IV of the Method of Measurement for Highway Works (Units and Methods of Measurement) or in the Notes for Guidance on the Method of Measurement for Highway Works or in the Library of Standard Item Descriptions for Highway Works is prefixed by # this indicates that this particular paragraph

<b>and Northern Ireland</b>		has a National Alteration for one or more of the Overseeing Organisations of Scotland, Wales or Northern Ireland. The use of national paragraphs is permitted only within the countries to which they specifically apply and they are deemed to replace corresponding paragraphs in the main body of Chapter IV of the Method of Measurement for Highway Works (Units and Methods of Measurement) or in the Notes for Guidance on the Method of Measurement for Highway Works or in the Library of Standard Item Descriptions for Highway Works as appropriate. The National paragraphs correspond to the particular requirements of the National Alterations for the Overseeing Organisations of Scotland, Wales or Northern Ireland contained in Volume 1 of the Manual of Contract Documents for Highway Works. The substitute or additional paragraphs are located at the end of the relevant Series
<b>Testing</b>	<b>18</b>	Testing as paragraph 2(x) above, is in respect of tests to be carried out by the <i>Contractor</i> to verify workmanship, goods and Plant and Materials incorporated into the <i>service</i> and testing of the <i>service</i> in order to prove the Overseeing Organisation's design as set out in the scope and requirements of the GM701 Asset Delivery Asset Maintenance Requirements and Specification.
		Checking, inspecting, examining, measuring and verifying goods, Plant and Materials and workmanship incorporated in the <i>service</i> , as paragraph 2(xii) above, is in respect of other operations set forth or reasonably implied in the Contract Documents to be carried out by the <i>Contractor</i> to demonstrate compliance with the particular requirements of this contract, or to prove the Overseeing Organisation's design where not separately listed in the scope and requirements of the GM701 Asset Delivery asset Maintenance Requirements and Specification.
		Procedural trials, trial panels and trial areas required to be carried out or constructed as separate operations in advance of the <i>service</i> in order to verify goods, Plant and Materials and workmanship shall not be measured separately but are included within the items in the Schedule of Rates.
		Testing of existing structures and other investigative works shall be individually measured within the relevant Series.
<b>Landscape and Ecology</b>	<b>19</b>	(05/01) The rates and prices inserted in the Schedule of Rates for new Planting, Seeding and Turfing measured in accordance with Volume 4 – Series 3000 include for all post-planting maintenance work required to be carried out in accordance with the Contract Documents.
<b>Amendments to the Method of Measurement (05/01)</b>	<b>20</b>	(05/01) For the purposes of this contract the Method of Measurement for Highway Works is amended in accordance with the paragraphs below and pages immediately following.



Notes for Guidance	21	The Notes for Guidance on the Method of Measurement published by The Stationery Office as Section 2 of Volume 4 of the Manual of Contract Documents for Highway Works is incorporated into this contract. The relevant publication date of each page of the Notes for Guidance on the Method of Measurement for Highway Works is given in the relevant Schedule of Pages and Relevant Publication Dates.  New Series 2200: Tunnels																																			
Terms	22	Terms identified in table 1 below that are included within the Method of Measurement for Highway Works (and the amendments to that method of measurement that follow these Preambles herein) should be replaced with the revised terms listed in table 1 also;  <u>Table 1:</u>																																			
		<table><tr><td>Terms</td><td>Revised terms</td></tr><tr><td>...Site</td><td>...Affected Property</td></tr><tr><td>...Bill of Quantities</td><td>...Schedule of Rates</td></tr><tr><td>...Contractor</td><td>...<i>Contractor</i></td></tr><tr><td>...Works</td><td>...<i>service</i></td></tr><tr><td>...Employer</td><td>...<i>Client</i></td></tr><tr><td>...Engineer</td><td>...<i>Service Manager</i></td></tr><tr><td>...Engineer’s Representative</td><td>...<i>Service Manager</i></td></tr><tr><td>...Contract</td><td>...Form of Agreement</td></tr><tr><td>...Specification</td><td>...<i>Scope</i></td></tr><tr><td>...Drawings</td><td>...<i>Scope</i></td></tr><tr><td>...Tender Total</td><td>...tendered total of the Prices</td></tr><tr><td>...Contract Price</td><td>...amount due</td></tr><tr><td>...Permanent Works</td><td>...<i>service</i></td></tr><tr><td>...Temporary Works</td><td>...temporary works</td></tr><tr><td>...Section</td><td>...section</td></tr><tr><td>...Constructional Plant</td><td>...Equipment</td></tr></table>		Terms	Revised terms	...Site	...Affected Property	...Bill of Quantities	...Schedule of Rates	...Contractor	... <i>Contractor</i>	...Works	... <i>service</i>	...Employer	... <i>Client</i>	...Engineer	... <i>Service Manager</i>	...Engineer’s Representative	... <i>Service Manager</i>	...Contract	...Form of Agreement	...Specification	... <i>Scope</i>	...Drawings	... <i>Scope</i>	...Tender Total	...tendered total of the Prices	...Contract Price	...amount due	...Permanent Works	... <i>service</i>	...Temporary Works	...temporary works	...Section	...section	...Constructional Plant	...Equipment
Terms	Revised terms																																				
...Site	...Affected Property																																				
...Bill of Quantities	...Schedule of Rates																																				
...Contractor	... <i>Contractor</i>																																				
...Works	... <i>service</i>																																				
...Employer	... <i>Client</i>																																				
...Engineer	... <i>Service Manager</i>																																				
...Engineer’s Representative	... <i>Service Manager</i>																																				
...Contract	...Form of Agreement																																				
...Specification	... <i>Scope</i>																																				
...Drawings	... <i>Scope</i>																																				
...Tender Total	...tendered total of the Prices																																				
...Contract Price	...amount due																																				
...Permanent Works	... <i>service</i>																																				
...Temporary Works	...temporary works																																				
...Section	...section																																				
...Constructional Plant	...Equipment																																				
		Words expressed in masculine or feminine nouns and pronouns shall be considered to be gender neutral under this Contract.																																			
Definitions – “Conditions of Contract”	23	In Chapter I replace all wording in paragraph 1(a) with “Not used.”.																																			
Definitions – “Conditions of Contract”	24	In Chapter I replace all wording in paragraph 1(d) with “Not used.”.																																			
Definitions – “Provisional”																																					



**Method of Measurement for Highway Works  
Schedule of Pages and Relevant Publication Dates**

<b>Chapter/Series</b>	<b>Page Number</b>	<b>Publication Date</b>
Contents	1	November 2004
	2	May 2005
	3	November 2004
	4 to 7	May 2005
Chapter I	1 to 3 inclusive	March 1998
Chapter II	1	March 1998
	2	May 2001
Chapter III	1	March 1998
	2	May 2001
	3 to 11 inclusive	May 2004
Chapter IV	1	March 1998
100	1 to 2 inclusive	March 1998
	3 to 7 inclusive	May 2001
	8	November 2004
	9 to 11 inclusive	May 2001
	12	November 2004
	13 to 15 inclusive	May 2001
200	1	May 2001
	2 to 3 inclusive	May 2004
	4	May 2001
300	1 to 5 inclusive	May 2001
400	1 to 2 and 4 to 8 inclusive	November 2004
	3	November 2006
500	1 to 5 inclusive	May 2001
	6	November 2004
	7 to 13 inclusive	May 2001
	14	May 2005
	15	May 2001
	16 to 17 inclusive	May 2005
	18	May 2001
	19	November 2003
600	1	May 2002
	2	May 2001
	3	March 1998
	4 to 11 inclusive	November 2004
	12	May 2002
	13 to 14 inclusive	November 2004
	15 to 38 inclusive	May 2001
	N1 to N3 inclusive	May 2002
700	1	May 2001
	2	May 2002
	3	May 2001
	4 to 5 inclusive	May 2002
	6	May 2001
	7 to 9 inclusive	May 2002
	10	May 2001
	11	May 2002
	12 to 13 inclusive	May 2001

Chapter/Series	Page Number	Publication Date
	14	May 2002
	15 to 18 inclusive	May 2001
800	)	
900	) Not taken up	
1000	)	
1100	1	May 2001
	2	November 2004
	3	May 2001
	4 to 5 inclusive	May 2002
	6	May 2001
	7 to 8 inclusive	May 2005
1200	1 to 2 inclusive	May 2001
	3 to 5 inclusive	March 1998
	6 to 11 inclusive	May 2001
1300	1 to 3 inclusive	November 2003
1400	1 to 2 inclusive	May 2001
	3	May 2005
	4 to 8 inclusive	May 2001
	9	May 2005
1500	1 to 2 inclusive	May 2001
	3	May 2005
	4 to 7 inclusive	Feb 2003
	8 to 12 inclusive	May 2001
1600	1 to 2 inclusive	March 1998
	3 to 6 inclusive	May 2001
	7	March 1998
	8 to 19 inclusive	May 2001
1700	1	May 2004
	2	May 2001
	3	May 2004
	4 to 11 inclusive	May 2001
1800	1	March 1998
	2 to 5 inclusive	May 2001
1900	1	May 2003
2000	1	May 2002
	2 to 3 inclusive	May 2001
2100	1	March 1998
2200	Not taken up	
2300	1 to 3 inclusive	March 1998
2400	1 to 3 inclusive	May 2001
	4	March 1998
2500	1 to 2 inclusive	May 2001
2600	Not taken up	
2700	1	May 2001
3000	1 to 15 inclusive	May 2001
5000	1 to 2 inclusive	May 2003

**Notes for Guidance on the Method of Measurement for Highway Works  
Schedule of Pages and Relevant Publication Dates**

<b>Chapter/Series</b>	<b>Page Number</b>	<b>Publication Date</b>
Contents	1	May 2004
	2	May 2001
	3	May 2004
Introduction	1	March 1998
Chapters I,II and III	1	November 2004
	2	November 2006
	3	May 2001
Chapter IV	100	1
		March 1998
		2
		May 2001
	200	1
		May 2001
	300	1
		May 2001
	400	1
		November 2004
	500	1
		March 1998
		2
		May 2001
	600	1 to 2 inclusive
		November 2004
		3
		March 1998
		4 to 8 inclusive
		May 2001
		9 to 10 inclusive
		November 2004
	700	1
		May 2004
		2
		March 1998
	800	)
	900	) Not taken up
	1000	)
	1100	1
		May 2004
	1200	1
		May 2001
	1300	(No guidance on this Series)
	1400	1
		March 1998
	1500	1
		May 2001
	1600	1 to 2 inclusive
		March 1998
	1700	1
		March 1998
	1800	1
		March 1998
	1900	(No guidance on this Series)
	2000	1
		March 1998
	2100	(No guidance on this Series)
	2200	Not taken up
		May 2004
	2300	(No guidance on this Series)
	2400	1
		March 1998
	2500	1
		November 2004
		2
		May 2001
	2600	Not taken up
	2700	1
		May 2001
	3000	1
		May 2001
		2
		May 2004
		3
		May 2001
	5000	1
		May 2003

## Amendments to Chapter IV of the Method of Measurement for Highway Works

Series 400: ROAD RESTRAINT SYSTEMS (VEHICLE AND PEDESTRIAN)				
		Insert new paragraphs 48 to 50.		
		<b>Tighten or Replace Screws and Bolts and Re-tension Barrier Check All Road Restraint Systems Requiring Re-tensioning</b>		
<b>Units</b>	48	The units of measurement shall be:		
		(i) check all road restraint systems and tighten or replace screws and bolts and re-tension barrier requiring re-tensioning.....linear metre.  (ii) Treatment of weeds, remove scattered aggregate from carriageway and reprofile gravel bed of arrester beds.....square metre		
<b>Measurement</b>	49	The measurement of check all road restraint systems and tighten or replace screws and bolts and re-tension barrier requiring re-tensioning shall be the length along the centre line of the beams for single sided road restraint systems. If the road restraint system is double sided the measurement shall be the length of one side for the entire length of each road restraint system subject to the limitations on lengths instructed by the <i>Service Manager</i> . Transitions and terminals shall be included in lengths measured where applicable.		
		The measurement for treatment of weeds, remove scattered aggregate from carriageway and reprofile gravel bed of arrester beds shall be the plan area.		
<b>Itemisation</b>	50	Separate items shall be provided for tighten or replace screws and bolts and re-tension barrier requiring re-tensioning and check all road restraint systems and Treatment of weeds, remove scattered aggregate from carriageway and reprofile gravel bed of arrester beds in accordance with Chapter II paragraphs 3 and 4 and the following:		
		<b>Group</b>	<b>Feature</b>	
		I	1	Sub-Asset Type.
		II	1	Item.

<b>Series 500: DRAINAGE AND SERVICE DUCTS</b>		
		<p>Replace paragraphs 81 to 83 inclusive.</p> <p>Insert new paragraphs 81a to 83a.</p>
	<p><b>Emptying, Clearing, Cleaning, Rodding, Jetting and Proving, Weed and Vegetation Clearance, Rubbish / Obstruction Clearance, Litter Clearance, Debris clearance, Sediment Clearance, Sweeping, Weed Spraying, Cycling, Edge Scraping, Cutting Back, Re-cutting, Grass Cutting, De-Silting of Gullies, Gully Covers, Combined Kerb and Drainage Systems, Linear Drainage Systems, Combined Channel and Pipe Systems, Catch Pits, Ditches, Outfalls, Interceptors, Manholes, Culverts, Filter Drains, Isolation Valves, Ancillary Items, Swales, Basins, Grass Surface Water Channels, Reservoir Pavements and Wetlands</b></p>	
Units	81a	The units of measurement shall be:

		(i) gully emptying, clear aprons, covers and obstructions.....number.
		(ii) Clear aprons, covers and obstructions.....number.
		(iii) Clearing, sweeping, rodding, low pressure/high volume jetting and proving combined kerb and drainage systems, linear drainage channels, combined channel and pipe systems....linear metre.
		(iv) clear weed/vegetation growth and debris, clear / recut drainage Grip inlet and non-piped drainage Grip and counterfort drain.....number.
		(v) clear weed/vegetation growth and debris, clearing, rodding, jetting and proving of drainage Grip inlet and piped drainage Grip .....number.
		(vi) clear weed/vegetation growth around frames, clear/empty silt and debris, catch pits.....number.
		(vii) clear ditches by removing all material that could impair operation (weed/vegetation growth, silt, debris/rubbish, or eroded banks where present impede flow and impair operation) .....linear metre.
		(viii) clear outfalls by removing all material that could impair operation (Headwalls, Pipe outfall) .....number.
		(ix) De-silt and remove all material that could impair operation (silt, weed/vegetation growth, debris/rubbish, eroded bank material) restricting the free flow of water through the culvert.....number.
		(x) edge scrape, clear weed/vegetation growth, cut back to remove build up from edge of carriage way through to filter material in Filter Drain and Combined carrier and Filter drain that could impair operation.....linear metre.
		(xi) clear weed/vegetation growth around frames, clean/empty trapped material, interceptors.....number.
		(xii) clear manholes by removing all material that could impair operation (weed/vegetation growth, silt, debris/rubbish).....number.
		(xiii) Weed spray along filter drain and combined carrier and filter drain.....linear metre

		<p>(xiv) Clear weed/vegetation growth, remove any litter, debris and sediment that could impair operation in swales and basins.....square metre</p> <p>(xv) Undertake a grass cut of the swale and grassed areas of basins to maintain grass sward between 100mm and 200mm in height.....square metre</p> <p>(xvi) Undertake a grass cut of grassed surface water drainage system areas to maintain the grass sward at a maximum height of 75mm.....square metre</p> <p>(xvii) Clear weed/vegetation growth, remove any litter, debris and sediment that could impair operation prior to grass cutting in grassed surface water channels .....square metre</p> <p>(xviii) Cleaning (high pressure rotating jetting and powerful suctioning to recover disturbed silt) reservoir pavements for drainage attenuation (with pervious surface) .....square metre</p> <p>(xix) Remove accumulated silt of wetlands(drainage purposes) that could impair operation.....square metre</p> <p>(xx) Cycle isolation valves of balancing / attenuation ponds.....number</p> <p>(xxi) Clear all material that could impair operation to ensure assets are fit for operation for ancillary items (PCDs, siphons trash screens, penstocks).....number</p>
--	--	---



Measurement	82a	<p>The measurement of gully emptying and clear covers, clear covers, clear weed/vegetation growth and debris, clean, recut drainage Grip inlet and non-piped drainage Grip, clear weed/vegetation growth and debris, clean, recut counterfort drains, clear weed/vegetation growth and debris, cleaning, rodding, jetting proving of drainage Grip inlet and piped drainage Grip, clear weed/vegetation growth, silt and debris around frames, clean, empty catch pits, clear weed/vegetation growth, silt and debris around frames, clean, empty interceptors, clear weed/vegetation growth around frames, clear manholes by removing all material that could impair operation, clear outfalls by removing all material that could impair operation (Headwalls, Pipe outfall), clear / remove any blockage (silt, overgrown vegetation / weed, debris/rubbish, eroded bank material) restricting the free flow of water through the culvert, Cycle isolation valves of balancing / attenuation ponds to ensure valve functionality and Clear ancillary items (PCDs, siphons trash screens, penstocks) by removing all material that could impair operation to ensure assets are fit for operation shall be the number of assets within which the item is carried out.</p>
		<p>The measurement of clearing, sweeping, rodding, low pressure/high volume jetting and proving combined kerb and drainage systems, linear drainage channels, combined channel and pipe systems and clear ditches by removing all material that could impair operation (overgrown vegetation, silt, debris/rubbish, or eroded banks where present impede flow and impair operation) shall be the individual lengths measured along the centre lines between any of the following:</p> <ul style="list-style-type: none"> <li>(a) the internal faces of catch pits, manholes, interceptors;</li> <li>(b) the external faces of headwalls;</li> <li>(c) the intersections of the centre lines at pipe junctions;</li> <li>(d) the centre of gully gratings (or where no grating is provided, the centre of the gully);</li> <li>(e) the position of terminations shown in the Contract.</li> </ul> <p>The measurement of cleaning, rodding, jetting and proving linear drainage systems, combined drainage and kerb systems and combined channel and pipe systems shall be deemed to include associated manholes, chambers, sumps and the like.</p>
		<p>The measurement of edge scrape, clear vegetation/weed cut back to remove build up from edge of carriage way through to filter material in Filter Drain and Combined carrier and Filter drain that could impair operation and weed spray to prevent build-up of vegetation that could impair filter drain operation shall be the lengths stated in the <i>Service Manager's</i> instruction of changes to the planned number of Interventions.</p>

		The measurement of clear swales and basins by removing any litter, debris and sediment that could impair operation, Undertake a grass cut of the swale and grassed areas of basins to maintain grass sward between 100mm and 200mm in height, clear grassed surface water channels by removing any litter, debris and sediment prior to cutting the area that could impair the cutting operation, Undertake a grass cut of grassed surface water drainage system areas to maintain the grass sward at a maximum height of 75mm, remove accumulated silt of wetlands (drainage purposes) and cleaning, high pressure rotating jetting and powerful suctioning reservoir pavements for drainage attenuation that could impair operation shall be the plan area to be maintained.		
Itemisation	83a	Separate items shall be provided for emptying, clearing, cleaning, low pressure/high volume jetting and proving, weed and vegetation clearance, rubbish / debris / litter / obstruction clearance, silt removal, edge scraping, cutting back, weed spraying, re-cutting, de-silting, cycling, high pressure rotating jetting and powerful suctioning of gullies, gully covers, combined kerb and drainage systems, linear drainage systems, combined channel and pipe systems, catch pits, ditches, outfalls, interceptors, manholes, culverts, filter drains, balancing/attenuation ponds, ancillary items, swales, basins, grassed surface water channels, reservoir pavements and wetlands for drainage purposes in accordance with Chapter II paragraphs 3 and 4 and the following:		
		<b>Group</b>	<b>Feature</b>	
		I	1	Sub-Asset Type.
		II	1	Item.

### Series 600: EARTHWORKS

		Delete paragraphs 90 to 93 inclusive.
--	--	---------------------------------------

### Series 1200: TRAFFIC SIGNS AND ROAD MARKING

		Add the following paragraphs 46 to 48.
	<b>Cleaning of Traffic Signs, Marker Posts and Bollards</b>	

Units	46	The units of measurement shall be:		
		<p>(i) Clean all traffic sign faces and reference numbers, marker post faces and reference numbers and clean all illuminated and non-illuminated (retroreflective) bollards.....number.</p> <p>(ii) Clean all traffic sign faces and reference numbers of all Gantry signs..... number.</p>		
Measurement	47	<p>The measurement of clean all traffic sign faces and reference numbers shall be each sign.</p> <p>The measurement of clean all marker post faces and reference numbers shall be each marker post.</p> <p>The measurement of clean all traffic sign faces and reference numbers of all Gantry signs shall be each gantry.</p>		
		The measurement of clean all illuminated and non-illuminated (retroreflective) bollards shall be each bollard.		
Itemisation	48	Separate items shall be provided for cleaning of traffic signs, post faces and bollards in accordance with Chapter II paragraphs 3 and 4 and the following:		
		<b>Group</b>	<b>Feature</b>	
		I	1	Sub-Asset Type.
		II	1	Item.

Series 1300: ROAD LIGHTING COLUMNS AND BRACKETS, CCTV MASTS AND CANTILEVER MASTS				
		Insert new paragraphs 8 to 10		
	<b>Cleaning and Changing of Lighting Lamps, Electrical Testing of Network Cabling and Electrical Components including Feeder Pillars, Lighting columns, illuminated traffic signs and illuminated bollards.</b>			
Units	8	The units of measurement shall be:		
		(i) Bulk clean, clean translucent surfaces, bulk lamp clean and change.....number.  (ii) Electrical testing of network cabling and electrical components including feeder pillars.....number.  (iii) Structural testing of lighting columns from 15 years old (<20m in height).....number.		
Measurement	9	The measurement of bulk clean, clean translucent surfaces, bulk lamp clean and change shall be the number of lamps within which the item is carried out.		
		The measurement of electrical testing of network cabling and electrical components including feeder, shall be the number of columns within which the item is carried out.		
		The measurement of structural testing of lighting columns from 15 years old (<20m in height) shall be each lighting column.		
Itemisation	10	Separate items shall be provided for cleaning and changing of lighting lamps, electrical testing of network cabling and electrical components including feeder pillars and structural testing of lighting columns (<20m in height) in accordance with Chapter II paragraphs 3 and 4 and the following:		
		<b>Group</b>	<b>Feature</b>	
		I	1	Sub-Asset Type.
		II	1	Item.

<b>Series 1500: Motorway Communications</b>		
<b>Roadside Technology</b>		
		Insert new paragraphs 47 to 49
Units	47	The units of measure shall be:
		<ul style="list-style-type: none"> <li>(i) Re-fill washer fluid bottles in Hard Shoulder camera cabinet and clean camera housing front screen using wash/wipe system .....number</li> <li>(ii) Manual clean camera housing front screen if wash/wipe system is not installed.....number</li> <li>(iii) Inspection of mast ropes and winch mechanism and the condition thereof .....number</li> <li>(iv) Greasing of winch assembly to manufacturers recommendations.....number</li> <li>(v) Check mast breaking system.....number</li> <li>(vi) Clean telephone internally and externally of APTR telephones and Emergency roadside telephone.....number</li> <li>(vii) Test and calibrate environmental sensor station (ESS) site .....number</li> <li>(viii) Clean meteorological sites fog sensors.....number</li> <li>(ix) Check, clean and grease fixed text message signs motor assemblies and rotate prisms.....number</li> <li>(x) Clean sign face, inspect and clean battery connectors, change batteries of remotely operated temporary traffic management signs.....number</li> <li>(xi) Optimisation of MIDAS outstations and detectors.....number</li> <li>(xii) Inspection, check alignment and condition of site and operation of any rotating tactile devices of road traffic signals.....number</li> <li>(xiii) Check alignment and condition of site of ramp metering traffic light signals.....number</li> <li>(xiv) Inspection and testing of electrical supplies, components and distribution cables.....number</li> <li>(xv) RCD operation and visual inspection of cable terminations.....number</li> <li>(xvi) Clean camera lens.....number</li> <li>(xvii) Check camera functionality.....number</li> <li>(xviii) Check data and power supply cables.....number</li> </ul>
Measurement	48	The measurement for Manual clean camera housing front screen if wash/wipe system is not installed, Clean telephone internally and externally of APTR telephones and Emergency roadside telephone, Clean meteorological sites fog sensors, Check, clean and grease fixed text message signs motor assemblies and rotate prisms, Clean sign face, inspect and clean battery connectors of remotely operated temporary traffic management signs, shall be the number cleaned.

		The measurement for Inspection of mast ropes and winch mechanism and the condition thereof, Greasing of winch assembly to manufacturers recommendations, Check mast breaking system where required, Test and calibrate sites environmental sensor stations pre-winter season and mid-winter season, Inspection, check alignment and condition of site and operation of any rotating tactile devices of road traffic signals, Check alignment and condition of site of ramp metering traffic light signals, Inspection and testing of electrical supplies, components and distribution cables and RCD operation and visual inspection of cable terminations shall be the number of instances of checking and inspection		
		The measurement for change batteries of remotely operated temporary traffic management signs shall be the number of batteries changed		
		The measurement for Optimisation of MIDAS outstations and detectors shall be the number of outstations and detectors optimised		
		The measurement for Re-fill washer fluid bottles in Hard Shoulder camera cabinet and clean camera housing front screen using wash/wipe system shall be the number of washer bottles that are replenished		
		The measurement for clean camera lens shall be the number of units cleaned.		
		The measurement for check camera functionality shall be the number of units checked.		
		The measurement for check data and power supply cables shall be the number of complete checks.		
Itemisation	49	Separate items shall be provided for clean, inspect, check, replenish, grease, test and calibrate, change, optimise and check alignment and condition of CCTV HSM camera housing window, washer bottle fluid, winch and mast rope, winch mechanism, mast breaking system of CCTV mast ancillary equipment, APRT telephones and Emergency roadside telephone, sites environmental sensor stations, meteorological sites fog sensors, fixed text message signs motor assemblies and rotate prisms, sign face, battery connectors, batteries of remotely operated temporary traffic management signs, MIDAS outstations and detectors, site and operation of any rotating tactile devices of road traffic signals, site of ramp metering traffic light signals, electrical supplies, components and distribution cables and cable terminations, clean camera lens, check camera functionality, check data and power supply cables in accordance with Chapter II paragraphs 3 and 4 and the following:		
		<b>Group</b>	<b>Feature</b>	
		I	1	Sub-Asset Type.
		II	1	Item.

<b>Series 2200: Tunnels</b>				
		Insert new paragraph 1 to 3		
		<b>Maintenance of Tunnel Surfaces and Electrical Components</b>		
Units	1	The units of measurement shall be:		
		(i) Remove toxic, corrosive and flammable deposits and maintain light reflectance of tunnel surfaces..... square metre (ii) Clean camera lens and check camera functionality.....number (iii) Check data and power supply cables.....number		
Measurement	2	The measurement of Removal of toxic, corrosive and flammable deposits and maintain light reflectance of tunnel surfaces shall be the area of tunnel lining to be cleaned		
		The measurement for clean CCTV PTZ camera lens shall be the number of units cleaned.		
		The measurement for check CCTV PTZ camera functionality shall be the number of units checked.		
		The measurement for check data and power supply cables shall be the number of complete checks.		
Itemisation	3	Separate items shall be provided for removal of toxic, corrosive and flammable deposits and maintain light reflectance of tunnel surfaces, clean camera lens and check camera functionality and check data and power supply cables in accordance with Chapter II paragraphs 3 and 4 and the following:		
		<b>Group</b>	<b>Feature</b>	
		I	1	Sub-Asset Type.
		II	1	Item.



<b>Series 3000: LANDSCAPE AND ECOLOGY</b>	
	Insert new paragraphs 53 to 55
	<b>Control and Maintenance of Shrubs, Trees, Woodland, Grassland, Grass and Vegetation, Weeds, Plants, Scrub, Vegetation, Hedgerows, Wildflower Grassland, Injurious Weeds, Invasive Plant Species, Heath and Moorland, Conservation Grassland, Rock Scree and Wildlife Structures and Tunnels</b>
Units	53 The units of measurement shall be:
	<ul style="list-style-type: none"> <li>(i) Trim hedgerows, maintain and preserve clear carriageway width, sight lines and stopping distance, including junctions, access points, curves and bends for Hedgerows (General) .....linear metre.</li> <li>(ii) Thin/ coppice maintain and preserve sight lines and stopping distance, including junctions, access points, curves, bends and central reserve, remove obstructions and maintain vegetation to facilitate safe access to and use of footways, cycle tracks, bridleways, footpaths and paved pedestrian areas. ....square metre.</li> <li>(iii) Maintain and preserve CCTV camera operational visibility splays, road users' visibility of road traffic signs and signals, ensure illumination / lumination from lighting is not obscured, removing obstructions and/or maintain vegetation that prevent safe access, inspection and maintenance of feeder pillars and technology equipment..... number</li> <li>(iv) Undertake amenity cut of amenity grass areas, including gates way features, village verges and special landscape features, grass cut the central reserve.....square metre.</li> <li>(v) Undertake 2m wide swathe cut of all highway verges to ensure strip remains unobstructed by vegetation throughout the year (in addition to visibility splay maintenance) .....linear metre</li> <li>(vi) Remove obstructions and/or maintain vegetation to facilitate safe use of customer facilities, remove vegetation affecting the stability, integrity or operation of structures or other affected property assets.....number</li> </ul>

		<p>(vii) Maintain Affected Property to control the spread or increase of instances of Injurious Weeds and Invasive Plant Species..... square metre.</p> <p>(viii) Maintain habitat integrity, including removal of scrub encroachment in grassland (Open Grassland), shrubs (General) and woodlands and trees including veteran trees.....square metre.</p> <p>(ix) Maintain wildlife structures and tunnels by removing all material that could impair operation.....number.</p> <p>(x) Maintain habitat integrity, including removal of scrub encroachment and tree saplings in heath and moorland .....square metre.</p> <p>(xi) Maintain habitat integrity, including removal of scrub encroachment and undesirable weed species in conservation grassland or wildflower grassland..... square metre.</p> <p>(xii) Maintain habitat integrity including removal of undesirable species for Hedgerows (Habitat).....square metre</p> <p>(xiii) Maintain design requirements / amenity function of shrubs (ornamental).....square metre</p>
Measurement	54	The measurement of hedgerow trimming, maintain and preserve clear carriageway width, sight lines and stopping distance, including junctions, access points, curves and bends, and undertake 2m wide swathe cut of all highway verges to ensure strip remains unobstructed by vegetation throughout the year (in addition to visibility splay maintenance) shall be the lengths as instructed by the <i>Service Manager</i> .
		The measurement of thin / coppice, maintain and preserve sight lines and stopping distance, including junctions, access points, curves, bends and central reserve, facilitate safe access to and use of footways, cycle tracks, bridleways, footpaths and paved pedestrian areas and undertake amenity cut of amenity grass areas, including gates way features, village verges and special landscape features, grass cut the central reserve shall be the plan area.
		The measurement of preserve CCTV camera operational visibility splays, maintain and preserve road users' visibility of road traffic signs and signals, ensure illumination / lumination from lighting is not obscured, removing obstructions that prevent safe access, inspection and maintenance of feeder pillars and technology equipment shall be each CCTV mast,

		traffic sign or signal support, lighting support or other technology equipment support structure.
		The measurement of Maintain Affected Property to control the spread or increase of instances of Injurious Weeds and Invasive Plant Species, Maintain habitat integrity, including removal of scrub encroachment in grassland, shrubs and woodlands and trees including veteran trees, Maintain habitat integrity, including removal of shrub encroachment and tree saplings in heath and moorland, Maintain habitat integrity, including removal of shrub encroachment and undesirable weed species in conservation grassland or wildflower grassland, and Maintain design requirements / amenity function for shrubs (ornamental) and maintain habitat integrity including removal of undesirable species shall be the plan area to be maintained.
		The measurement for Remove obstructions and/or maintain vegetation to facilitate safe use of customer facilities, remove vegetation affecting the stability, integrity or operation of structures or other affected property assets shall be number assets maintained.
		The measurement for Maintain wildlife structures and tunnels by removing all material that could impair operation shall be the number of wildlife structures and tunnels. For the purpose of measurement one number tunnel is the complete length of pipe.
Itemisation	55	Separate items shall be provided for control and maintenance of shrubs (General), shrubs (Ornamental), trees, woodland, grassland (Open grassland), grass, vegetation, weeds, plants, hedgerow (General), hedgerow (Habitat), injurious weeds, invasive plant species, heath and moorland, conservation grassland / wildflower grassland, rock scree, veteran trees, wildlife structures and tunnels, protected habitats, protected species and material removal in accordance with Chapter II paragraphs 3 and 4 and the following:
		<b>Group</b> <b>Feature</b>
	I	1 Sub-Asset Type.
	II	1 Item.

<b>Series 4000: SWEEPING AND CLEANING</b>		
	Insert new Series 4000 paragraphs 1 to 3.	
	<b>Sweeping and Litter Picking of Paved, Non-Paved and Amenity Areas</b>	
Units	1	The units of measurement shall be:
	<p>(i) Full sweep, litter picking to maintain to Grade.....square metre.</p> <p>(ii) Clean and maintain toilet blocks.....number</p>	
Measurement	2	The measurement for full sweep and litter picking to maintain to grade shall be the plan area.
	The measurement for clean and maintain toilet blocks shall be the number of toilet blocks.	
Itemisation	3	Separate items shall be provided for sweeping and litter picking of paved, non-paved and amenity areas, cleaning and maintaining of toilet blocks in accordance with Chapter II paragraphs 3 and 4 and the following:
	<b>Group</b>	<b>Feature</b>
	I	1 Sub-Asset Type.
	II	1 Item.