



Proposed Front Elevation

GENERAL

These notes to be read in conjunction with detailed specification from Burnley Council.

Any discrepancies are to be reported to any supervising officer and Burnley Council.

All workmanship and materials to comply with current Building Regulations and relevant British Standards, Codes of

All electrical work to conform to current edition of IEE regs and to be carried out by part P approved contractor. Any gas related works to be carried out by gas safe registered contractor.

All materials to be fixed, applied or mixed in accordance with manufacturer's instructions and specifications The contractor shall take into account everything necessary for the proper execution of the works.

All dimensions to be checked on site by the contractor prior to ordering of any materials and any discrepancies brought to the attention of the client

All work to be carried out in accordance with CDM regulations 2015 and Health & Safety at work act.

Strip out all plumbing and heating and provide and fix new hot and cold water pipework, wastes, svp etc to new bathroom and kitchen.

Provide and fix new class A rated gas fired boiler with fan assisted flue to kitchen fixed in accordance with manufactures instructions. TRV's to new radiators Provide and fix new kitchen units as per schedule.

New bathroom suite with deep seal anti vac traps to wastes to connect to new soil and vent pipe. Include for shower over the bath, all tiling and shower screen etc. 100mm drainage laid to falls 1:40 to manufacturers instructions and runs agreed and inspected by Building Control Officer

Remove existing partitions as necessary, any new partitions required to be $100 \times 50 \text{nm}$ timber studding with acoustic insulation, 9 nm plasterboard both sides and skim finish. Provide extra noggings in floor as necessary. Include for new doors complete with new frames, architraves, skirtings etc

Remove / overboard ceilings with 12.5mm plasterboard and skim ceilings to rooms indicated on schedule, provide 2 layers 200mm rockwool insulation laid in opposite directions to roofspace and new insulated access hatch.

Remove plasterwork to walls as indicated on schedule, external walls lined out with Thermaline super board and party walls undbloc boards with skim finish.

Provide new dpc to all ground floor walls including waterproof render / tanking prior to dry lining

Proposed Rear Elevation

washer space with end panel and worktop / sink over

- 500mm base unit with sink over
- 800mm corner base unit with worklop over
- 600mm wall unit 720mm high housing boiler
- 500mm 4 drawer pack with worktop over
- 400mm wall unit 720mm high
- 600mm cooker space for integrated oven with gas hob, gas & electric cooker point, extract over ducted to external air
- 800mm corner base unit with worklop over
- 450mm wall unit 720mm high
- 1000mm wall unit 720mm high
- 11. 400mm base unit with worklop over
- 12. fridge freezer space

Project		
Alterations	/ Refurbishme	nt
26 Pritchard	d Street, BURNI	LEY
Client		
Burnley Bo	rough Council	
Description		Drawn
Proposed la	yout	CW
Scale	Date	Drawing No
1:50 @ A3	Oct 2022	617/02