

Ministry of Defence



TORPEDOES REPAIR AND MAINTENANCE TTHC/0017

ANNEX L PROPRIETARY ITEMS

Page 1 of 6	

AMENDMENT HISTORY

Issue	Date	Originator	Comments
1	October 2019	DE&S – TTH PT	Final Version as at Contract Award

Page 2 of 6	

No	Supplier	Item	Proprietary Elements
1	Text has been redacted under the exemptions set out by the Freedom of Information Act.	Process specification for production of High Explosive designated as KS32/33. This process specification has been used on various programmes including ESSM, ALARM, ASRAAM and KEPD.	DE 4324739 C1 and 20022343 (registered pattern).
2	Text has been redacted under the exemptions set out by the Freedom of Information Act.	Process specification for the manufacture of blister free plastic bonded explosive designated as KS32/33. This process specification has been used on various programmes including ESSM, ALARM, ASRAAM and KEPD.	FA W 001778 for KS 32 FA TK35-001625.00 for KS 33
3	Text has been redacted under the exemptions set out by the Freedom of Information Act.	Copper / Teflon sandwich attenuator used to attenuate detonation shock at waveshaper / ignition plate interface.	DE 41 19 586 C2 F 42 B 1/024
4	Text has been redacted under the exemptions set out by the Freedom of Information Act.	TVG5B - Triggered vacuum gap (high Voltage switch used to discharge the firing circuit through the EFI)	M209504A Issue 2
5	Text has been redacted under the exemptions set out by the Freedom of Information Act.	EFI - Exploding foil initiator including HNS pellet	H208556A iss 1 - HNS Pellet M207369A iss 5 - EFI PCB HP207724A iss 2 - Pellet Holder H207722A iss 5 - Pressure Pad

Table 1: Sting Ray Proprietary Items List

Page 3 of 6	

1.2 Spearfish Proprietary Items

No	Supplier	Item	Proprietary Elements
1	Text has been	EHS	Low Pressure Pack, MRI 7250
	redacted under the exemptions set out		High Pressure Pack, MRI 7200
	by the Freedom of		Ring Main, MRI 7300B
	Information Act.		Primary Fin, MRI 7150
			Servo Valve
			Potentiometer
	Text has been		Autopilot, MRI 380B
2	redacted under the exemptions set out	Autopilot	Autopilot, MRI 33770
	by the Freedom of Information Act.		Autopilot, MRI 33800
3	Text has been redacted under the exemptions set out by the Freedom of Information Act.	Powerplant	Powerplant, MRI 6200G
	Text has been		HAP MRI 5100E
4	redacted under the exemptions set out	Manufacturing processes and	Otto Fwd MRI 5729A
	by the Freedom of Information Act.	materials for Fuel Bags	Otto Aft MRI 5200D
	Text has been		Downstream Valve, MRI 6188
5	redacted under the exemptions set out	Valves and QD's	Socket HAP QD, MRI 6177
	by the Freedom of Information Act.		Socket Otto QD, MRI 6185
	Text has been		COHV, MRI 5085A
6	redacted under the exemptions set out by the Freedom of Information Act.	COHV & Protractors	Protractor, 3201-29150-LP-X-01
	Text has been		Hose Assembly, Seawater,
7	redacted under the exemptions set out	Hoses	3201-26115-40-1-01 Hose Assembly, Otto Inert, 3201-60600-40-1-01

Table 2.	Snearfish	Proprietary	/ Itoms	l ict
	эреанын	riopiletai		LISU

Page 4 of 6	

No	Supplier	Item	Proprietary Elements
	by the Freedom of Information Act.		Fuel Purge Hose, 3201-60601-40- 1-01
			Hose Assembly, HAP Inert, 3201-60602-40-1-01
			Hose Assembly, Inert, 3201-60603-40-1-01
			Hose Assembly, Otto Fwd, 3201-60604-40-1-01
			Depth Sensor Deep, 3201-29470-40-4-01
0	Text has been redacted under the	Double Concerns	Depth Sensor Shallow, 3201-29480-40-4-01
8	exemptions set out by the Freedom of Information Act.	Depth Sensors	Depth Sensor Shallow, 3201-33380-40-4-01
	Information Act.		Depth Sensor Shallow, 3201-33381-40-4-01
9	Text has been redacted under the exemptions set out by the Freedom of Information Act.	Seawater Seals	Sea Water Seal, MRI 7640
	Text has been		Gas Bottle, MRI 7241C
10	redacted under the exemptions set out by the Freedom of Information Act.	Gas Bottles (Fuel and Tail)	Gas Bottle, Fuel Section, MRI 5021A
			Transducer MD-B28715
			Transducer Type 120, Electron
		Transducers	Acoustic Beeper 3201-19899-40-4
	Text has been redacted under the		Transducer Type 128,
11	exemptions set out	'A' Links and Noise	Tracking 3201-19335-40-4
	by the Freedom of	Techniques	Transducer Homing, (Nose Type)
	Information Act.		UBK 100055
			`A' Links
			Noise Reduction Techniques
12a	Text has been redacted under the exemptions set out by the Freedom of Information Act.	Highly Explosive KS57 mixing and casting process	FA-SSM-W118970-000

Page 5 of 6	

No	Supplier	Item	Proprietary Elements
12b	Text has been redacted under the exemptions set out by the Freedom of Information Act.	Re-Qualification of KS57	REP-SFU-118670-07 Revision A
	Text has been		TVG5B- Triggered Vacuum Gap-
13	redacted under the exemptions set out by the Freedom of Information Act.	High Voltage Switch	M209504A Issue 2
	Text has been		EFI H208556A issue 1
	redacted under the		HNS Pellet M207369A
14	exemptions set out by the Freedom of	Exploding Foil Initiator –EFI (Including HNS Pellet)	Pellet holder HP207724A
	Information Act.		Pressure pad H207722A

Page 6 of 6	