

**National Asset Delivery
Technical Surveys and Testing**

Site Information for

PIN 570122

A303 Newcott EB & WB

MP 237.1 – 239.3

Pavement Core / DCP Survey

1 SITE INFORMATION

1.1 Site boundary, extents and access arrangements

The survey is to be undertaken on the A303 EB & WB MP 237.1 – 239.3.

All the work is within Highways England's boundary.

Access to the site will be via the traffic management.

The location of the site is as shown on Figure 01 below:




Figure 01: Location Plan

1.2 Pavement

A303 EB & WB MP 237.1 – 239.3 consists of a Thin Surface Courses and HFS of varying ages.

1.3 Drainage

There are highways drainage systems within the site. For details please refer to the STATs drawings attached with PCI.

Pre - survey stats check shall be undertaken prior to coring, it is anticipated however that the survey work will not interfere with any drainage apparatus.

- 1.4 Geotechnical**
Not applicable.
- 1.5 Soft Estate and Environment**
Not applicable.
- 1.6 Traffic Signs, Road Markings**
Are present throughout the scheme.
- 1.7 Lighting**
Street lights are not present within the extents of the scheme.
- 1.8 Structures and Buildings**
1 no. highway retaining wall structure is present (Structure ID 11710). Its approximate location is shown in document 'Defect Treatment Plan Newcott.xlsx' enclosed.
- 1.9 Tunnels**
Not applicable
- 1.10 Technology**
Traffic loops are present within the site. Twin amber flashing lights are also present near and prior to MP 238.6.
- 1.11 Statutory Undertakers**
Utility apparatus are contained within the site, refer to STATs drawings and Pre-Construction Information.
- 1.12 Traffic**
The Westbound section of the carriageway has typical 24hr AADT of 8,460, 8.1% of which are HGV, whilst the Eastbound section of carriageway has typical 24hr AADT of 8,186, 8.2% of which are HGV (WebTRIS 2020).