

Tree Schedule

No.	Tag No.	TPO / Con. Area	Species	Height	Trunk Dia.	Comments	Target	Recommended Works:	Works Purpose	Tree Works Timescales	Reinspect. Timeframe	Location GPS	Location GPS_E	Location GPS_N	W3W
2			Laurel	4m	2 stems @ 100mm est	Adj. rear residential garden fence, marked.	Residential property	Fell to ground level.	Safety	Within 12 months	08/05/2026	516351.3 4123991 7,127446. 1296665 63	516351	127446	//heading.s.custard.meanings
3			Crack Willow	6m	350mm est	Trunks lean heavily N.	Residential property	Fell to ground level.	Safety	Within 12 months	08/05/2026	516340.3 5539462 5,127446. 8375528 78	516340	127447	//coping.c.lockwork.download
4	733		Sycamore	15m	400mm est	Ivy on trunk.	Residential property	Cut and remove ivy between 0-1.5m.	Safety	Within 12 months	08/05/2026	516304.0 2583754 9,127456. 1801759 97	516304	127456	//ambush.es.dentistr.y.menswear
7			Small-Leafed Lime	14m	500mm est	low branches over footpath.	Public footpath	Crown lift to 5m above ground level on NE side over footpath. Hazel (adj.): re-coppice & remove sand bags at base of tree.	Safety	Within 12 months	08/05/2026	516251.0 4684552 8,127531. 0914032 94	516251	127531	//slopes.c.rush.man.uals
8			Hazel	4m	100mm est	Small Hazel (former coppice) immediately adjacent footpath (marked).	Public footpath	Re-coppice.	Safety	Within 12 months	08/05/2026	516273.2 9641314 4,127526. 2441760 63	516273	127526	//mystery.aliens.merchant
10			Hazel	6m	50mm est	Former coppice.	Public footpath	Re-coppice Hazel on corner (marked) & remove to ground level all Holly approx. 10m to S (of bin).	Safety	Within 12 months	08/05/2026	516410.0 9968727 5,127389. 3596164 43	516410	127389	//ripples.countr.y.ar.gry
11			Ash	8.5m	150mm est	Opp. 111 Blakes Farm Rd; small self-seeded specimen.	Highway	Fell to ground level.	Safety	Within 12 months	08/05/2026	516370.0 0763639 5,127326. 4562084 16	516370	127326	//iteration.younger.f.eeling
13			Goat Willow	12m	300mm est	Opp. 125 Blakes Farm Rd; trunk leans heavily W.	Highway	Fell to ground level.	Safety	Within 12 months	08/05/2026	516393.5 0318145 9,127377. 7478224 17	516394	127378	//values.i.nert.falter.s
18	9204		English Oak	16m	700mm est	Ivy on trunk.	Residential property & public footpath	Cut and remove ivy between 0-1.5m & removed marked understorey tree/s at base to aid future tree inspections.	Safety	Within 12 months	08/05/2026	516252.5 2244449 7,127289. 5388784 15	516253	127290	//duration.dance.stri.kers
20	171		Ash	18m	650mm est	Foliage/growth impeding inspection of base of tree.	Residential property	Clear 360 degrees, 2.5m radius, around base of tree inc. Elder, fallen branches and brambles etc. to aid future tree inspections.	Safety	Within 12 months	08/05/2026	516255.5 0038298 6,127383. 8643595 09	516256	127384	//slack.ba.ngle.scan

Tree Schedule

21	750		Ash	8.5m	200mm est	Bramble covered; poor crown conformation; crown has been heavily reduced or "topped" in past.	Residential property	Fell to ground level & reduce height of adj. leaning Hawthorn by 25%.	Safety	Within 12 months	08/05/2026	516275.6 9859949 2,127361. 5158839 15	516276	127362	//fires.placed.doubts
25	765		Ash	14m	250mm est 150mm est 350mm est	Suppressed crown as overtopped by adjacent specimens; significant crown dieback, exceeding 50%.	Residential property	Fell to ground level & cut and remove ivy between 0-1.5m on group of Ash trees on corner adj. path.	Safety	Within 12 months	08/05/2026	516236.7 3982542, 127055.7 8969659 6	516237	127056	//factored.enjoyable.petting
26			English Oak	14m	500mm est	Opp. no. 3 Larkspur Way, approx. 7m NE of lamp no.4; dead pruning stubs between 3-9m.	Highway	Remove dead pruning stubs.	Safety	Within 12 months	08/05/2026	516180.3 7696381 4,127133. 3701775 32	516180	127133	//intention.probably.completed
27	774		Ash	10m	180mm est 3 stems @ 200mm est	Ash & Field Maple; Ash - significant crown dieback, exceeding 50%.	Highway	Fell to ground level, to 'release' new saplings. Take care not to damage new saplings nearby.	Safety	Within 12 months	08/05/2026	516159.1 7973501 7,127181. 5574995 63	516159	127182	//quality.estimates.repeat
36			Ash	7.5m	230mm est	Stem kinks at 1.5m; poor crown conformation; poor structural condition.	Public footpath	Ash: Fell to ground level & Fell to ground level Ash tree approx. 10m to S (approx. 8m tall, 180mm DBH).	Safety	Within 12 months	08/05/2026	516464.3 3885496 4,127019. 8288009 55	516464	127020	//exacts.pace.coasters
37			Beech	22m	700mm est	Ivy on trunk.	Public footpath	Cut and remove ivy between 0-1.5m. Clear wood and brush at base of tree to N to clear 4m radius around base of trunk.	Safety	Within 12 months	08/05/2026	516446.2 1506691 4,126980. 0058209 37	516446	126980	//affair.ouboard.clincher
44			Ash			Historically felled tree; rear of Swan Close.	Residential property	Clear/tidy up chip brush and stack cord wood neatly in habitat piles away from large dia. tree bases (tracked chipper required). Rear of Swan Close.	Safety	Within 12 months	08/05/2026	516340.8 7222499 4,126840. 6575070 67	516341	126841	//regret.stubble.motivator
48			Ash	15m	450mm est	2x Ash; ivy on trunks.	Residential property	Cut and remove ivy between 0-1.5m.	Safety	Within 12 months	08/05/2026	516090.2 7666776 9,126907. 4534753 95	516090	126907	//abolish.purist.revamped
50	9294		English Oak	18m	750mm est	Ivy on trunk.	Residential property	Cut and remove ivy between 0-1.5m.	Safety	Within 12 months	08/05/2026	516100.5 8834963 8,126931. 2943381 36	516101	126931	//factoring.error.dreamers
54			Goat Willow	10m	250mm est	E side of stream; historic fallen tree.	Public footpath	Fell and remove & fell to ground level 4x small dia. drawn-up Ash located approx. 10-20m S.	Safety	Within 12 months	08/05/2026	515926.5 2563877 1,126370. 3471026 06	515927	126370	//quantity.perusing.prevents

Tree Schedule

55			Goat Willow	6m	120mm est	2x marked trees, adj. lamp no.5.	Car park	Fell to ground level 2x marked trees adj. lamp no.5. , adj. car park.	Safety	Within 12 months	08/05/2026	515910.9 9316013 6,126327. 1654508 7	515911	126327	//chum.g enius.som ebody
59	824		Ash	12m	400mm est	Located adj. kissing gate between/linking Turners Cl open space and skatepark, approx. 5m from gate, desire line footpath; significant crown dieback, exceeding 50%.	Woodland footpath	Fell to ground level.	Safety	Within 12 months	08/05/2026	516350.6 4968275 9,125680. 9044819 09	516351	125681	//repeats. breeze.tri nkets
G1	9152, 736, 716, 734		English Oak and Goat Willow	16m	Avg 650mm est	Multiple mature Oak trees in row: ivy on trunks; SM G. Willow Height(H): 9m DBH:350est - dead & heavily leaning trunk NW; cut and remove ivy between 0-1.5m.	Residential property	Oaks: Cut and remove ivy between 0-1.5m. Goat Willow: Fell to ground level.	Safety	Within 12 months	08/05/2026	516364.9 4459039 4,127434.	516364.9 4459039 4	127434.6 4726065 7	//flattered .expired.o pposites
G2			Holly and Hazel	7m	Avg 150mm est	Former coppice.	Residential property	Re-coppice Hazel stools marked (pink paint). Holly: 50% thin, with focus also on those trees close to larger tree trunks to aid future tree inspections.	Safety	Within 12 months	08/05/2026	516377.6 5863141 4,127439.	516377.6 5863141 4	127439.2 5610134 6	//comput ers.salute s.newest
G3			Hazel and Myrobalan Plum	6.5m	Avg 150mm est	Hazel: former coppice.	Residential property	Re-coppice whole stools or singular large dia. stems as marked, to clear back fences. Remove those marked P. cerasifera.	Safety	Within 12 months	08/05/2026	516340.0 0583128 9,127503.	516340.0 0583128 9	127503.1 2174046 1	//fact.am bitions.rou ts
G4			Hazel	Min 6m Max 8m	Avg 150mm est	Heavily reduced or "topped" in past at 4m.	Residential property	Cut back to old pruning points (4m).	Safety	Within 12 months	08/05/2026	516428.0 9940515 9,127295.	516428.0 9940515 9	127295.5 8662622 3	//regard.s ummaries .poker
G6			Hazel	7m	Avg 150mm est	Former multiple Hazel coppice & thick understorey inc. brambles.	Residential property	Hazel: re-coppice 30% & clear understorey & brambles to create access corridor.	Safety	Within 12 months	08/05/2026	516432.1 7024236 6,127274.	516432.1 7024236 6	127274.2 6246081 4	//overhea r.hope.arr ay
G7			Hazel, Goat Willow and Ash	Min 5m Max 8m		On corner by Charlock Way odds 1-49 sign; ash: over-topped, trunk leans heavily.	Highway	Fell to ground level.	Safety	Within 12 months	08/05/2026	516357.3 8465950 8,127252.	516357.3 8465950 8	127252.0 4005442 3	//scorche d.seasona l.memo
G8			English Oak, Field Maple and Hazel	Min 13m Max		Cut and remove ivy between 0-1.5m.	Residential property	Hazel: Re-coppice marked stools (to clear residential fences). Oaks & F. Maple: cut and remove ivy between 0-1.5m.	Safety	Within 12 months	08/05/2026	516374.9 6055941 7,127290.	516374.9 6055941 7	127290.5 2692616 9	//massag ed.lasted.l oopholes
G9			English Oak and Ash	20m	Avg 650mm est	Ivy on trunk.	Residential property	Cut and remove ivy between 0-1.5m & clear 360 degrees around base inc. brambles to aid future inspection.	Safety	Within 12 months	08/05/2026	516348.2 0423257 7,127296.	516348.2 0423257 7	127296.8 9966967 1	//prouder. unwind.gr ading
G10			Myrobalan Plum	6m	Avg 300mm est	Historically fallen SM tree leans heavily N & group of densely growing self-suckering small trees; with poor crown conformation; of limited potential; majority of trees marked.	Public footpath	Fell to ground level historically uprooted tree & group/those marked and those necessary to tidy area as a whole (both sides of footpath).	Safety	Within 12 months	08/05/2026	516280.8 4533544, 127333.2 2634107	516280.8 4533544 516278.7 2495119	127333.2 2634107 9 127329.6	//moment ous.risky. basically
G11			Ash	6m	Avg 150mm est	Overgrown area, adj. street lamp.	Residential property	Clear all vegetation/foilage inc. brambles R/o adj. lamp no.7. & fell to ground level small dia. Ash. To 'release', free up growing space for young Oaks and F. Maples.	Safety	Within 12 months	08/05/2026	516262.2 2306248, 127309.5	516262.2 2306248 516267.6	127309.5 3634759 1	//inflates. apes.resol ves
G12			Myrobalan Plum	7m	Avg 150mm est	Bramble, understorey.	Residential property	Requires understorey clearance inc. brambles, P. ceraifera. Need to clear a path (retaining habitat where possible) to clear rear fence line & to provide access & clear 360 degrees, at least 2m radius around base of	Safety	Within 12 months	08/05/2026	516150.1 8150965 7,127300. 9999556	516150.1 8150965 7 516143.3	127300.9 9995562 9 127302.0	//tanked. valid.resel ler
G13			English Oak	20m		2x Oaks; understorey growth inhibiting tree inspection of base of trees.	Residential property	Clear Brambles and understorey trees/shrubs inc. Laurel & provide clearance 360 degrees around base of mature Oak trees, min. 4m radius from trunk, & hedge cut both side of access path in to maintain/clear desire path in.	Safety	Within 12 months	08/05/2026	515809.1 0967622 4,127188. 7978357	515809.1 0967622 4 515811.9	127188.7 9783575 1 127188.5	//cornfield .diverts.tid ying
G14			Hazel	7.5m	Avg 150mm est	overweighed branches towards garden fences; former coppice.	Residential property	Coppice by removing the large diameter stems and leaving the smaller dia. stems. Leave whole stools as necessary.	Safety	Within 12 months	08/05/2026	516262.2 7326451 9,127044.	516262.2 7326451 9	127044.1 6354299 4	//moderat ed.walls.v andalism

Tree Schedule

G17			Ash	5m	Avg 150mm est	Small self-seeded specimen/s.	Public footpath	Fell to ground level.	Safety	Within 12 months	08/05/2026	516183.7 6754956 1,127054.	516183.7 6754956 1	127054.3 8477643 7	//overhead winter shears
G18			Ash and English Oak	Min 6m Max 15m		Ash: significant crown dieback, exceeding 50%; 6x ivy covered ash.	Residential property	Ash (marked), Oak (not marked): Cut and remove ivy between 0-1.5m.	Safety	Within 12 months	08/05/2026	516206.7 9031632 4,127144.	516206.7 9031632 4	127144.1 8569007 5	//shipwright.announce.stitching
G19			Brambles			Heavily bramble covered, particularly N end.	Residential property	Clear brambles and to extend access (good clearance on one side - continue this on the other side and within whole area).	Safety	Within 12 months	08/05/2026	516227.6 7288536 8,127222.	516227.6 7288536 8	127222.4 9532283 7	//asserts.tangling.bumpy
G20			English Oak, Ash and Field Maple	15m	Avg 500mm est	Ivy on trunks.	Highway	Cut and remove ivy between 0-1.5m.	Safety	Within 12 months	08/05/2026	516352.6 9777378 2,127225.	516352.6 9777378 2	127225.3 2164915 6	//outwit.licensed.spouse
G21			English Oak, Field Maple and Hazel				Residential property, public footpath	Cyclically clear brambles 4m from path edge 'Charlock'. Cut and remove ivy for large dia. trees inc. Oaks and F Maples. Thin Hazel stools 25%. Retain Hawthorns.	Safety	Within 12 months	08/05/2026	516407.2 5792675 3,127149.	516407.2 5792675 3	127149.4 9255613 9	//sulked.extend.storage.ybook
G22			English Oak (x5) and Hazel	Min 6m Max 16m	Avg 650mm est	English Oaks: Ivy on trunks; area of Hazel coppice.	Residential property, public footpath	Oaks: Cut and remove ivy between 0-1.5m Hazel: Coppice 25% (under SPC direction).	Safety	Within 12 months	08/05/2026	516416.0 3464531 3,127146. 4766576.	516416.0 3464531 3 516415.9	127146.4 7665762 5 127153.0	//column.crisis.rents
G24			Hazel and Holly			Charlock way area 5 (rear of residential properties).	Residential property	Coppice Hazel 25%, thin/remove 50% Holly & clear, tidy inc. fallen trees.	Safety	Within 12 months	08/05/2026	516340.6 0309563 4,127165.	516340.6 0309563 4	127165.4 8470317 9	//blotches.listed.projects
G25			Various			R/o 31-49 Charlock. Area requires tree/shrub thinning/coppicing/clearance, including internally (edge is done) to open up access for ongoing inspections, maintenance etc.	Residential property, public footpath	R/o 31-49 Charlock. Area requires tree/shrub thinning/coppicing/clearance, including internally (edge is done) to open up access for ongoing inspections, maintenance etc.	Safety	Within 12 months	08/05/2026	516476.3 7111403 1,127064. 6647381.	516476.3 7111403 1 516471.2	127064.6 6473816 127090.2 0475371	//named.severe.brisksky
G31			Brambles			AREA 7: from Oak 9294 all way up E flank/side (of PFGN) to roadside (photo) thick brambles/undergrowth.	Residential property	Clear access corridor/channel along rear fences and thin/clear understorey as necessary as moving through. Machinery/chainsaw/tracked chipper.	Safety	Within 12 months	08/05/2026	516099.6 4734702 8,126944. 3885670 48 516096.5	516099.6 4734702 8 516096.5 7	126944.3 8856704 126936.0 0517688 1	//confronts.putty.unlisted
G32		TPO	Ash, Field Maple, Hawthorn and Elder	15m		Ivy on trunks (all trees within approx. 35m of Highway).	Highway	Cut and remove ivy between 0-1.5m. Coppice to ground level Elder. Fell to ground level small dia. Ash (marked). Holly (All): Fell to ground level.	Safety	Within 12 months	08/05/2026	515937.1 5880739 6,127195. 0080303.	515937.1 5880739 6 515922.5	127195.0 0803034 7 127194.6	//weeks.enrolling.stilled
G33			Field Maple	12m	Avg 250mm	Ivy on trunks.	Residential property	Cut and remove ivy between 0-1.5m.	Safety	Within 12 months	08/05/2026	515856.3 7777301 5,127125.	515856.3 7777301 5	127125.9 2774768 3	//reserve.d.downs.liners
G35			Holly and Hazel	6m	Min 100mm est	Thick bramble, understorey; hazel coppice stools; thick Holly tree cover.	Residential property	Holly 50% clear, Hazel 25% coppice. Thin/clear/tidy as necessary to create corridor of access & as for other similar area (SE flank of PFGN).	Safety	Within 12 months	08/05/2026	515964.2 7522351 7,127049.	515964.2 7522351 7	127049.4 7676698 7	//early.fewer.minus
G36			Brambles			HORSHAM DISTRICT COUNCIL; thick bramble cover, including grass amenity area (adj. 32-22 Mapledown Close), impeding access.	Residential property	Clear bramble cover to 15-20m back from grass amenity area (adj. 32-22 Mapledown Close) to behind large dia. mature Ash tree group & continue clearance along rear garden fence lines.	Safety	Within 12 months	08/05/2026	515979.7 8635753 5,126893. 2604211.	515979.7 8635753 5 515977.6	126893.2 6042115 8 126887.6	//prowling.recursion
G40		TPO	English Oak and Ash	20m	Avg 600mm est	Ivy on trunks; thick undergrowth Holly, Hazel.	Residential property	Cut and remove ivy between 0-1.5m. Fell 50% Holly, Coppice 25% Hazel. Clear at least 4m radius around base of large dia. trees, to improve access.	Safety	Within 12 months	08/05/2026	515986.1 5108349 127121.3 1549231.	515986.1 5108349 515983.1 9484174	127121.3 1549231 6 127116.2	//counts.mass.suggested
G41			English Oak, Field Maple and Ash	17m	Avg 500mm est	Ivy on trunks; row of trees along rear residential garden fences; (East) end - Hazel cut by resident.	Residential property, public footpath	Cut and remove ivy between 0-1.5m. (East) end - chip/remove Hazel branches cut (dumped) by resident. clear, coppice, tidy inc. all foliage 360 degrees, 4m radius, around base of large dia. trees for inspection access.	Safety	Within 12 months	08/05/2026	516062.8 1616372 2,126436. 8949066 57	516062.8 1616372 2 516083.7	126436.8 9490665 7 126420.8 4232336	//digests.garage.obliging

Tree Schedule

G42	797		Ash	13m	Avg 350mm est	3x small self-seeded specimens; tree Tag: 797: Bi-furcates at 4.5m; tight compression fork with evidence of included bark; trunk leans towards residential property; all: Significant crown dieback, exceeding 50%.	Residential property	Fell to ground level.	Safety	Within 12 months	08/05/2026	515876.9 9212971 2,126279. 6301426	515876.9 9212971 2 515878.2	126279.6 3014269 8 126288.6	//shepherdess.mildest.bequn
G43			English Oak and Hazel	Min 6m Max 11m	Avg 400mm est	Near table tennis; oak: dead branch/stubs, between 0-5m; hazel: former coppice.	Public footpath	Oak: Remove/target prune dead branch stubs. Hazels: Coppice at ground level.	Safety	Within 12 months	08/05/2026	516414.2 1110101 1,126412.	516414.2 1110101 1	126412.8 5093280 5	//beakers.entertainer.majority
G44			Ash, Field Maple and Goat Willow	13m	Avg 300mm est	Ivy on trunks; G. Willow: heavily leaning trunk; ash: small self-seeded specimens; adj. Easteds Lane road sign & along adj. bike racks adj. nursery.	Residential property	Fell to ground level all ash and leaning G. Willow. Cut and remove ivy in all retained trees.	Safety	Within 12 months	08/05/2026	516517.1 8378681 9,126533.	516517.1 8378681 9	126533.5 6914073 2	//reclined.leave.car.go
G45			English Oak and Ash	13m	Avg 400mm est	Ivy on trunks.	Residential property	Cut and remove ivy between 0-1.5m & cut channel in 4m wide, at least, to enable access to tree line, rear garden fence.	Safety	Within 12 months	08/05/2026	5153407 9,126516.	5153407 9	6936765 8	//smiling.encrusted.limp
G47			Ash	12m	Avg 180mm est	Ash: Group of small self-seeded, drawn-up, mutually suppressed specimens; cut and clear access corridor/channel to enable access to and along rear fence line.	Highway, residential property	All Ash: Fell to ground level/clear (as per 2023 spec) & Cut and clear access corridor/channel to enable access to and along rear fence line.	Safety	Within 12 months	08/05/2026	516327.8 4548469. 126232.3 5855546	516327.8 4548469 516317.7 8564198	126232.3 5855546 2 126208.3	//curbed.yelled.surviving